Gigaset

E630 - E630A

You can find the most up-to-date user guide at www.gigaset.com/manuals



User guide online on your smartphone or tablet: Download the Gigaset Help app



Contents

Overview	
Handset	5
Base	
Illustration in the user guide	6
Safety precautions	
Getting started	8
Contents of the package	8
Base Gigaset Box 100	9
Handset	9
Using the telephone	13
Getting to know your telephone	13
Making calls	17
Provider-specific functions (network services)	22
Message lists	26
Call lists	27
Directory	29
Answer machine	32
Local answer machine (if available)	32
Network mailbox	36
Set fast access for the answer machine	37
Additional functions	38
Sound profiles	38
Spot LED	38
Calendar	39
Timer	41
Alarm clock	42
Baby monitor	
ECO DECT	
Protection against unwanted calls	
SMS (text messages)	47
Expanding the functionality of the telephone	53
Multiple handsets	
Repeater	
Operation with a router	56
Operation with a PABX	57
Adjusting the telephone settings	59
Handset	59
System	65

Contents

Appendix	67
Questions and answers	
Service (Customer Care) - United Kingdom and Ireland	69
Manufacturer's advice	70
Technical data	72
Display icons	74
Menu overview	76
Index	70



Not all functions described in the user guide are available in all countries or from all network providers.





Overview

Handset

- Spot LED (→ p. 35) / Visual call signal (→ p. 57)
- 2 Display
- 3 Status bar (→ p. 74)

 Icons display current settings and operating status of the phone
- 4 Volume keys (p. 14)
- 5 **Display keys** (→ p. 14)

Various functions, depending on the operating situation

6 End call key, On/off key

End call; cancel function;

Go back one menu level

Press brieflyPress andhold

Switch the handset on/off (in idle status)

Press and

- 7 Message key (p. 26) Access to the calls and message lists; Flashes: new message or new call
- 8 Profile key
 Switch between sound profiles
- 9 Hash key

Lock/unlock the keypad (in idle status)

Press and hold

Toggle between upper/lower case and digits (when inputting text)

Press briefly

- 10 Headset connection (2.5 mm jack)
- 11 Microphone 12 Star key

Open special characters table Press briefly (when inputting text)

13 Key 1

Select answer machine/ Press and network mailbox hold

14 Recall key

Consultation call (flash) Insert a dialling pause Press brieflyPress and hold

15 Talk key / Handsfree key

Accept call; select displayed number; send SMS (when composing an SMS); switch between earpiece and speaker mode; open the redial list

Start dialling Press and

hold 16 Control key / Menu key (→ p. 13)

Open a menu; navigate in menus and entry fields; access functions (depending on the situation)

Base

A Registration/paging key

Locate a handset (paging) Register a handset Press brieflyPress and hold



The colour and shape of your device may be different from the illustration.

Illustration in the user guide



Warnings, which if not heeded, can result in injury to persons or damage to devices.



Important information regarding function and appropriate handling or functions that could generate costs.



Prerequisite for being able to carry out the following action.



Additional helpful information.

Keys

G or	Talk key	⊘ or ■	Handsfree key
•	End call key	0 _ to 9	Number / letter keys
()	Control key rim / centre	\blacksquare	Message key
R	Recall key	*	Star key
# -0	Hash key	•	Profile key
OK, Back, Select, Change, Save,		Display keys	

Procedures

Example: Switching Auto answer on/off

▶ ... use to select Settings ▶ OK ▶ Telephony ▶ OK ▶ Auto Answer ▶ Change (= on)

Step	Follow this procedure
 	When in idle status press the centre of the control key. The main menu opens.
▶ (1)▶ OK	Navigate to the icon using the control key
➤ Telephony ➤ OK	Select the Telephony entry using the control key
▶ Auto Answer	The function to switch Auto answer on/off appears as the first menu item.
▶ Change	Select Change to activate or deactivate. Function is activated // deactivated

Safety precautions



Read the safety precautions and the user guide before use.

The device cannot be used in the event of a power failure. In case of a power failure it is also **not** possible to make **emergency calls**.

Emergency numbers cannot be dialled if the keypad/display lock is activated!



Use only **rechargeable batteries** that correspond to the **specification** (see list of permitted batteries \rightarrow <u>www.gigaset.com/service</u>). Never use a conventional (non-rechargeable) battery or other battery types as this could result in significant health risks and personal injury. Rechargeable batteries, which are noticeably damaged, must be replaced.



The handset must not be operated if the battery cover is open.



Do not use the devices in environments with a potential explosion hazard (e.g. paint shops).



The base and charger are not splashproof. For this reason do not install them in a damp environment such as bathrooms or shower rooms.



Use only the power adapter indicated on the device.

Whilst charging, the power socket must be easily accessible.



Remove faulty devices from use or have them repaired by our Service team, as these could interfere with other wireless services.



Do not use the device if the display is cracked or broken. Broken glass or plastic can cause injury to hands and face. Send the device to our Service department to be repaired.



Do not hold the rear of the handset to your ear when it is ringing or when speaker mode is activated. Otherwise you risk serious and permanent damage to your hearing.

The phone may cause interference in analogue hearing aids (humming or whistling) or cause them

The phone may cause interference in analogue hearing aids (humming or whistling) or cause them to overload. If you require assistance, please contact the hearing aid supplier.



Keep small cells and batteries, which can be swallowed, out of the reach of children. Swallowing a battery can lead to burns, perforation of soft tissue and death. Severe burns can occur within 2 hours of swallowing.

In the case of a swallowed cell or battery, seek medical care immediately.



Using your telephone may affect nearby medical equipment. Be aware of the technical conditions in your particular environment, e.g. doctor's surgery. If you use a medical device (e.g. a pacemaker), please contact the device manufacturer. They will be able to advise you regarding the susceptibility of the device to external sources of high frequency energy (for the specifications of your Gigaset product see "Technical data").

Getting started

Contents of the package

- One base.
- One power adapter for the base,
- · One phone cable,
- One handset,
- · One charging cradle incl. power adapter,
- One battery cover (rear cover for the handset),
- · One locking disc for the battery cover,
- · Two batteries,
- · One belt clip,
- One rubber cover for the headset socket,
- · One user guide

Models with multiple handsets, per handset:

- · One handset,
- One charging cradle incl. power adapter,
- Two batteries, one battery cover, one locking disc, one rubber cover and one belt clip




The base station and charging cradle are designed for use in closed, dry rooms within a temperature range of +5 °C to +45 °C.

The device's feet do not usually leave any marks on surfaces. However, due to the multitude of different varnishes and polishes used on furniture, contact marks on the surfaces cannot be completely ruled out.

Never expose the telephone to heat sources, direct sunlight or other electrical devices.

Protect your telephone from moisture, dust, corrosive liquids and vapours.

Base Gigaset Box 100



- ▶ Insert the phone cable into the connection socket 1 at the rear of the base until it clicks into place.
- ▶ Insert the power cable from the power adapter into the connection socket 2.
- Depending on the model, if included in the delivery: Click the cover into place in the notches on the back of the base (not if mounting on a wall).
- ▶ Plug in the power adapter 3 and the phone jack 4.

If connecting to a router:

▶ Plug the phone cable into the telephone connection socket on the router 5.



The network cable must **always be connected** in order to function, as the phone will not operate without a power supply.


Handset

Connecting the charging cradle

- Connect the flat plug of the power adapter 1.
- ▶ Plug the mains unit into your power socket 2.

To remove the plug from the charging cradle again:

- Disconnect the power adapter from the mains power supply.
- Press the release button 3.
- Pull out the plug 4.



Setting up the handset for use

The display is protected by a plastic film. Please remove the protective film!

Inserting the batteries



Only use rechargeable batteries, as this could otherwise result in significant health risks and personal injury. For example, the outer casing of the batteries could be destroyed or the batteries could explode. The device could also malfunction or be damaged as a result of using batteries that are not of the recommended type.

- Insert the batteries (for correct +/- direction, see diagram 1).
- Hold the battery cover at a slight angle and insert the bottom into the casing first 2.
- Press the cover 3 until it clicks into place.
- Insert the locking disc as shown (at an angle of approx. 20°) 4. Pay attention to the arrow markings.
- Turn locking disc clockwise to the end stop 5.
 The locking disc is closed once the markings on the disc are aligned with those on the cover 6.

Re-opening the battery cover

- Turn the locking disc anti-clockwise to the end stop 7 (approx. 20°) and remove 8.
- Place your fingernail in the notch on the side between the cover and the casing 9.
- Remove the cover 10.





Charging the batteries

Charge the batteries fully prior to first use in the charging cradle.

The batteries are fully charged when the power icon disappears from the display.





Batteries may heat up during charging. This is not dangerous.

After a time, the charge capacity of the battery will decrease for technical reasons.

Handsets contained in the package have already been registered to the base. In the event that a handset is not registered however, (indicated by "Please register handset"), register the handset manually (p. 53).

Attaching the belt clip

The handset has notches on each side for attaching the belt clip.

- Attaching the belt clip: ▶ Press the belt clip onto the back of the handset so that the tabs on the belt clip click into place in the notches.
- Removing the belt clip: ▶ Press the centre of the belt clip firmly with your right thumb. ▶ Push the nail of your left thumb up between the clip and the casing. ▶ Slide the clip upwards to remove.



Changing the display language

You can change the display language, if the telephone has been set to an incomprehensible language.

- Press the centre of the control key
- Press the keys 6 and 5 slowly and successively . . . the language settings display appears, the set language (e. g. English) is highlighted = selected).
- To select a different language: ▶ Press the control key until the desired language is highlighted on the display,
 e. g. Francais ▶ press the key on the right directly underneath the display to activate the language.
- ▶ To revert to idle status: ▶ Press and **hold** the End call key 👩



Setting the date and time

Set the date/time so that the correct date and time can be assigned to incoming calls and to enable the alarm to be used.

Press the display key Time



The active cursor position flashes \ ... change cursor position with Switch between cursor positions with

Enter date:

... using enter the day, month and year in 8-digit format.

Enter time:


... using tenter hours and minutes in 4-digit format.

Save settings:

▶ Press the display key **Save**. . . . **Saved** is shown in the display and a confirmation tone sounds.

Return to idle status:

The telephone is now ready for use.



Time

Calls

Connecting the headset

Connect the headset with 2.5 mm iack to the back of the telephone 1.

If you do not wish to connect a headset:

Insert the rubber cover provided 2 to guarantee the unit is splashproof.



For information on recommended headsets, see the relevant product page at www.gigaset.com.

Using the telephone

Getting to know your telephone

Switching the handset on/off

Switch on:

▶ Press and **hold** the End call key 🕝 on the handset when switched off

Switch off:

▶ When the telephone is in idle status, press and **hold** the End call key



Locking/unlocking the keypad

The keypad lock prevents any accidental use of the telephone.

Lock/unlock the keypad: ▶ #- Press and hold

Keypad lock activated: the symbol • appears in the display.



If a call is indicated on the handset, the keypad automatically unlocks and you can accept the call. It then locks again when the call is finished.

It is not possible to call emergency numbers either when keypad lock is activated.

Control key



The control key enables you to navigate the menus and input fields, and also to call up certain functions depending on the situation.

In the description below, the side of the control key (up, down, right, left) that you have to press in the different operating situations is marked in black, e.g. For press right on the control key" or for "press the centre of the control key".

In idle status

mode


Open the directory	Press briefly
Open the main menu	or 🕞
Open the list of handsets	
In submenus, selection and entry fields	
Confirm a function	
During a conversation	
Open the directory	
Mute the microphone	
Initiate an internal consultation call	$\overline{\Box}$
Adjust the loudspeaker volume for receiver and handsfree	<u>r</u>

Volume keys

Set volume for receiver/headset, ringtone, handsfree mode and indicating appointments: Press the volume keys + / - on the right side of the handset

Display keys

The display keys perform a range of functions depending on the operating situation.



Display key icons - p. 74.



The display keys have a function preset by default in idle status. Changing the assignment: \rightarrow p. 64

Menu guidance

The functions of your telephone are displayed in a menu that consists of several levels.

Menu overview → p. 76

Select/confirm functions

Confirm selection using

One menu level back using

Change to idle status by

Switch function on/off using

Activate/deactivate option using

OK or press the middle of the control key

Back

Press and hold

Change on / off
Activated / not activated / no

Example

Main menu

The main menu functions are shown in the display as icons. The icon for the selected function is highlighted in colour and the name of the associated function appears in the display header.

Settings Control Settings Control Settings Control Settings Control Settings

Submenus

The functions in the submenus are displayed as lists.

To access a function: ▶ ... use the control key to select a function ▶ OK

Return to the previous menu level:

- Press the display key Back
- or
- ▶ Briefly press the End call key 👩

Returning to idle status

▶ Press and **hold** the End call key 🕝



If no key is pressed, the display will **automatically** change to idle status after around 2 minutes.

Entering text

Input position

- Use to select an entry field. A field is activated when the cursor is blinking inside it.
- Use to move the position of the cursor.

Correcting incorrect entries

- Delete characters to the left of the cursor: C Press briefly
- Delete words to the left of the cursor: C Press and hold



Getting to know your telephone

Entering letters/characters


Multiple letters and numbers are assigned to each key between 2 and 9 and the 0 key. As soon as a key is pressed, the possible characters are displayed at the bottom of the display. The selected character is highlighted.

- Selecting letters/digits: Press the key briefly several times in succession
- Switch between lower case, upper case and number entry mode: ▶ Press the hash #→ key
 When editing a directory entry, the first letter and each letter following a space is automatically in upper case.
- Entering special characters: ▶ Press the star key \star ▶ ... use 💽 to navigate to the desired character ▶ Insert



The availability of special characters depends on the language setting.

Making calls



Dialling from the call list


The call lists (p. 27) contain the most recent accepted, outgoing and missed calls.





The call lists can be displayed directly by pressing the display key **Calls** if the relevant function has been assigned to the display key.

The **Missed calls** list can also be opened by pressing the Message key .



One touch call

A saved number is dialled by pressing **any** key. This allows children who are not yet able to enter a number to call a certain number, for example.

Activate one touch call mode:



Make a one touch call: ▶ Press any key ... the saved number is dialled

End one touch call: ▶ Press and hold the End call key [# -•]



Incoming calls

An incoming call is indicated by ringing, by a display on the screen and by the flashing Talk key .

Accept a call:

- Press the Talk key
- If Auto Answer is activated: Remove the handset from the charging cradle
- On a system with an answer machine: Forward to the answer machine: ▶ → ○
- Accept a call on the headset

Switch off ringtone: ▶ Silence ... the call can be accepted for as long as it is shown on the display

Switch Easy Acceptance on/off

Press the Talk key to accept the call or press the keys 0 ... 9 * and # ** to accept the call.



Changes are only saved permanently in Profile Personal.

Information about the caller

The caller's phone number is displayed. If the caller's number is saved in the directory, the name is displayed.



The caller's number will be transferred (→ p. 22).

Accepting/rejecting call waiting

A call waiting tone indicates a call during an external call. The number or the name of the caller is displayed if the phone number is transferred.

- Reject a call: ▶ Options ▶ Reject waiting call ▶ OK
- Accept a call: Accept ... speak to the new caller. The previous call is placed on hold.

Making internal calls

▶ Press briefly ... the handset list is opened, this handset is indicated by < ▶ ... use to select handset or Call all (group call) ▶ Press the Talk key</p>



Multiple handsets have been registered to the base station (→ p. 53).

Fast access for group call:

► Press briefly ► ★

or press and hold



Internal calls to other handsets registered to the same base station are free of charge. You hear the busy tone if:

- There is already an internal connection
- The handset being called is not available (deactivated, outside of range).
- The internal call is not accepted within 3 minutes.

Internal consultation call/internal transfer

Call an **external** participant and transfer the call to an **internal** participant or hold a consultation call with him or her.

▶ ... the list of handsets is opened ▶ ... use to select a handset or Call all ▶ OK ... the internal participant(s) are called ... possible options:

Hold a consultation call:

Speak to the internal participant

Return to the external call:

▶ Options ▶ 📑 End active call ▶ OK

Transfer the external call when the internal participant has answered:

Transfer the external call before the internal participant answers:

Press the End call key _____... the external call is forwarded immediately. If the internal participant does not answer or the line is busy, the external call will automatically return to you.

End the internal call if the internal participant does **not** answer or the line is busy:

▶ End . . . You return to the external call

Accepting/rejecting call waiting

An external call arriving during an internal call is indicated with a call waiting tone. If the number is transferred, you will see the number or the name of the caller on the display.

- Rejecting a call: Reject
 - The call waiting tone is turned off. The call continues to be indicated on the other registered handsets
- Accepting a call: Accept... Speak to the new caller, the previous call is placed on hold.

Internal call waiting during an external call

If an internal participant attempts to call you while you are involved in an external or internal call, this call is shown on the display (Call Waiting).

- End display: Press any key
- Accept the internal call: End your current call
 The internal call is indicated in the usual way. You can accept the call.

Listening in to an external call

You are conducting an external call. An internal participant can listen in to this call and take part in the conversation (conference).



The **Listening In** function must be activated.

Activating/deactivating internal listening in

▶ ... use to select Settings ▶ OK ▶ Telephony ▶ OK ▶ Listening In ▶ Change (= on)

Internal listening in

The line is engaged with an external call. Your screen will display information to that effect. You can listen in to the external call.

Press and **hold** . . . all participants will hear a signal tone

Ending listening in

▶ Press 🕝 ... all participants will hear a signal tone

During a conversation

Handsfree mode

Activating/deactivating handsfree mode during a call, when establishing a connection and when listening to the answer machine (where the system has a local answer machine):

Press the handsfree key

Placing the handset in the charging cradle during a call:

Press and hold down the handsfree key ... Place the handset in the charging cradle ... hold for a further 2 seconds

Call volume

Applies to the current mode (handsfree, receiver or headset if the handset has a headset connection):



The setting is automatically saved after around 3 seconds, even if **Save** is not pressed.

Muting the microphone

When the microphone is switched off, callers will no longer hear you.

Switch the microphone on/off during a call: ▶ Press ___.

Provider-specific functions (network services)

Network services depend on the network (analogue fixed line network or IP telephony) and on the network provider (service provider) and must be requested from that provider if required.

You will find a description of the features on your network provider's website or at one of their store branches.

If you require assistance, please contact your network provider.



Requesting network services may incur additional costs. Please consult your network provider.

Network services fall into two distinct groups:

- Network services that are activated when in idle status for the following call or all subsequent
 calls (for example, "calling anonymously"). These are activated/deactivated via the
 Select Services menu.
- Network services that are activated during an external call, (for example, "consultation call",
 "swapping between two callers"). These are made available during an external call either as
 an option or by using a display key (e.g. Ext. Call).



To activate/deactivate the features, a code is sent to the telephone network.

After a confirmation tone from the telephone network, press . It is not possible to reprogram the network services.

Calling Line Identification

During a call, the caller's number is transferred (CLI = Calling Line Identification) and may be displayed on the recipient's display (CLIP = CLI presentation). If the caller's number is withheld, it will not be displayed to the recipient. The call is made anonymously (CLIR = CLI Restriction).

Caller display for incoming calls

Calling Line Identification

The caller's phone number is displayed. If the caller's number is saved in the directory, the name is displayed.

No Calling Line Identification

Instead of name and number, the following is displayed:

- External: No number has been transferred.
- Withheld: Caller has withheld Calling Line Identification.
- Unavailable: Caller has not authorised Calling Line Identification.

Calling Line Identification for outgoing calls

Switching Calling Line Identification on/off for all calls

These settings apply to all registered handsets.

Deactivating Calling Line Identification for the next call

▶ ... use to select Select Services ▶ OK ▶ Next Call Anonym. ▶ OK ▶ ... use to enter the number ▶ Dial ... the connection is established without Calling Line Identification

Call waiting during an external call

During an **external** call, a call waiting tone indicates another external caller. If the number is being transferred, you will see the number or the name of the caller on the display.

Reject waiting caller:

▶ Options ▶ Reject waiting call ▶ OK ... the waiting caller hears the busy tone

Accept the waiting call:

Accept

Once you have accepted the waiting call, you can switch between the two callers ("Call swapping" - p. 25) or speak to both simultaneously.



Activating/deactivating call waiting



Call waiting is activated or deactivated for all registered handsets.

Ringback

If busy/no answer

If a call recipient is unavailable, you can initiate a ringback.

- If busy: The ringback takes place as soon as the participant in question terminates the current call
- If no answer: The ringback takes place as soon as the participant in question has made another call.

Initiate ringback

▶ Options ▶ Ringback ▶ OK ▶ Press the End call key

Cancelling ringback

► ... use to select Services OK Fingback Off OK ... You will receive a confirmation from the telephone network Press the End call key



You can only activate one ringback at a time. Activating a ringback will automatically cancel any ringback that is already active.

The ringback can only be received on the handset that activated the ringback.

If the ringback is indicated before you are able to cancel it: ▶ Press the End call key _____

Call divert

When diverting a call, the call is forwarded to another connection.

▶ ... use to select Services ▶ OK ▶ Call Divert ▶ OK ▶ ... then Switch on/off: ▶ Status: ... use to select On or Off Enter the number for call diverting:

▶ **To Phone Number** ▶ ... use **t** to enter the number

Set the time for call divert:

▶ **When** ▶ ... use **t** to select the time for call divert

All Calls: Calls are diverted immediately

No Answer: Calls are diverted if no one accepts the call within several rings.

When Busy: Calls are diverted if the line is busy.

Activate: Send

A connection is established to the telephone network \dots a confirmation is sent from the telephone network \blacktriangleright Press the End call key \bigcirc



Diverting calls may incur additional costs. Please consult your network provider.

Calls with three participants

Consultation calls

Make another external call during an external call. The first call is placed on hold.

▶ Ext. Call ▶ ... use to enter the number of the second participant ... the active call is placed on hold and the second participant is called


If the second participant does not answer: > End

Ending a consultation call

▶ Options ▶ ☐ End active call ▶ OK ... the connection to the first caller is reactivated

or

Press the End call key ... a recall to the first participant is initiated



Call swapping

Switching between two calls. The other call is placed on hold.

- During an external call, dial the number of a second participant (consultation call) or accept a waiting caller ... the display shows the numbers and/or names of both call participants, the current participant is marked with ...
- Use the control key to switch back and forth between participants

Ending a currently active call

▶ Options ▶ ☐ End active call ▶ OK ... the connection to the other caller is reactivated



or

▶ Press the End call key 🕝 . . . a recall to the first participant is initiated

Message lists


Notifications about missed calls, messages on the answer machine/network mailbox, received SMS messages and missed alarms are saved in the messages list.


As soon as a **new message** arrives, an advisory tone will sound. The Message key **a**lso flashes (if activated → p. 27).

Icons for message types and the number of new messages are shown on the idle display.

Notification for the following message types is available:

- on the answer machine/network mailbox
- in the missed calls list
- in the SMS message list
- in the missed alarms list







The icon for the network mailbox is always displayed, provided the number is stored in the telephone. The other lists are only displayed if they contain messages.

Display messages:

- ▶ Press the Message key ☑ ... Messages lists that contain messages are displayed, Mailbox: is always displayed
 - An entry is marked in **bold**: new messages are available. The number of new messages is shown in brackets.
 - An entry is **not** marked in bold: no new messages. The number of old messages is shown in brackets.
- ... use to select a list **b OK** ... the calls or messages are listed

Network mailbox: The network mailbox number is dialled.

Example


Example



Activating/deactivating Message key flashing

Receipt of new messages is displayed by a flashing message key on the handset. This type of alert can be activated/deactivated for each message type.

In idle status:



Call lists


The telephone saves different types of calls (missed, accepted and outgoing calls) in lists.

List entry

The following information is displayed in the list entries:

- The list type (in the header)
- Icon for the type of entry:
 - Missed calls,
 - Accepted calls,
 - Outgoing calls (redial list),
 - Call on the answer machine (only for a system with a local answer machine)
- Caller's number. If the number is stored in the directory, the name and number type (Phone (Home), Phone (Office), Phone (Mobile)) are shown instead. In the event of missed calls, the number of missed calls from this number is also shown in square brackets.
- Date and time of call (if set)

Example



Opening the call list

Delete list:

Via the display key: ▶ Calls ▶ ... use to select the list ▶ OK Via the menu: the list > OK Via the Message key (missed calls): ▶ Press the Message key Missed Calls: ▶ OK Calling back a caller from the call list to select entry Press the Talk key Additional options ▶ ...use to select Call Lists > OK > ...use to select list > OK ...possible options: View an entry: ▶ ... use to select entry ▶ View Copy the number to the directory: ▶ ... use to select entry ▶ Options ▶ Copy to Directory Delete an entry: ▶ ... use to select entry ▶ Options ▶ Delete entry ▶ OK

▶ Options ▶ Delete List ▶ OK ▶ Yes

Directory

The local directory is unique to the handset. However, it is possible to send entries to other handsets.

Opening the directory

▶ **Briefly** press in idle status

Directory entries

Number of entries: up to 200

Information: First name and surname, up to three telephone numbers, anniversary

with alert, VIP ringtone with VIP icon

Length of the entries: Numbers: max. 32 digits

First name, surname: max. 16 characters

Creating an entry

between the entry fields and enter data for an entry:

Names/numbers:

▶ ... use **!!!** to enter first names and/or surnames, at least one number (personal, office, or mobile) and an e-mail address, if applicable

Anniversary:

▶ ... use to activate/deactivate Anniversary ▶ ... use to enter date and time 🕨 ... use 🕡 to select type of alert (Visual only or a ringtone)

Caller Melody (VIP):

... use to select the ringtone that will indicate a call from the participant ... if a Caller Melody (VIP) has been assigned, the entry will appear in the directory with the VIP icon.

Save entry: > Save



The entry is only valid if it contains at least one number.



For Caller Melody (VIP): the telephone number of the caller must be supplied.

Example



Searching for/selecting a directory entry
▶ 🔲 ▶ use 🜓 to browse searched names
or
▶ use to enter initial letters (max. 8 letters) the display jumps to the first name starting with these initial letters ▶ use to continue browsing to the desired entry, if needed
Scroll through directory: ▶ □ ▶ Press and hold □
Displaying/changing an entry
 ▶ use to select entry ▶ View ▶ use to select the field to be changed ▶ Edit
or
▶ use to select an entry ▶ Options ▶ Edit entry ▶ OK
Deleting entries
Delete the selected entry: ▶
Delete all entries: ▶
Setting the order of the directory entries
Directory entries can be sorted by first name or surname.
▶ Options ▶ Sort by Surname / Sort by First Name
If no name was entered, the default telephone number is shown in the surname field. These entries appear at the beginning of the list, regardless of how the entries are sorted.
The sort order is as follows:
Space Digits (0-9) Letters (alphabetically) Other characters.
Displaying the number of entries available in the directory ▶ □ ▶ Options ▶ □ Available Memory ▶ OK
Copying number to the directory
Copy numbers to the directory:
From a list e.g. the call list or the redial list
From the text of an SMS
When dialling a number
The number is displayed or highlighted.
▶ Press the display key → or Options ▶ Copy to Directory ▶ OK possible options: Create a new entry:
► <new entry=""> ► OK ► use to select number type ► OK ► complete entry ► Save</new>

Add number to an existing entry:

... use to select an entry ▶ OK ▶ ... use to select number type ▶ OK ... the number is entered or a prompt to overwrite an existing number is displayed ▶ ... if required, answer the prompt with Yes/No ▶ Save

Copying an entry/directory



The sending and receiving handset must both be registered to the same base station. The other handset and the base station are able to send and receive directory entries.



An external call interrupts the transfer.

Sounds are not transferred. Only the date is transferred for an anniversary.

Both handsets support vCards:

- No entry with the name is available: a new entry is created.
- An entry with the name is already available: The entry is expanded to include the new numbers. If the entry contains more numbers than allowed by the recipient handset, a second entry is created with the same name.

The recipient handset does not support vCards:

A separate entry is created and sent for each number.

The sending handset does not support vCards:

A new entry is created on the receiving handset and the transferred number is added to the **Phone** (**Home**) field. If an entry with this number already exists, the copied number is discarded.

Copying individual entries

▶ ... use to select the desired entry ▶ Options ▶ Copy entry ▶ OK ▶ to Internal ▶ OK ▶ ... use to select the receiving handset ▶ OK ... the entry is copied

Copy the next entry after successful transfer: Press Yes or No



Use vCard via SMS to send a directory entry in vCard format by SMS.

Copying the entire directory

▶ Options ▶ Copy all ▶ OK ▶ to Internal ▶ OK ▶ ... use to select the receiving handset ▶ OK ... the entries are copied one after the other

Answer machine

Local answer machine (if available)

Switching the answer machine on/off

The answer machine can be set to the following modes:

Answer & record The caller hears an announcement and is able to leave a message. **Answer only** The caller hears an announcement but cannot leave a message.

Alternating The mode switches between Answer & record and Answer only at pre-

determined times.

▶ ... use to select Answer Machine ▶ OK ▶ Activation ▶ OK ... then

Set the time for **Alternating** mode:

... use to switch between Record from and Record until ... use to enter hours/minutes in 4-digit format to set the start and end of the period. (The time must be set.)

Save settings: **Save**

Operation using the handset

Playing back messages

▶ Press and hold the 1 ∞ key



Key 1 is assigned to the answer machine.

or

▶ Press the Message key Answer Mach.: ▶ OK

or

The answer machine begins immediately with message playback. New messages are played back first.

Actions during playback

- Stop playback: ▶ 2 / or use the display key: ▶ Options
- Continue playback: ▶ Press 2 / again or use the display key: ▶ Continue
- Go to the start of the current message: ▶ Press key 1 =
- Repeat the last 5 seconds of the message: ▶ Press key 4
- Skip to the next message: ▶ Press or key 3
- Skip to previous message during the time stamp playback:
 - ▶ Press or key □ □

- Skip to next message during the time stamp playback:
 - Press key 4
- Mark a message as "new": ▶ Press key *
 or use the display key ▶ Options ▶ Mark as new ▶ OK

An "old" message that has already been played back is displayed as a "new" message again. The key on the handset flashes.

- Copying the phone number from a message to the directory: ▶ Options ▶ Copy to
 Directory ▶ ... complete entry using
- To delete a single message: ▶ Press **Delete** or key 0 ¬
- Delete all old messages: ▶ Options ▶ Delete old list ▶ OK ▶ Yes

Picking up a call from the answer machine

You can pick up a call while the answer machine is recording or is being operated remotely:

Press the Talk key or use display key Accept ... recording is interrupted ... speak to the caller

If three seconds of the message have already been recorded when you accept the call, the message is saved. The Message key 💌 on the handset flashes.

Forwarding an external call to the answer machine



An external call is indicated on the handset.

The answer machine is activated, is not in use and still has enough memory.

Press the display key → ○ ... The answer machine starts immediately in answer and record mode and records the call. The set time for ring delay (→ p. 36) is ignored

Activating/deactivating two-way record

Pick up an **external** call with the answer machine:

▶ Inform the caller of the two-way recording ▶ Options ▶ Two-way Record ▶ OK . . . two-way recording is indicated in the display by an advisory text and placed in the answer machine list as a new message

End two-way recording: ▶ End

Activating/deactivating call screening

During recording of a message you can screen a call via the handset loudspeaker:

Permanently switching call screening on/off:

► ... use to select Answer Machine ► OK ► Call Screening ► Change (= on) ... call screening is switched on/off for all registered handsets

Switching off call screening for the current recording:

▶ Press the display key **Silence** or the End call key 🕝 ▶ ... Pick up call using 🔼

Operating when on the move (remote operation)

 $Access answer machine or switch answer machine on from another telephone (e.g.\ hotel,\ mobile\ phone).$



The system PIN is set to something other than 0000 and the other telephone has tone dialling (DTMF).

Switching on the answer machine

Call the telephone connection and let it ring until the announcement "Please enter PIN" (approx. 50 seconds) ▶ ... use to enter the telephone's system PIN within 10 seconds ... the answer machine is switched on, the remaining memory is announced, messages are played back



Incorrect PIN is entered or entry takes too long (more than 10 seconds): The connection is interrupted. The answer machine will remain deactivated.

The answer machine cannot be deactivated remotely.

Checking the answer machine



The answer machine is activated.

You are informed whether any new messages have been recorded. Message playback begins.

The answer machine is operated using the following keys:

During the time stamp playback: Skip to previous message. During message playback: Go to the start of the current message.	1
Pause playback. Press again to resume. After a pause of approx. 60 seconds, the connection is ended.	2
Go to the next message.	3
Repeat the last 5 seconds of the message playback.	4
During message playback: Delete current message.	0
Change the status of a previously played back message to "new".	*
The next message starts to play. The remaining memory is announced at the end of the last message.	t

Cancelling remote operation

▶ Press the End call key 🕝 or replace the receiver




The answer machine will terminate the connection under the following circumstances:

- The entered system PIN is incorrect.
- There are no messages on the answer machine.
- · After the remaining memory announcement.

Settings

Recording a personal announcement/advisory message

The phone is supplied with pre-recorded announcements for announcement and advisory mode. If a personal announcement has not been recorded, the relevant pre-recorded announcement is used.



Complete the recording and save: **▶ End** ... the announcement is played back for you to check

Cancel the recording: Press the End call key or Back



Recording ends automatically if the maximum recording time of 170 seconds is exceeded or there is a break in speech for more than 2 seconds.

If the recording is cancelled, the default announcement is used.

The recording is cancelled or not started if the answer machine memory is full.

 Delete old messages ... the answer machine switches back to Answer & record mode ... repeat the recording, if needed

Listening to announcements/advisory messages

► ... use to select Answer Machine OK Announcements OK ... use to switch between Play Announcement and Play Advisory Msg. OK ... the announcement is played back ... possible options:

Cancel playback: Press the End call key or Back

Cancel playback and record a new announcement:

New

If the answer machine's memory is full, it will switch to **Answer only** mode.

▶ Delete old messages . . . the answer machine switches back to Answer & record ▶ . . . repeat any recording

Deleting announcements/advisory messages

► ... use to select Answer Machine OK Answer Machine OK Announcements OK ... use to switch between Delete Announcem. and Del. Advisory Msg. OK Yes

Once the announcement has been deleted, the relevant pre-recorded announcement is used again.

Setting recording parameters

▶ ... use to select Answer Machine ▶ OK ▶ Recordings ▶ OK ... then Maximum recording time:

▶ **Length:** . . . use to select timeframe

Recording quality:

▶ Quality ▶ ... use to switch between Long Play and Excellent (at higher quality, the max. recording time will decrease)

When should a call be picked up:

▶ **☐ Ring Delay** ▶ ... use **☐** to select a time

Save settings:

Save

The following apply when setting is **Automatic**:

- No new messages available: a call will be picked up after 18 seconds.
- New messages available: a call will be picked up after 10 seconds.

When checking messages remotely (p. 34) it is therefore apparent after 15 seconds that there are no new messages waiting. No call costs are incurred if the call is ended immediately.

Network mailbox



The network mailbox has been requested from the network provider.

Entering a number

► ... use to select Answer Machine OK Network Mailbox OK ... use to enter or amend the network mailbox number Save



To activate/deactivate the network mailbox use the phone number and a function code of your network provider. Please contact the network provider if you require any further information.

Playing back messages

▶ Press and hold 1 ∞



Key 1 has been assigned to the network mailbox.

or

▶ Press the Message key Network Mailbox ▶ OK

or

► I wse to select Answer Machine • OK • Play Messages • OK

Listen to announcement out loud: Press the handsfree key

Set fast access for the answer machine

It is possible to call a network mailbox or the telephone's local answer machine directly by pressing key [1 - -].



Assigning key 1 / Changing assignment

Settings for the fast access are device-specific. A different answer machine can be assigned to $\log |1 - \infty|$ on each registered handset.

Return to idle status: Press and hold the End call key

Network mailbox

If no number has yet been saved for the network mailbox:

Additional functions

Sound profiles

The telephone has sound profiles for adapting the handset to the environmental conditions: **Profile Loud, Profile Silent, Profile Personal.**

 Use to switch between the profiles ... the profile is changed straight away without a prompt

The profiles are set as follows by default:

Default setting		Profile Loud	Profile Silent	Profile Personal
Silent alert		On	Same as Profile Personal	Off
Ringtone		On	Off	On
Ringtone volume	Internal	5	Off	5
	External	5	Off	5
Handset volume	Receiver	5	3	3
	Handsfree	5	3	3
LED light for a call		Yes	No	No
Advisory tones	Key click	Yes	No	Yes
	Battery tone	Yes	Yes	Yes
	Confirmation tone	Yes	No	Yes

Activate alert tone for an incoming call for **Profile Silent**: ▶ after switching to **Profile Silent** press the display key **Beep** . . . the icon ♣ appears in the status bar



The set profile remains set when switching the phone off and back on.

Changes to the settings listed in the table:

- apply in the Loud and Silent profiles as long as the profile is not changed.
- are permanently saved in Profile Personal for this profile.

Spot LED

Use the telephone as a torch. The spot LED is located on the top of the handset.

Activating the torch function

▶ Press the display key **Spot LED**.

or

Deactivating the torch function

Press the display key OFF

or: after 2 minutes the function is automatically deactivated.

Visual indication of incoming calls - p. 60

Calendar

You can remind yourself of up to 30 appointments.


In the calendar, the current day is outlined in white; on days with appointments, the numbers are displayed in colour. When a day is selected, it will be outlined in colour.



Saving appointments to the calendar



Date and time have been set.





If an appointment has already been entered: ▶ ♠ New Entry">New Entry> ▶ OK ▶ ... Then enter information for the appointment.

Notification of appointments/anniversaries

Anniversaries are transferred from the directory and displayed as an appointment. An appointment/anniversary is displayed in idle status and the selected ringtone plays for 60 seconds as a notification.

Acknowledge and stop the reminder: Press the display key OFF

Respond with SMS: ▶ Press the display key SMS ... the SMS menu is displayed

Permanently modify the ringtone volume: ▶ ... Press the volume keys + / - during the reminder



During a call, a reminder is indicated on the handset **once** with an advisory tone on the handset.

Displaying missed appointments/anniversaries

The following appointments and anniversaries are saved in the Missed Alarms list:

- The appointment/anniversary call was not acknowledged.
- The appointment/anniversary was notified during a phone call.
- The handset was switched off at the time of the appointment/anniversary.

The last 10 entries are stored. The icon and the number of new entries are shown in the display. The most recent entry appears at the top of the list.

Opening the list

Press the Message key ► Missed Alarms: OK ... use to browse through the list of any appointments

or

Each entry is displayed with the number or name, date and time. The most recent entry appears at the top of the list.

Delete an appointment/anniversary: Delete

Compose an SMS: ▶ SMS (only if the list has been opened via the menu) . . . the SMS menu is opened

Displaying/changing/deleting stored appointments

use ♠ to select day ▶ OK ... the appointment list is displayed ▶ ... use ♠ to select date ... possible options:

Display appointment details:

▶ View . . . The appointment settings are displayed

Change appointment: ▶ View ▶ Edit

or ▶ Options ▶ 📑 Edit entry ▶ OK

Activate/deactivate appointment:

Delete appointment: ▶ Options ▶ Delete entry ▶ OK

Delete all appointments for a day:

▶ Options ▶ Delete all Appoints. ▶ OK ▶ Yes

Timer

Setting the timer (countdown)

Set the duration: Duration ... Use to enter the hours and minutes for the timer Min.: 00:01 (one minute); Max.: 23:59 (23 hours, 59 minutes)

Save the timer: Save

The timer starts the countdown. In the idle display, icon 🔌 and the remaining hours and minutes are displayed until one minute is left. From this point, the remaining seconds are counted down. At the end of the countdown, the alarm is triggered.

Disabling/repeating the alarm

Switch off the alarm: ▶ OFF

Repeat the alarm: Restart ... the timer display is displayed again > set another duration

as required > Save ... the countdown is restarted

Alarm clock



Date and time have been set.

Activating/deactivating the alarm clock and setting the wake-up time

use The select Madditional Features & OV & The Alarm Clock & OV

then		Additional reacties FOR F Alain Clock FOR
Switch on/off:	•	Activation: use to select On or Off
Setting the wake-up time:	•	Time use to enter hours and minutes
Set days:	•	Occurrence use to switch between Monday-
		Friday and Daily
Set the volume:	•	▼Volume ► use ₹ to set volume in 5 levels s or select crescendo (increasing volume)
Set alarm:	•	■ Melody ▶ use ■ to select a ringtone for the alarm
Save settings:	•	Save

When the alarm clock is activated, the icon and the wake-up time are displayed in idle display.

Alarm

An alarm is shown on the display and indicated by the selected ringtone melody. The alarm sounds for 60 seconds. If no key is pressed, the alarm is repeated after 5 minutes. After the second repetition, the alarm call is deactivated for 24 hours.



During a call, the alarm is only indicated by a short tone.

Switching off/repeating the alarm after an interval (snooze mode)

Deactivate the alarm: > OFF

Repeat the alarm (snooze mode): ▶ Press **Snooze** or any key ... the alarm is switched off and repeated after 5 minutes.

Baby monitor

When the baby monitor is switched on, the stored (internal or external) destination number is called as soon as a defined noise level is exceeded in the vicinity of the handset. The alarm to an external number is cancelled after approximately 90 seconds.

You can answer the alarm using the **Two Way Talk** function. This function is used to switch the loudspeaker of the handset located in the baby's room on or off.

In baby monitor mode, incoming calls are only indicated on the display (without ringtone). The display backlight is reduced to 50%. Advisory tones are deactivated. All keys are locked, with the exception of the display keys and the centre of the control key.

If you accept an incoming call, the baby monitor mode is suspended for the duration of the call, but the function **remains** activated. The baby monitor mode is not deactivated by switching the handset off and on again.



The handset should be positioned 1 to 2 metres away from the baby. The microphone must point towards the baby.

Activating the function reduces the operating time of your handset. For that reason, place the handset in the charging cradle if necessary.


The baby monitor is activated 20 seconds after switching on.

The answer machine for the destination number must be switched off.

After switching on:

- ▶ Test sensitivity.
- ▶ Test the connection, if the alarm is being forwarded to an external number.

Activating and setting the baby monitor



Activate/deactivate two-way talk:

- ▶ **Two Way Talk** ▶ ... use **t** to select **On** or **Off** Set microphone sensitivity:
- ► Sensitivity ► ... use to select High or Low Save settings: ► Save

The destination number is displayed in idle display when the baby monitor is activated.

Baby Monitor activated



Deactivate baby monitor / cancel alarm

Deactivate the baby monitor: In idle status press the display key OFF

Cancel the alarm: Press the End call key oduring an alarm

Deactivate the baby monitor remotely



The alarm is forwarded to an external destination number.

The receiving phone supports tone dialling.

Accept alarm call ▶ Press keys 9 # The baby monitor is deactivated and the handset is in idle status. The baby monitor settings on the handset (e.g., no ringtone) will remain activated until you press the display key OFF.



The baby monitor cannot be reactivated remotely.

Reactivate: → p. 43

ECO DECT

The device range is set to maximum as default. This guarantees the best connection between the handset and the base station. In idle status, the handset will not function (as it is not transmitting). Only the base station will maintain contact with the handset via a low wireless signal. During a call, the transmission power automatically adapts to the distance between the base station and handset. The smaller the distance to the base, the lower the radiation.

To reduce the radiation further:

Reducing radiation by up to 80%

► ... use to select Settings ► OK ► ECO DECT ► OK ► Maximum

Range ► Change (= off)



The range is also reduced with this setting.

It is not possible to use a repeater to increase the range.

Deactivating radiation in idle status

► ... use to select Settings ► OK ► ECO DECT ► OK ► No Radiation ► Change (= on)



To benefit from the advantages of the setting **No Radiation**, all registered handsets must support this feature.

If the setting **No Radiation** is activated and a handset is registered to the base that does not support this feature, **No Radiation** is automatically deactivated. As soon as this handset is de-registered, **No Radiation** will automatically be re-activated.

The wireless connection will only be established for an incoming or outgoing call and the connection will be delayed by about 2 seconds.

In order that a handset can establish a wireless connection with the base station more quickly for an incoming call, it must "listen" to the base station more often, i.e. scan the environment. This increases power consumption and reduces the standby and talk-time of the handset.

When **No Radiation** is activated, there will be no range display/range alarm on the handset. Contactability can be tested by attempting to establish a connection.

Press and hold the Talk key ... the dialling tone sounds.


Protection against unwanted calls

Time control for external calls



Date and time have been set.

Enter a time period during which the handset should suspend ringing to indicate external calls e.g. during the night.



to enter start and end in 4-digit format

Save: Save

Example





The time control only applies to the handset for which the setting is configured. The telephone will continue to ring for numbers that have been assigned to a VIP group in the directory.

Protection from anonymous callers

The handset will not ring if callers' numbers are not revealed. This setting can be applied to only one or to all registered handsets.

Protection against unwanted calls

For one handset

► ... use to select Settings ► OK ► Audio Settings ► OK ►

Ringtones (Handset) ► OK ► Anon. Calls Silent ► Edit (= on) ... the call is only signalled on the display

For all handsets

▶ ... use to select Settings ▶ OK ▶ Telephony ▶ OK ▶ Anonymous
 Calls ▶ Edit (= on) ▶ ... use to select Protection Mode:

No Protection
Silent Call
The telephone will not ring and the incoming call will only appear in the display.

Block Call
The telephone will not ring and the incoming call will not appear in the display. The caller will hear the busy tone.

Save settings: ▶ Save

Black list

When the black list function is activated, calls from black list numbers are not indicated or are only indicated in the display. These settings apply to all registered handsets.

Displaying/editing the black list

▶ Image: Interpolation Processing Proces

Create an entry: Nouveau ... use to enter a number Save

Delete an entry: Luse to select an entry Delete ... the entry is deleted

Transferring a number from a call list to the black list

▶ ... use to select Call Lists Nok ... use to select Accepted calls/
 Missed calls Nok ... use to select entry Options Copy to Blacklist Nok

Setting the protection mode

▶ ... use to select Settings OK Telephony OK Black List Black List
 Edit Protection Mode OK ... use to select desired protection:

No Protection All calls are indicated, including from callers whose numbers are on the black list.

Silent Call The telephone will not ring and the incoming call will only appear in the display.

Block Call The telephone will not ring and the incoming call will not appear in the display. The caller will hear the busy tone.

Save settings: > Save

SMS (text messages)

It is possible to send SMS messages as soon as the telephone has been connected.



Calling Line Identification is enabled (p. 22).

The network provider supports the SMS service.

If no SMS service centre is entered, the submenu **SMS** only consists of the entry **Settings**.

Writing and sending SMS messages



An SMS may be up to 612 characters in length. If the number of characters exceeds 160, the SMS is sent as **linked** SMS messages (up to four individual SMS messages).

The remaining number of characters is shown in the top right corner of the display, followed by an indication in brackets of which part of a linked SMS is currently being written. Example: **405(2)**.

▶ Image: Image: Image: Note | Not

Write an SMS: ▶ New SMS ▶ OK ▶ ... use to enter SMS text

Send an SMS: Press the End call key

or ▶ Options ▶ 📑 Send ▶ OK

Enter number (Send SMS to):

From the directory: • 🔲 • ... use 🚺 to select number • OK

or 🕨 ... use 🏰 to enter number directly

If sending SMS messages to an SMS mailbox: add the mailbox ID to the **end** of the number.

Send: **Send**



The number must include the local area code (even if you are in that area).

If an external call comes in, or if you interrupt writing for more than 2 minutes, the text is automatically saved in the draft message list.



Sending SMS messages may incur **additional costs**. Please consult your network provider.

Sending SMS messages to an e-mail address



The network provider supports this feature.

Temporary storing of an SMS (draft message list)

You can temporarily store text messages, change and send them later.

Saving SMS in the draft message list

▶ Image: Image: New SMS → OK → New SMS → OK → ... use Image: Use SMS → ... us

Opening and editing an SMS from the draft message list

▶ ... use to select SMS → OK ▶ Draft ▶ OK ▶ ... use to select saved SMS ... possible options:
 Read draft: ▶ Read
 Edit: ▶ Options ▶ Edit ▶ OK

Receiving an SMS

Incoming SMS messages are saved in the incoming message list, linked SMS messages are generally displayed as **one** SMS.

SMS message list


The incoming SMS message list contains all the received SMS messages and those SMS messages that could not be sent due to an error.

New SMS messages are indicated on all Gigaset handsets by the dicon on the display, the flashing Message key and an advisory tone.

Open the SMS message list



- Every entry in the list contains:
- · the number or name of the sender,
- · arrival date and time.



Functions of the incoming message list

- ► Incoming ► OK ... possible options:
 Call the sender of the SMS:
 - ▶ ... use to select an SMS Press the Talk key

Delete an entry: ▶ Options ▶ Delete entry ▶ OK

Save the number in the directory:

▶ Options ▶ Copy to Directory ▶ OK

Delete all entries in the SMS message list:

▶ Options ▶ Delete List ▶ OK ▶ Yes

Reading and managing SMS messages

- ▶ Incoming ▶ OK ▶ ... use to select SMS ▶ OK ▶ Incoming ▶ OK ▶ ... use to select
 SMS ▶ Read ... possible options:
 - Answer SMS: ▶ Options ▶ ♠ Reply ▶ OK
 Edit SMS text and send to recipient of your choice:
 - ▶ Options ▶ Edit ▶ OK ▶ ... use to edit text ▶ Options ▶
 Forward ▶ OK

Forward SMS to recipient of your choice:

▶ Options ▶ Forward ▶ OK

Display text in a different character set:

▶ Options ▶ Character Set ▶ OK ▶ ... use to select character set ▶ Select (○ = selected)

Saving numbers from SMS text to the directory

If a telephone number in the SMS text is recognised, it is automatically highlighted.

- Save the number in the directory:

 If the number is to also be used to send an SMS, save the number including the local area code (dialling code).
- Dial a number: ▶ Press the Talk key
- Select the next number, if an SMS contains multiple numbers:
 \(\bigcup \) ... use to scroll down until the first number has disappeared from the display.



The +-icon is not copied for international area codes.

You should then enter "00" at the start of the number.

SMS with vCard

The vCard is an electronic business card. It is indicated by the figure icon in the SMS text. A vCard can contain a name, home number, work number, mobile number and a birthday. Individual entries in a vCard can be saved to the directory one after the other.

When reading an SMS containing the vCard: View Save

The directory is opened automatically. The number and name are copied. If a birthday is entered on the vCard, the date is copied to the directory as an anniversary. If necessary, edit the entry in the directory and save it. You will return to the vCard automatically.

SMS notification

Receive notifications of missed calls and/or new messages on the answer machine.

•	• use	to	select SMS ▶ OK ▶ Settings ▶ OK ▶ Notification ▶
	Change (= on)		then
	Enter number:	•	To use to enter the number to which the SMS should be sent
	Missed calls:		Missed calls use to select On or Off
	Answer machine:	•	For AM messages use to select On or Off
			(only for a system with a local answer machine)
	Save settings:	•	Save



Do not enter your own fixed line network number for notification of missed calls. This can create an endless loop that will incur charges.

SMS notification may incur additional costs.

SMS service centres

The number for at least one SMS service centre must be saved in the device to be able to send SMS messages. The SMS service centre number can be obtained from the service provider.

SMS messages are received from **every** entered SMS service centre as long as they are registered with their service provider.

Your SMS messages are sent via the SMS service centre that is entered as the active send centre. Only one SMS service centre can be the active send centre at any one time.

Entering/changing the SMS service centre, setting the send service centre

▶ ... use to select SMS ▶ OK ▶ Settings ▶ OK ▶ Service Centres ▶ OK ▶ ... use to select SMS service centre (= current send service centre) ▶ Edit ... then

Activate send service centre:

Active Send: ... use to select Yes or No (Yes = SMS messages are sent via the SMS service centre)

Enter the number of the SMS service:

► SMS Service Centre Number ► ... use to enter the number
 Save settings: ► Save



If you have agreed a flat fixed line network rate, the chargeable numbers with dialling code 0900 are often blocked. If, in this case, a 0900 number is entered for the SMS service centre, you will not be able to send text messages from your phone. If the attempt to send fails, the SMS is saved in the incoming messages list and indicated as failed.

SMS to PABXs

- The Call Line Identification must be forwarded to the extension of the PABX (CLIP).
- If necessary, the access code/outside line code must be prefixed to the number of the SMS service centre (depending on your PABX). To test: Send an SMS to your own number, once with the access code and once without.
- If the SMS is sent without the extension number, it will not be possible for the recipient to answer directly.

Activating/deactivating first ring muting

Every incoming SMS is indicated by a single ring. If such a "call" is answered, the SMS is lost. To prevent this, mute the first ring for all external calls. In idle status:

▶ *** #** •• **0** • **5 #** •• **1** •• **9** ... the current setting flashes in the input field (e.g. 1) ... then

Do not mute the first ringtone:

▶ 0 <u></u> ▶ 0K

Mute the first ringtone (default setting):

SMS troubleshooting

- E0 Calling Line Identification permanently withheld (CLIR) or Calling Line Identification not activated
- FE Error occurred while sending SMS.
- FD Connection to SMS service centre failed, see self-help.

Self-help with errors

You cannot send messages

- You have not requested the CLIP service (Calling Line Identification Presentation).
 - Ask your network provider to enable the feature.
- SMS sending was interrupted (e.g. by a call).
 - Re-send the SMS.
- The network provider does not support this feature.
- No number or an incorrect one has been entered for the send service centre.
 - ▶ Enter the number (→ p. 50).

SMS text is incomplete

- The phone's memory is full.
 - Delete old SMS messages.
- The network provider has not yet sent the rest of the SMS.

You have stopped receiving SMS messages

Call divert has been activated for All calls.

▶ Change call divert (→ p. 24).

The SMS is played back

- The "display call number" service is not activated.
 - Ask the network provider to enable this feature (subject to a fee).
- Your mobile phone operator and SMS service provider are not working in partnership.
 - ▶ Obtain information from your SMS service provider.
- · The phone is not registered with the SMS service provider.
 - ▶ Send an SMS to register the phone for receiving SMS.

Expanding the functionality of the telephone

Multiple handsets

Up to six handsets can be registered to the base station.

Each registered device is assigned an internal number (1 - 6) and an internal name (INT 1 – INT 6). The number or name assigned can be changed.

If all internal numbers have already been assigned at the base station: • de-register a handset that is no longer needed

Registering the handset

A handset can be registered on up to four base stations.



Registration must be initiated on the base station **and** on the handset. Both must be carried out **within 60 secs**.

On the base station

▶ Press and **hold** the Registration/Paging key on the base station (approx. 3 secs)

On the handset

▶ ... use to select Settings OK Registration OK Register Handset OK ... use to select the base station (if the handset has already been registered to four base stations) OK ... an available base station is sought ... Enter system PIN (default setting: 0000) OK

Once registration is complete, the handset returns to idle status. The internal number of the handset appears in the display, e.g. INT 1. If not, repeat the procedure.



Maximum possible number of handsets registered to the base station (all internal numbers assigned): The handset with the highest internal number is replaced by the new one. If this is not possible, because a conversation is being held on this handset, for example, the message **No available internal number** is given. De-register a handset that is no longer required and repeat the registration procedure

Registering a handset to multiple base stations

Your handset can be registered to up to four base stations. The active base station is the base station to which the handset was last registered. The other base stations remain saved in the list of available base stations.

▶ Image: Settings → OK → Registration → OK → Select Base → OK ... possible options:

soon as it loses connection to the current base station.

Change active base station:

▶ ... use or Best Base to select base station ▶ Select (= selected)
Best Base: The handset chooses the base station with the best reception as

Change name of a base station:

De-registering the handset

► ... use to select Settings ► OK ► Registration ► OK ► De-register

Handset ► OK ... the handset being used is selected ► ... use to select a different

handset if desired ► OK ... enter system PIN if desired ► OK ► ... Confirm de-registration

with Yes

If the handset is still registered to other bases, it switches to the base with the best reception (Best Base).


Locating a handset (Paging)

Briefly press the Registration/paging key on the base station.

All handsets will ring at the same time ("paging"), even if ringtones are switched off. **Exception:** handsets on which the baby monitor is activated.

Ending the search

- ▶ **Briefly** press the registration/paging key on the base station
- or Press the End call key on the handset
- or Press the display key Silence on the handset
- or No action. After approx. 30 seconds, the paging call will end automatically.



Changing the handset name and internal number

When registering multiple handsets, they will automatically be assigned the names "INT 1", "INT 2" etc. Each handset will automatically be assigned the lowest unassigned internal number. The internal number is shown as the name of the handset on the display e.g. INT 2. You can change the names and the numbers of handsets. The name must not exceed 10 characters in length.

L... the list of handsets is opened, the current handset is highlighted with < ▶ ... use to select a handset ... possible options:
 Edit name: Dottons ► Rename ► OK ► ... use to delete the current name ► ... use to enter a new name ► OK
 Edit number: Dottons ► Edit Handset No. ► OK ► ... use to select a number ► Save

Repeater

A repeater increases the receiving range between the Gigaset handset and the base station.

The registration procedure for a repeater depends on the version of the repeater being used.

- Repeater without encryption, e.g. Gigaset repeater prior to Version 2.0
- Repeater with encryption, e.g. Gigaset repeater later than Version 2.0

Further information about the Gigaset repeater can be found in the repeater user guide and at www.gigaset.com.

Repeater without encryption

Activate Maximum Range/deactivate No Radiation

Deactivate encryption

Registering a repeater

▶ Connect the repeater to the mains power supply ▶ Press and hold the Registration/paging key on the telephone base station (min. 3 secs) . . . the repeater is automatically registered

It is possible to register more than one Gigaset repeater.

Repeater with encryption



Encryption is activated (default setting).

Registering a repeater

▶ Connect the repeater to the mains power supply ▶ Press and hold the Registration/paging key on the telephone base station (min. 3 secs) . . . the repeater is automatically registered Up to 2 repeaters may be registered.

The ECO DECT function **Maximum Range** is activated and the **No Radiation** function is deactivated. The settings cannot be changed whilst the repeater is registered.

As soon as a repeater is registered, it will appear in the repeater list under

Settings ▶ System ▶ Repeater

De-registering a repeater

```
    ▶ ... use to select Settings ▶ OK ▶ System ▶ OK ▶ Repeater ▶
    OK ▶ ... use to select repeater ▶ De-reg. ▶ Yes
```

Operation with a router

When operating on the analogue connection of a router, any **echoes** that may occur can be reduced by activating **XES mode 1** (XES = **eX**tended **E**cho **S**uppression).

If the XES mode 1 does not sufficiently suppress the occurring echoes: activate XES mode 2.

- ★ # □ 0 □ 5 # □ 7 0 □ ► ... press one of the following keys
 0 □ ► OK Normal mode
 1 □ ► OK XES mode 1
 2 ► OK XES mode 2
- (i)

If there are no problems with echoes, the normal mode (factory settings) should be activated.

Operation with a PABX

To find out which settings are required for a PABX, please refer to the PABX user guide.

You cannot send or receive SMS messages on PABXs that do not support Calling Line Identification.

Setting Tone or Pulse dialling mode

▶ ... use to select Settings OK Telephony OK Dialling
 Mode OK ... use to select Tone or Pulse Select (= selected)

Setting the flash time

▶ ... use to select Settings OK Telephony OK Recall OK
 ... possible flash times are listed ... use to select flash time Select (= selected)

Saving an access code (outside line code)

Setting the access code (e.g. "0") for dialling using the fixed line network.

▶ ... use to select Settings ▶ OK ▶ Telephony ▶ OK ▶ Access
Code ▶ OK ▶ ... then

Fixed line network: Access external line with: . . . use to enter or change access code, max. 3 digits

Rule: ▶ For ▶ ... use to select when the access code should be dialled

Call Lists: The access code will only prefix numbers from a list (list of answered calls, list of missed calls, SMS list, answer machine list).

All calls: The access code prefixes all numbers dialled.


Off: The access code is deactivated and does not prefix any telephone number.

Save: Save



The access code never prefixes any SMS service centre numbers.





To enter dialling pause when dialling:

▶ Press and **hold** the hash key # → ... a **P** appears in the display.

Switching temporarily to tone dialling (Tone)

After dialling the external number or after establishing the connection:

▶ Press the Star key ★ briefly.

After the call ends, pulse dialling is automatically reactivated.

Adjusting the telephone settings

Handset

Changing the language

► ... use to select Settings ► OK ► Language ► OK ► ... use to select language ► Select (= selected)

If the handset has been set to an incomprehensible language:

▶ Press the keys 6 5 slowly one after the other ▶ ... use to select the correct language ▶ press the right display key

Display

Screensaver

A digital or analogue clock, Info Services and a range of pictures can be selected to be displayed as a screensaver when in idle status.

(Digital Clock / Analog Clock / < Pictures>)

The screensaver is activated approx. 10 seconds after the display has changed to idle status.

End screensaver

▶ **Briefly** press the End call key 🕝 . . . the idle display appears

Colour scheme

You can choose from a range of colour combinations for the display.

▶ ... use to select to select Display ▶ OK ▶ Colour
 Schemes ▶ OK ▶ ... use to select the required colour scheme ▶ Select (= selected)

Display backlight

Save selection:

The display backlight always illuminates when the handset is taken out of the base station/ charging cradle or when a key is pressed. Any digit keys that are pressed appear on the display for pre-dialling.

Switch the display backlight on/off when in idle status:

```
► Image: The bound to select  Settings • OK • Display • OK • Backlight • OK • Backlight
   Backlight when in the charging cradle:
```

```
▶ In Charger: . . . use  to select On or Off
Backlight when not in the charging cradle:
                        🖵 Out of Charger 🕨 . . . use 🕞 to select On or Off
```



The handset's standby time may be significantly reduced if the display backlight is switched on.

Activating/deactivating Auto Answer

When set to Auto Answer, the handset accepts an incoming call as soon as it is removed from the charging cradle.

```
► ... use to select Settings • OK • Telephony • OK • Auto Answer •
  Change (\mathbf{M} = \text{on})
```

Regardless of the Auto Answer setting, the connection ends as soon as you place the handset 2 seconds while placing the handset in the charging cradle.

Activating/deactivating visual call signal

Visual indication of incoming calls via the spot LED (e.g. in noisy environments).



Changes are only saved permanently in Profile Personal.

Changing the earpiece and handsfree volume

You can set the volume of the earpiece and speaker at 5 levels independently of each other.



Changes are only saved permanently in Profile Personal.

During a conversation

▶ Press the volume keys 📘 / 🖃 on the right side of the handset

or

▶ **Handset Volume** ▶ ... use **To select volume** ▶ **Save** ... the setting is saved



Without saving, the setting is automatically saved after around 3 seconds.

In idle status

▶ ... use to select Settings OK Audio Settings OK Handset Volume OK ... then

For the earpiece:
• Earpiece: ... use to set the volume

For the speaker:
• Speaker • ... use to set the volume

Save settings: **Save**

Earpiece and handsfree profile

Select a profile for the **earpiece** and **handsfree mode** in order to adapt the telephone as much as possible to the surroundings. Check which is the most comfortable profile for you and your caller.

▶ ... use to select Settings ▶ OK ▶ Addio Settings ▶ OK ▶ Acoustic Profiles ▶ Earpiece Profiles / Handsfree Profiles ▶ OK ▶ ... use to select profile ▶ Select (= selected)

Earpiece Profiles: High or Low (default setting)

Handsfree Profiles: Profile 1 (default setting) or Profile 2

Ringtones

Ringtone volume

Volume can be set at 5 levels or crescendo (increasing volume).

Example





When the telephone rings, you can permanently change the ringtone volume using the volume keys [+] (louder) or [-] (quieter).

Changes are only saved permanently in Profile Personal.

Ringtone melody

Set different ringtones for internal and external calls.

▶ ... use to select Settings NK Audio Settings NK Audio

Switching the ringtone on/off

Switching the ringtone off permanently

▶ Use the ▲ key to set **Profile Silent** ... the following icon appears in the status bar 🍇

Switching the ringtone on permanently

Use the key to set Profile Loud or Profile Personal

Switching the ringtone off for the current call

Press Silence or the End call key 6

Switching the alert tone (beep) on/off

Switch on an alert tone (beep) instead of the ringtone:

▶ ... Press the Profile key to select Profile Silent ▶ press Beep within 3 seconds ... the following icon appears in the status bar

Switching off the alert tone:
... Press the Profile key
to change profile

Switching the silent alert on/off

Incoming calls and other messages are indicated by a silent alert.

▶ ... use to select Settings ▶ OK ▶ Audio Settings ▶ OK ▶ Silent Alert ▶ Change (= on)



Changes are only saved permanently in Profile Personal.

Switching advisory tones on/off

The handset notifies acoustically about different activities and statuses. These advisory tones can be switched on/off independently of each other.

▶ ... use to select Settings Audio Settings Advisory Advisory Tones Avisory Advisory Advisory Tones Avisory Advisory Advisory Tone Avisory Avisor

▶ ■ Battery ▶ ... use ■ to select On or Off
 Warning tone when the handset is moved out of range of the base station:
 ▶ ■ Out of Range: ... use ■ to select On or Off

Save settings: Save



There is no battery warning when the baby monitor is switched on.

Fast access to numbers and functions

Number keys: It is possible to assign a number from the directory to the keys 1 and 2 to 9.

Display keys: The left and right display keys have a **function** preset by default, but the keys can be re-assigned.

You can then dial the number or start the function by simply pressing a key.

Assigning a number to digit keys (quick dial)



A number has not been assigned to the digit key.

Press and hold the digit key

or

▶ Briefly press the digit key ▶ Press the display key QuickDial

The directory opens.

... use to select an entry ▶ OK ▶ ... use to select a number if necessary ▶ OK ...
 the entry is saved to the digit key



If the entry in the directory is deleted later, this will not affect the assignment of the digit key.

Dialling a number

▶ Press and **hold** the digit key ... the number is dialled immediately

or

▶ Briefly press the digit key . . . the number/name (possibly in abbreviated form) is shown on the left display key ▶ . . . press the display key . . . the number is dialled

Changing the digit key assignment

▶ **Briefly** press the digit key ▶ **Change** ... the directory is opened ... possible options:

Change the assignment: ▶ ... use 📑 to select an entry ▶ OK ▶ ... select a number if

required NOK

Assigning display keys / Changing assignments

▶ Press and hold the left or right display key in idle status . . . the list of possible key assignments is opened ▶ . . . use to select function ▶ OK . . . possible options:

Quick Dial Assign a number from the directory to the display key

Baby Monitor Set and activate/deactivate baby monitor

Timer Set, enable and disable the timer

Alarm Clock Set and activate/deactivate the alarm clock

Calendar Open calendar
One Touch Call Set up one touch call
Redial Show redial list

Spot LED LED light (torch function) on/off

Call Lists Show call lists

Withhold Number Withhold phone number identification for next call

Call Divert Activate/deactivate Call Divert

SMS Open SMS menu

Starting a function

Resetting the handset to the default settings

Reset any individual settings and changes that you have made.

▶ ... use to select Settings OK System OK Handset
Reset NOK Yes ... the handset's settings are reset



The following settings are not affected by a reset

- · Registration of the handset to the base station
- · Date and time
- Directory entries and call lists
- SMS lists

System


Date and time

To ensure you have the correct time for incoming calls and to use the alarm clock and calendar, for example, the date and time must be set.

If the date and time have not yet been set on the handset, the display key Time appears.

Press the display key Time

or



Own area code

Your area code (international and local area code) must be saved on the phone before you can transfer phone numbers (e.g. in vCards).

Some of these numbers are already preset.



Edit the number:

Example



Activating/deactivating music on hold

```
    ▶ ... use  to select  Settings  OK  Audio Settings  OK  Music on hold  Change (  on )
```

Changing the system PIN

Secure the telephone's system settings with a system PIN. You have to enter the system PIN when you register or de-register a handset, change local network settings, perform a firmware update or reset the phone to default settings.

Change the telephone's 4-digit system PIN (default setting: 0000):



Resetting system PIN

Resetting the base station to the original PIN 0000:

▶ Unplug the network cable from the base station ▶ Press and hold the Registration/Paging key on the base station ▶ At the same time reconnect the network cable to the base station ▶ Press and hold the key for at least 5 secs . . . the base station is reset and the system PIN is set to 0000



All handsets are de-registered and must be re-registered. All settings are returned to default settings.

Restoring the phone to default settings

When the settings are reset

- the date and time are retained.
- · handsets are still registered,
- the system PIN is retained,
- Maximum Range is activated and No Radiation is deactivated.
- ▶ ... use to select Settings ▶ OK ▶ System ▶ OK ▶ Base Reset ▶ OK ▶ ... use to enter system PIN ▶ OK ▶ Yes ... the base station is restarted. The restart takes around 10 seconds.

Appendix

Questions and answers

Possible solutions are available online at www.gigaset.com/service

Troubleshooting

The display is blank.

- The handset is not activated. Press and hold
- The battery is empty. Charge the battery or replace it

"No Base" flashes on the display.

- The handset is outside the range of the base station. Move the handset closer to the base station
- The base is not activated. Check the base station power adapter
- The base station's range is reduced because Maximum Range is deactivated.
 - Activate Maximum Range or reduce the distance between the handset and base station

"Please register handset" flashes on the display.

 The handset has not yet been registered or was de-registered due to the registration of an additional handset (more than 6 DECT registrations).

Re-register the handset

Your settings are not accepted.

The wrong profile has been set. > Set Profile Personal ... then make changes to the device settings.

The handset does not ring.

- The ringtone is deactivated. Activate ringtone
- Call forwarding is set. Deactivate call forwarding
- The phone does not ring if the caller has withheld his number.
 - Activate the ringtone for anonymous calls.
- The phone does not ring during a specific period or for certain numbers.
 - Check the time control for external calls

No ringtone/dial tone from the fixed line network.

Incorrect phone cable. Please always use the phone cable supplied or ensure that the pin connections
are correct when purchasing from a retailer.

The connection always terminates after approx. 30 seconds.

 A repeater (earlier than Version 2.0) has been activated or deactivated.
 Switch the handset off and back on again.

Error tone sounds after system PIN prompt.

You have entered the wrong system PIN.
 Repeat the process, reset the system PIN to 0000 if required

Forgotten system PIN.

Reset the system PIN to 0000

The other party cannot hear you.

• The handset is "muted". • Activate the microphone again

Some of the network services do not work as specified.

Features are not enabled. Contact the network provider for details.

Questions and answers

The caller's number is not displayed.

- Calling Line Identification (CLI) is not enabled for the caller.
 The caller should ask the network provider to enable Calling Line Identification (CLI).
- Calling Line Identification Presentation (CLIP) is not supported or enabled by the network provider.
 Ask the network provider to enable Caller Line Identification Presentation (CLIP).
- The telephone is connected via a PABX or a router with an integrated PABX (gateway) that does not transmit all information.
 - ▶ Reset the system: Briefly pull out the power plug. Reinsert the plug and wait until the device restarts.
 - Check the settings on the PABX and activate phone number display, if necessary. To do this, search for terms such as CLIP, calling line identification, telephone number identification, caller ID, ... in the system user guide or ask the system manufacturer.

You hear an error tone when keying in (descending tone sequence).

Action has failed/invalid input. Repeat the process. Read the display and refer to the user guide if necessary.

You cannot listen to messages on the network mailbox.

• Your PABX is set to pulse dialling. > Set your PABX to tone dialling.

No time is specified for a message in the call list.

• Date/time are not set. > Set the date/time.

Answer machine (only on systems with a local answer machine)

No time is specified for a message in the call list.

Date/time are not set.

Set the date/time

The answer machine reports "Invalid PIN" during remote operation.

- You have entered the wrong system PIN. Repeat input of system PIN
- The system PIN is still set to 0000. Set the system PIN to something other than 0000.

The answer machine is not recording any messages/has switched to answer only mode.

The memory is full. Delete old messages Listen to new messages and then delete

Service (Customer Care) - United Kingdom and Ireland

Step by step towards your solution with Gigaset Customer Care www.gigaset.com/service.



Visit our Customer Care pages

Here you will find:

- Frequently asked questions
- Free software and user manual downloads
- Compatibility checks



Contact our Customer Care team

Couldn't find a solution in the FAQs section? We are happy to help...

... online:

via our contact form on the customer service page

... by telephone: United Kingdom

Service Hotline: 020 36953111

(local call cost charge)

Ireland

Service Hotline: 0818 200 033

(6.6561 Ct./Call)

Please have your proof of purchase ready when calling.

Please note that if the Gigaset product is not sold by authorised dealers in the national territory the product may not be fully compatible with the national telephone network. It is clearly specified on the box near the CE mark for which country/countries the equipment has been developed. If the equipment is used in a manner inconsistent with this advice or with the instructions of the manual and on the product itself, this may have implications on the conditions for warranty or quarantee claims (repair or exchange of product).

In order to make use of the warranty, the product purchaser is asked to submit a receipt which proves the date of purchase (date from which the warranty period starts) and the type of goods that have been purchased.

Guarantee Certificate - United Kingdom and Ireland

Without prejudice to any claim the user (customer) may have in relation to the dealer or retailer, the customer shall be granted a manufacturer's Guarantee under the conditions set out below:

- In the case of new devices and their components exhibiting defects resulting from manufacturing and/or
 material faults within 24 months of purchase, Gigaset Communications shall, at its own option and free of
 charge, either replace the device with another device reflecting the current state of the art, or repair the
 said device. In respect of parts subject to wear and tear (including but not limited to, batteries, keypads,
 casing), this warranty shall be valid for six months from the date of purchase.
- This Guarantee shall be invalid if the device defect is attributable to improper care or use and/or failure to comply with information contained in the user manuals. In particular claims under the Guarantee cannot be made if:
- The device is opened (this is classed as third party intervention)
- Repairs or other work done by persons not authorised by Gigaset Communications.
- Components on the printed circuit board are manipulated
- · The software is manipulated
- Defects or damage caused by dropping, breaking, lightning or ingress of moisture. This also applies if
 defects or damage was caused by mechanical, chemical, radio interference or thermal factors (e.g.: microwave, sauna etc.)
- Devices fitted with accessories not authorised by Gigaset Communications

Manufacturer's advice

- This Guarantee shall not apply to or extend to services performed by the authorised dealer or the customer themselves (e.g. installation, configuration, software downloads). User manuals and any software supplied on a separate data medium shall be excluded from the Guarantee.
- The purchase receipt, together with the date of purchase, shall be required as evidence for invoking the Guarantee. Claims under the Guarantee must be submitted within two months of the Guarantee default becoming evident.
- Ownership of devices or components replaced by and returned to Gigaset Communications shall vest in Gigaset Communications.
- This Guarantee shall apply to new devices purchased in the European Union. For Products sold in the
 United Kingdom and in the Republic of Ireland the Guarantee is issued by: Gigaset Communications UK
 Limited, 2 White Friars, Chester, CH1 1NZ.
- Any other claims resulting out of or in connection with the device shall be excluded from this Guarantee.
 Nothing in this Guarantee shall attempt to limit or exclude a Customers Statutory Rights, nor the manufacturer's liability for death or personal injury resulting from its negligence.
- The duration of the Guarantee shall not be extended by services rendered under the terms of the Guarantee.
- Insofar as no Guarantee default exists, Gigaset Communications reserves the right to charge the customer for replacement or repair.
- The above provisions do not imply a change in the burden of proof to the detriment of the customer. To invoke this Guarantee, please contact the Gigaset Communications helpdesk. This number is also to be found in the accompanying user guide.

Exclusion of liability

Your handset's display consists of pixels. Each pixel consists of three sub-pixels (red, green, blue).

It may be the case that a sub-pixel is missing or has a colour deviation.

A warranty claim is only valid if the maximum number of permitted pixel errors is exceeded.

Description	Maximum number of permitted pixel errors
Colour illuminated sub-pixels	1
Dark sub-pixels	1
Total number of coloured and dark sub-pixels	1



Signs of wear on the display and casing are excluded from the warranty.

Manufacturer's advice

Authorisation

This device is intended for analogue phone lines in the UK and on the Irish network.

Country-specific requirements have been taken into consideration.

Hereby, Gigaset Communications GmbH declares that the radio equipment type Gigaset E630-E630A is in compliance with Directive 2014/53/EU.

The full text of the EU declaration of conformity is available at the following internet address: www.gigaset.com/docs.

This declaration could also be available in the "International Declarations of Conformity" or "European Declarations of Conformity" files.

Therefore please check all of these files

Environment

Our environmental statement

We at Gigaset Communications GmbH are aware of our social responsibility. That is why we actively take steps to create a better world. In all areas of our business – from product planning and production to sales and waste of disposal – following our environmental conscience in everything we do is of utmost importance to us. Learn more about our earth-friendly products and processes online at www.gigaset.com.

Environmental management system



Gigaset Communications GmbH is certified pursuant to the international standards ISO 14001 and ISO 9001.

ISO 14001 (Environment): Certified since September 2007 by TÜV SÜD Management Service GmbH

ISO 9001 (Quality): Certified since 17/02/1994 by TÜV SÜD Management Service GmbH.

Disposal

Batteries should not be disposed of in general household waste. Observe the local waste disposal regulations, details of which can be obtained from your local authority.

All electrical and electronic products should be disposed of separately from the municipal waste stream via designated collection facilities appointed by the government or the local authorities.



This crossed-out wheeled bin symbol on the product means the product is covered by the European Directive 2012/19/EU.

The correct disposal and separate collection of your old appliance will help prevent potential negative consequences for the environment and human health. It is a precondition for reuse and recycling of used electrical and electronic equipment.

For more detailed information about disposal of your old appliance, please contact your local council refuse centre or the original supplier of the product.

Care

Wipe the device with a **damp** cloth or an antistatic cloth. Do not use solvents or microfibre cloths. **Never** use a dry cloth; this can cause static.

In rare cases, contact with chemical substances can cause changes to the device's exterior. Due to the wide variety of chemical products available on the market, it was not possible to test all substances. Impairments in high-gloss finishes can be carefully removed using display polishes for mobile phones.

Contact with liquid



Your handset is splash proof.

If it comes into contact with water, knock the water out of the microphone opening and remove any water on the handset with an absorbent cloth. Your handset is ready for use.

If your handset comes into contact with a larger amount of liquid take the following steps:

- 1 Disconnect the power supply.
- 2 Remove the batteries and leave the battery compartment open.
- 3 Allow the liquid to drain from the device.
- 4 Pat all parts dry.
- 5 Place the device in a dry, warm place for at least 72 hours (not in a microwave, oven etc.) with the battery compartment open and the keypad facing down (if applicable).
- 6 Do not switch on the device again until it is completely dry.

When it has fully dried out, you will normally be able to use it again.

Technical data

Batteries

Technology: 2 x AAA NiMH

Voltage: 1.2 V Capacity: 750 mAh

Handset operating times/charging times

The operating time of your Gigaset depends on the capacity of the battery, its age and the way it is used. (All times are maximum possible times.)

Standby time (hours)	320/190 *
Talktime (hours)	14
Operating time with 1.5 hours of calls per day (hours)	130/100 *
Charging time in charging cradle (hours)	7.5

^{*} No Radiation on/off, without display backlight in idle status

Power consumption of the handset in the charging cradle

When charging: approx. 1.5 W
To maintain the charge status: approx. 0.5 W

Base power consumption


Standby: approx. 0.5 W
During a call: approx. 0.6 W

General specifications

DECT standard	Supported
GAP standard	Supported
No. of channels	60 duplex channels
Radio frequency range	1880-1900 MHz
Duplex mode	Time division multiplexing, 10 ms frame length
Repetition frequency of the transmission pulse	100 Hz
Duration of the transmission pulse	370 μs
Channel grid	1728 kHz
Bit rate	1152 kbit/s
Modulation	GFSK
Language code	32 kbit/s
Transmission power	10 mW average power per channel, 250 mW pulse power
Range	Up to 50 m indoors, up to 300 m outdoors

Base station power supply	230 V ~/50 Hz
Environmental conditions for operation	+5 °C to +45 °C; 20% to 75% relative humidity
Dialling mode	DTMF (tone dialling)/PD (pulse dialling)

Pin connections on the telephone jack



Character charts

Standard characters

Press the relevant key the number of times indicated.

	1x	2x	3x	4x	5x	6x	7x	8x	9x	10x
1 ∞	1									
2	a	b	c	2	ä	á	à	â	ã	ç
3	d	е	f	3	ë	é	è	ê		
4	g	h	i	4	ï	ĺ	ì	î		
5	j	k	ı	5						
6	m	n	0	6	ö	ñ	ó	ò	ô	õ
7	р	q	r	S	7	ß				
8	t	u	V	8	ü	ú	ù	û		
9	w	х	У	z	9	ÿ	ý	æ	ø	å
0 _			,	?	!	← ²⁾	0			

- 1) Space
- 2) Line break

Display icons

The following icons are displayed depending on the settings and the operating status of your telephone.

Icons in the status bar

Icon	Meaning
† †*11)	Signal strength (No Radiation off) 1% -100% white, if Maximum Range on; green, if Maximum Range off
(P)	Red: no connection to the base station
®	No Radiation activated: white, if Maximum Range on; green, if Maximum Range off
99	Answer machine activated indicator flashes: Answer machine is recording a message or is being operated by another internal participant (only for a system with a local answer machine)

lcon	Meaning
$ar{x}$	Profile Silent activated (Ringtone switched off)
₹ <u>-</u>	"Beep" ringtone activated
O	Keypad lock activated
	Battery charge status: White: between 11% and 100% charged
	Red: less than 11% charged
	Flashes red: battery almost empty (approx. 5 minutes of talktime left)
<i>\$</i>	Battery is charging (current charge status): 0% - 100%

Display key icons

lcon	Meaning
$\rightarrow \rightarrow$	Last number redial
< C	Delete text

lcon	Meaning
V	Open the directory
+14	Copy number to the directory
÷œ	Divert a call to answer machine (only for a system with a local answer machine)

Display icons to indicate ...

lcon	Meaning
$\left((\bigwedge)\right)$	External call
((♠))	Internal call
(→	Establishing a call (outgoing call)
<i>(⇔)</i>	Connection established
(×)	No connection established/ connection terminated
$((\mathbf{Fo}))$	Reminder for appointment

lcon	Meaning
$\left((\stackrel{\bullet}{ \leftrightsquigarrow})\right)$	Reminder for anniversary
$\left(\left(\bigodot\right) \right)$	Alarm call
$\Big((\boldsymbol{\lozenge})\Big)$	Countdown timer
((aa))	Answer machine is recording (only for a system with a local answer machine)

Other display icons

lcon	Meaning
(3)	Alarm clock is activated, display with alarm time
0	Timer switched on, display with countdown
~	Action complete (green)
X	Action failed (red)

lcon	Meaning
i	Information
?	(Security) prompt
0	Please wait

Menu overview




Not all functions described in the user guide are available in all countries or from all network providers.

Open the main menu: when handset is in idle status press





SMS



→ p. 50 → p. 27

→ p. 47

→ p. 48

→ p. 48

p. 50

Call Lists

All calls	
Outgoing calls	
Accepted calls	
Missed calls	

Answer Machine

System without local answer machine

Play Messages	→ p. 32
Network Mailbox	→ p. 36

System with local ar	nswer machine	
Play Messages	Network Mailbox	→ p. 37
	Answer Machine	→ p. 32
Activation		→ p. 32
Announcements	—— Record Announcem.	→ p. 35
	Play Announcement	→ p. 35
	Delete Announcem.	→ p. 36
	Rec. Advisory Msg.	→ p. 35
	Play Advisory Msg.	→ p. 35
	Del. Advisory Msg.	→ p. 36
Recordings		→ p. 36
Call Screening		→ p. 33
Network Mailbox		→ p. 36
Set Key 1		→ p. 37


Select Services

Next Call Anonym.	
Call Divert	
Call Waiting	
All Calls Anonym.	
Ringback Off	


Additional Features

Additional realtire
Spot LED
Calendar
Timer
Alarm Clock
Baby Monitor
One Touch Call
Missed Alarms

Settings



Menu overview



Index

<u> </u>	Battery	
A Assess sada (DARY)	charging $\underline{1}$	
Access code (PABX)	charging status	
Activating/deactivating message LED 27	inserting 1	
Advisory tones	Beep (alert tone)	
	Best base station	
Alarm clock	Black list4	
switch on/off	Broken display	7
Alert tone (beep)		_
Anniversary, see Appointment	C	
Announcement (answer machine)	Calendar	9
deleting	Call	
Announcement mode (answer machine) 32	accepting	8
Anonymous calling	anonymous 2	3
Answer machine	external	7
activating/deactivating	internal	9
announcement mode	participant listening in 2	0
calling back a caller	transferring internally (connecting) 2	0
deleting messages	two-way recording	3
playing back messages32, 37	Call back a caller	
recording a personal announcement/	Call block	6
advisory message	Call divert	4
remote operation	Call list	
set fast access	copying a number to the directory 2	8
skipping ahead	delete	
skipping back	delete an entry	8
Appointment	dialling	8
display missed	entry	7
missed	opening	8
notification40	Call lists	7
setting	Call protection 4	5
Assigning key 1	Call screening during recording 3	3
Assigning number key	Call swapping	
Authorisation	two external calls 2	5
Auto Answer	Call waiting, external	3
simple (Easy Acceptance)19	accepting/rejecting	0
Automatic	Call waiting, internal	
answer	accept	0
	Call, anonymous	3
B	protection from 4	5
Baby monitor	Caller display 2	2
activation43	Calling	
deactivation	external	
Base	internal	
connecting to a router9	Calling Line Identification 2	2
connecting to the mains power supply/tele-	none	2
phone network9	switching off temporarily 2	3
Base power consumption72	switching on/off	3
Base station	Cancel the alarm (baby monitor) 4	4
changing	Care	1
changing the name	Care of the device	1
connecting to the PABX	Changing	
connecting to the router	display language 5	9
restoring to default settings	earpiece volume	
setting	handsfree volume	0
system PIN	system PIN	
	-	

Index

Changing the name of the handset. 55 Changing the PIN 66 Changing the system PIN 66 Character charts 73 Charge status of the batteries 74 Charging cradle (handset) 9 Charging time of handset 72 CLI, Calling Line Identification 22 CLIP, CLI Presentation 22 CLIR, CLI Restriction 22	screensaver 59 setting 59 unknown 22 Display icons 74 Display keys 514 assigning 63 icons 74 Disposal 71 Draft message list (SMS) 48 DTMF (tone dialling) 57, 58
Colour scheme	E
Connecting the power cable9	Earpiece volume
Connections with the base station54	Easy Acceptance
Consultation call	Echo, when operating a router
ending	ECO DECT
external	E-mail address
internal	Emergency numbers
Contact with liquid	not possible
Control key	End call key
Control key	Entering special characters
Countdown (timer)	Entering text
Customer Care	of the network mailbox
	Entering umlauts
D	Environment
Deactivating wireless module	Exclusion of liability
Deleting	External call
messages	forwarding to answer machine 33
De-registering (handset)	
Dialling from the call list	F Fast access
from the directory	Flash time
from the redial list	riasii tiirie
using guick dial63	G
Dialling mode	Getting started
Dialling pause	Guarantee Certificate
Directory	
copying numbers	Н
dialling numbers	Handset
entry	advisory tones
opening	changing the name
order of entries	changing the number
saving an entry	changing to a different base station 54
searching	changing to best reception 54
selecting an entry	colour scheme
sending entry/list to handset	connecting the charging cradle 9
sending to handset	de-registering the handset 54
Display	display backlight 60
activating/deactivating new message 27 anonymous	display language
backlight	earpiece volume
broken	handset volume
changing display language 59	idle status
colour scheme	muting
directory memory	overview
external	paging54
missed appointment/anniversary 40	registering
network mailbox message 26	registering to another base station 54

restoring to default setting	LED light 5 Linked, see SMS 1 Liquid 71 List SMS draft message list 48 SMS message list 48 Listening in to an external call 20 Local area code 65 Locking/unlocking the keypad 13 Lower/upper case 16 M
Help67	Making calls accepting a call
I	external
Icons	internal
alarm clock	Manufacturer's advice
displaying new messages26	Maximum Range
indications	Medical equipment
on display keys	ringtone for internal/external calls 62
status bar	Memory in the directory
timer	Menu key
Idle status	Menu overview
returning to	Message
Indications, icons	marking as "new"
consultation	opening list
listening in	Message list (SMS)
making calls	Message lists
International code	Messages
<u>K</u>	copying number to the directory
Key (base), registration/paging 5	switch on/off
Key 1	Missed anniversaries/appointments 40
Key, assigning	Music on hold
Keys	Mute the first ringtone
control key	Muting the handset
display keys	N
end call key	Network mailbox
handsfree	defining for fast access
Handsfree key 5	entering number
hash key5	Network MB, see Network mailbox
key 1	Network provider
message key5	Number
on/off key5	copying to the directory
paging key	do not transfer
profile key	saving in the directory
recall key5	withhold
star key	Numbers entering
volume14	
volume keys 5	0
	On/off key
L	One touch call
Language	Operating time of handset
display	Outside line code (PABX) 57 Overview
LED5	Overview

Index

handset	Ringback
	cancelling
P	initiate
PABX	Ringtone 61
connecting to the base station 57	changing 61
pauses	melody for internal/external calls 62
saving access code57	muting
setting dialling mode57	muting first 51
setting flash time57	time control 45
SMS	Router connection
switching to tone dialling	Router, connecting the base station 56
Paging	
Pause	S
after access code	Safety precautions
after line seizure	Screensaver
after Recall key	Searching
PD (pulse dialling)	handset
Phone	Searching in directory
setting	Sending
Phone directory, see Directory	entire directory to handset 31
Phonebook, see Directory	SMS messages
Picking up	Service
a call from answer machine	Service provider, see Network provider
Pin connections	Setting the date
Playing back	Setting the system
announcement (answer machine)35	Setting the time
Playing back messages	Setting up handset
Power adapter7	Setting up the base
Profile key	Setting up the charging cradle (handset) 8
Profiles	Show new messages
Protection from calls	Signal strength
anonymous	Signal tone, see Advisory tones
black list	Silent alert 62
time control	Simple Auto Answer (Easy Acceptance) 19
Pulse dialling	SMS
alse diaming.	deleting49
Q	draft message list
Questions and answers	incoming message list
Quick dial	linked
Quick didi	message list
R	reading
Radiation	receiving
reducing44	self help with error messages
Radiation-free	send centre
Recall key 5, 58	sending to e-mail address 48
Reception booster, see Repeater	temporary storing
Recording	to PABXs
two-way recording	troubleshooting
Recording quality (answer machine)	vCard
Recording time	writing/sending 47
Redial list	SMS message list (SMS) 48
Registering (handset)	SMS notification
Registration/paging key	SMS service centre
Remotely operating the answer machine34	changing the number 51
Repeater55	setting
Resetting the handset to the default	Snooze mode (alarm)
settings	Sound profiles
Resource Directory	Speaker
Ring delay	Star key
Ring delay (answer machine)	
ming delay (answer machine)	

Status bar
icons
Switch on/off alarm (timer)41
Symbols, see Icons74
System PIN
changing
resetting
System settings securing
,
Т
Talk key
Technical data
Telephone
operating
Telephone jack, pin connections
Time control for external calls
Timer
Tone dialling (DTMF)
Transferring, external call internally20
Troubleshooting
general67
SMS
عالاات

U Upper/lower case 10 Using multiple handsets 5
V vCard (SMS)
volume 6 earpiece. 6 handset handsfree volume 6 handset speaker/earpiece volume 2 speaker 6 Volume keys 5, 1
W Warning tone, see Advisory tones Withheld number
X XES mode

Issued by

Gigaset Communications GmbH Frankenstr. 2a, D-46395 Bocholt

© Gigaset Communications GmbH 2018

Subject to availability.

All rights reserved. Rights of modification reserved.

www.gigaset.com

Apple, the Apple logo and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Google, Android, Google Play and other brands are trademarks of Google Inc.