Gigaset

SL450A

You can find the most up-to-date user guide at www.gigaset.com/manuals

□ di G Gigaset □ di G

User guide online on your smartphone or tablet: Download the Gigaset Help app





Contents

| Overview | 5 |
|--|----|
| Handset | 5 |
| Base | |
| Illustration in the user guide | 6 |
| Safety precautions | 7 |
| Getting started | 8 |
| Base | |
| Handset | 9 |
| Using the telephone | 13 |
| Getting to know your telephone | |
| Making calls | |
| Provider-specific functions (network services) | |
| Message lists | 25 |
| Call lists | 27 |
| Directory | 28 |
| Answer machine | 32 |
| Local answer machine | 32 |
| Network mailbox | 37 |
| Set fast access for the answer machine | 38 |
| Additional functions | 39 |
| Sound profiles | 39 |
| Calendar | 40 |
| Timer | 42 |
| Alarm clock | 43 |
| Baby monitor | 44 |
| ECO DECT | 46 |
| Protection against unwanted calls | 47 |
| SMS (text messages) | |
| Resource Directory | |
| Bluetooth | |
| Additional functions using the PC interface | |
| Expanding the functionality of the telephone | |
| Multiple handsets | |
| Repeater | |
| Operation with a router | |
| Operation with a PABX | |
| Adjusting the telephone settings | |
| Handset | |
| System | 75 |

Contents

| Appendix | 77 |
|-------------------------|----|
| Questions and answers | |
| Service (Customer Care) | 79 |
| Manufacturer's advice | |
| Technical data | 82 |
| Display icons | 85 |
| Menu overview | 87 |
| Index | an |



Not all functions described in the user guide are available in all countries or from all network providers.





Overview

Handset

Display

Status bar (p. 85)

Icons display current settings and operating status of the telephone

Display keys (p. 14)

Various functions, depending on the operating situation

4 Message key (→ p. 25)

Access to the call and message lists: Flashes: new message or new call

End call key, On/off key

End call: cancel function:

Go back one menu level Press briefly Return to idle status Press and hold

Switch the handset on/off (in idle status)

Hash key / Lock key

Lock/unlock the keypad (in idle status)

Toggle between upper/lower case and digits (when inputting text)

Press and hold

Press and

▶ Press and

Press briefly

hold

hold

Microphone

Recall key

Consultation call (flash)

Press and hold

9 USB connection socket

Insert a dialling pause

For data exchange between the handset and PC

10 Starkev

Open special characters table Press briefly (when inputting text)

Switch from pulse dialling to tone dialling

Press briefly

(for an existing connection)

11 Headset connection

(2.5 mm jack)

12 Key 1

▶ Press Select answer machine/ network mailbox and hold

13 Talk key / Handsfree key

Accept call: dial number displayed: switch between receiver and handsfree mode: send SMS (when composing an SMS)

Open the redial list Start dialling

Press briefly Press and **hold**

14 Profile key

Switch between sound profiles

15 Control key / menu key (p. 13)

Open a menu; navigate in menus and entry fields; access functions (depending on the situation)

Base

A Registration/paging key

Locate a handset (paging) Register a handset

Press briefly Press and hold



The colour and shape of your device may be different from the illustration.

Illustration in the user guide



Warnings, which, if not heeded, can result in injury to persons or damage to devices.



Important information regarding function and appropriate handling or functions that could generate costs.



Prerequisite for being able to carry out the following action.



Additional helpful information.

Keys

| G or C | Talk key | or 🔳 | Handsfree key |
|---------------------------------|--------------------------|--------------|----------------------|
| • | End call key | 0 _ to 9 | Number / letter keys |
| () | Control key rim / centre | | Message key |
| R | Recall key | * | Star key |
| # -0 | Hash key | • | Profile key |
| OK, Back, Select, Change, Save, | | Display keys | |

Procedures

Example: Switching Auto answer on/off

▶ ... use to select Settings OK Telephony OK Auto Answer Change (= on)

| Step | Follow this procedure |
|-----------------|---|
| | When in idle status press the centre of the control key. The main menu opens. |
| → 1 | Navigate to the process icon using the control key . |
| ▶ OK | Select OK to confirm. The submenu Settings opens. |
| Telephony | Select the Telephony entry using the control key |
| ▶ OK | Select OK to confirm. The submenu Telephony opens. |
| ▶ Auto Answer | The function to switch Auto answer on/off appears as the first menu item. |
| ▶ Change | Select Change to activate or deactivate. Function is activated // deactivated . |

Safety precautions



Read the safety precautions and the user guide before use.

The device cannot be used in the event of a power failure. In case of a power failure it is also **not** possible to make **emergency calls**.

Emergency numbers cannot be dialled if the keypad/display lock is activated!



Use only **rechargeable batteries** that correspond to the **specification** (see "Technical data"). Never use a conventional (non-rechargeable) battery or other battery types as this could result in significant health risks and personal injury. Rechargeable batteries, which are noticeably damaged, must be replaced.



The handset must not be operated if the battery cover is open.



Do not use the devices in environments with a potential explosion hazard (e.g. paint shops).



The devices are not splashproof. For this reason do not install them in a damp environment such as bathrooms or shower rooms.



Use only the power adapter indicated on the device.

Whilst charging, the power socket must be easily accessible.



Remove faulty devices from use or have them repaired by our Service team, as these could interfere with other wireless services.



Do not use the device if the display is cracked or broken. Broken glass or plastic can cause injury to hands and face. Send the device to our Service department to be repaired.



Do not hold the rear of the handset to your ear when it is ringing or when speaker mode is activated. Otherwise you risk serious and permanent damage to your hearing.

The phone may cause interference in analogue hearing aids (humming or whistling) or cause them to overload. If you require assistance, please contact the hearing aid supplier.



Keep small cells and batteries, which can be swallowed, out of the reach of children. Swallowing a battery can lead to burns, perforation of soft tissue and death. Severe burns can occur within 2 hours of swallowing.

In the case of a swallowed cell or battery, seek medical care immediately.



Using your telephone may affect nearby medical equipment. Be aware of the technical conditions in your particular environment, e.g. doctor's surgery. If you use a medical device (e.g. a pacemaker), please contact the device manufacturer. They will be able to advise you regarding the susceptibility of the device to external sources of high frequency energy (for the specifications of your Gigaset product see "Technical data").

Getting started

Contents of the package

- One base,
- One power adapter for the base,
- · One phone cable,
- One handset
- One battery cover (rear cover for the handset)
- · One battery
- One charging cradle incl. power adapter
- One belt clip
- · One user guide

Models with multiple handsets, per handset:

- · One handset
- · One charging cradle incl. power adapter
- One battery, one battery cover and one belt clip




The base station and charging cradle are designed for use in closed, dry rooms within a temperature range of +5 °C to +45 °C.

The device's feet do not usually leave any marks on surfaces. However, due to the multitude of different varnishes and polishes used on furniture, contact marks on the surfaces cannot be completely ruled out.

Never expose the telephone to heat sources, direct sunlight or other electrical devices.

Protect your telephone from moisture, dust, corrosive liquids and vapours.

Base



- Insert the phone cable into the connection socket 1 at the rear of the base until it clicks into place.
- ▶ Insert the power cable from the power adapter into the connection socket 2.
- Depending on the model, if included in the delivery: Click the cover into place in the notches on the back of the base (not if mounting on a wall).
- Plug in the power adapter 3 and the phone jack 4.

If connecting to a router:

▶ Plug the phone cable into the telephone connection socket on the router 5.



The network cable must **always be connected** in order to function, as the phone will not operate without a power supply.


Handset

Connecting the charging cradle

- ▶ Connect the flat plug of the power adapter 1.
- ▶ Plug the mains unit into your power socket 2.

To remove the plug from the charging cradle again:

- Disconnect the power adapter from the mains power supply.
- Press the release button 3.
- Pull out the plug 4.



Setting up the handset for use

The display is protected by a plastic film. > Please remove the protective film!

Inserting the battery



Only use a rechargeable battery, as this could otherwise result in significant health risks and personal injury. For example, the outer casing of the battery could be destroyed or the battery could explode. The device could also malfunction or be damaged as a result of using batteries that are not of the recommended type.



- Insert battery with the contact side pointing down 1.
- Press the battery down until it clicks into place 2.



- Orientate the battery cover with the side tabs fitting into the slots on the inside of the casing 3.
- Press the cover until it clicks into place.

Removing the battery



- ▶ Remove the belt clip (if attached).
- Place your fingernail in the notch underneath the battery cover and pull the battery cover up 1.



➤ To change the battery, place your fingernail in the recess in the housing and pull the battery up 2.

Charge the battery

Charge the battery fully prior to first use in the charging cradle or using a standard USB mains adapter.

The battery is fully charged when the power icon disappears from the display.





The battery may heat up during charging. This is not dangerous.

After a time, the charge capacity of the battery will decrease for technical reasons.

Handsets contained in the package have already been registered to the base. In the event that a handset is not registered however, (indicated by **Please register handset**), register the handset manually (\rightarrow p. 61).

Attaching the belt clip

The handset has notches on each side for attaching the belt clip.

- Attaching the belt clip: ▶ Press the belt clip onto the back of the handset so that the tabs on the belt clip click into place in the notches.
- Removing the belt clip: ▶ Press the centre of the belt clip firmly with your right thumb. ▶ Push the nail of your left thumb up between the clip and the casing. ▶ Slide the clip upwards to remove.



Changing the display language

You can change the display language, if the telephone has been set to an incomprehensible language.

- ▶ Press the centre of the control key
- Press the keys 9 and 5 slowly and successively . . . the language settings display appears, the set language (e. g. English) is highlighted = selected).
- To select a different language: ▶ Press the control key ☐ until the desired language is highlighted on the display,
 e. g. Francais ▶ press the key on the right directly underneath the display to activate the language.
- ▶ To revert to idle status: ▶ Press and **hold** the End call key 👩



Setting the date and time

Set the date/time so that the correct date and time can be assigned to incoming calls, and to enable the alarm to be used.

Press the display key Time

or, if the date and time have already been set:



The active cursor position flashes \(\) ... change cursor position with \(\) \(\) ... switch between cursor positions with \(\)

Enter date:

... using renter the day, month and year in 8-digit format

Enter time:

... using tenter hours and minutes in 4-digit format.

Save settings:

 Press the display key Save. . . . Saved is shown in the display and a confirmation tone sounds.

Return to idle status:

The telephone is now ready for use.

Calls

Time

Connecting the headset

 Connect the headset with 2.5 mm jack to the left side of the handset 1.

or

Connect headset via Bluetooth (→ p. 56).

The headset volume corresponds with the setting for the receiver volume (\rightarrow p. 70).



Connecting the USB data cable

For data exchange between the handset and PC:

► Connect the USB data cable with micro-USB plug into the USB socket at the bottom of the handset 1.



Connect the handset **directly** to the PC, **not** via a USB hub.



Using the telephone

Getting to know your telephone

Switch the handset on/off

Switch on:

▶ When the handset is switched off, press and **hold** the End call key

Switch off: ▶ When the handset is in idle status, press and **hold** the End call key

Lock/unlock the keypad

The keypad lock prevents any accidental use of the telephone.

Lock/unlock the keypad: ▶ #- Press and hold

Keypad lock activated: the following symbol appears O-



If a call is indicated on the handset, the keypad automatically unlocks and you can accept the call. It then locks again when the call is finished.

It is not possible to call emergency numbers either when keypad lock is activated.

Control key



The control key enables you to navigate the menus and input fields, and also to call up certain functions depending on the situation.

In the description below, the side of the control key (up, down, right, left) that you have to press in the different operating situations is marked in black, e. q. For "press right on the control" key" or for "press the centre of the control key".

In idle status

Open the directory Press briefly Open the main menu Open the list of handsets In submenus, selection and entry fields Confirm a function

During a conversation

Open the directory Mute the microphone Initiate an internal consultation call Adjust the loudspeaker volume for receiver and handsfree mode

Display keys

The display keys perform a range of functions depending on the operating situation.



Display key icons → p. 85.



The display keys have a function preset by default in idle status. Change the assignment: → p. 73

Menu guidance

The functions of your telephone are displayed in a menu that consists of several levels. Menu overview $\rightarrow p$. 87

Selecting/confirming functions

Confirm selection using

One menu level back using

Change to idle status

Switch function on/off using

Activate/deactivate option using

OK or press the centre of the control key

Back

Press and hold

Change on / off

Select activated / not activated

Main menu

The main menu functions are shown in the display as icons. The icon for the selected function is highlighted in colour and the name of the associated function appears in the display header.



Settinas

OK

Example

Date/Time

Language Registration

Back

Audio Settings

Display & Keypad

Submenus

The functions in the submenus are displayed as lists.

To access a function: ▶ ... use the control key 📑 to select a function ▶ OK

Return to the previous menu level:

Press the display key Back

or

Press the End call key briefly

Returning to idle status

▶ Press and **hold** the End call key 🕝



If a key is not pressed, after 2 minutes the display will **automatically** change to idle status.

Entering text

Input position

- Use to select an entry field. A field is activated when the cursor is blinking inside it.
- ▶ Use to move the position of the cursor.

Correcting incorrect entries

- Delete characters to the left of the cursor: > < Press briefly
- Delete words to the left of the cursor: > < Press and hold

Entering letters/characters

Multiple letters and numbers are assigned to each key between and and the o key. As soon as a key is pressed, the possible characters are displayed at the bottom of the display. The selected character is highlighted.



- Selecting letters/numbers: Press the key briefly several times in succession
- Switch between lower case, upper case and number entry mode: ▶ Press the hash key (# → When editing a directory entry, the first letter and each letter following a space is automatically in upper case.
- Entering special characters: ▶ Press the star key ★ ... use to navigate to the desired character ▶ Insert



The availability of special characters depends on the language setting.

Making calls



- ... use to enter the number briefly press the Talk key



Information for Calling Line Identification: → p. 21

If the display backlight is deactivated, you can reactivate it by pressing any key. **Digit keys** that are pressed appear in the display for pre-dialling, **other keys** have no further function.

Dialling from the directory

If multiple numbers are entered:

... use to select a number press the Talk key ... the number is dialled



For fast access (quick dial): Assign numbers from the directory to the digit or display keys.

Dialling from the redial list

The redial list contains the 20 numbers last dialled with the handset.

▶ Briefly press the Talk key … the redial list is opened ▶ … use to select an entry ▶ press the Talk key

If a name is displayed:

View . . . the number is displayed ▶ . . . use to browse numbers if necessary ▶ . . . when the desired number is reached press the Talk key

Managing entries in the redial list

▶ Briefly press the Talk key … the redial list is opened ▶ … use to select an entry ▶ Options … possible options:

Copy an entry to the directory: ▶ Copy to Directory ▶ OK Copy the number to the display:

Display number ▶ OK ▶ ... use < to amend or add numbers if necessary ... use → to save as a new entry in the directory

Delete the selected entry: ▶ ☐ Delete entry ▶ OK

Set automatic line seizure:

▶ Automatic Redial . . . the dialled number is automatically dialled at fixed intervals (at least every 20 secs). The handsfree key flashes, "open listening" is activated.


The participant answers: Press the Talk key ... the function is terminated
The participant does not answer: The call is interrupted after around 30 secs. The function
is terminated after pressing any key or after ten unsuccessful attempts.

Dialling from the call list

The call lists (p. 27) contain the most recent accepted, outgoing and missed calls.

▶ ... use to select Call Lists ▶ OK ▶ ... use to select a list ▶ OK ▶ ... use to select an entry ▶
Press the Talk key

Example





The call lists can be displayed directly by pressing the display key **Calls** if the relevant function has been assigned to the display key.

The **Missed calls** list can also be opened by pressing the Message key .

One touch call

A saved number is dialled by pressing **any** key. This allows children who are not yet able to enter a number to call a certain number, for example.

Activate one touch call mode:



Make a one touch call: ▶ Press any key ... the saved number is dialled

Cancel dialling: ▶ Press the End call key

End one touch call: ▶ Press and hold the End call key # -



Incoming calls

An incoming call is indicated by ringing, by a display on the screen and by the flashing Talk key ... Accept a call:

- Press the Talk key
- If Auto Answer is activated: Remove the handset from the charging cradle
- Forward to the answer machine: ▶ → ○
- Accept a call on the headset

Switch off ringtone: ▶ Silence ... the call can be accepted for as long as it is shown on the display

Information about the caller

The caller's phone number is displayed. If the caller's number is saved in the directory, the name is displayed.



The caller's number will be transferred (\rightarrow p. 21).

Accepting/rejecting call waiting

A call waiting tone indicates a call during an external call. The number or the name of the caller is displayed if the phone number is transferred.

- Accept a call: ▶ Accept ▶ ... speak to the new caller. The previous call is placed on hold.

Making internal calls

▶ Press briefly ... the handset list is opened, this handset is indicated by < ▶ ... use to select handset or Call all (group call) ▶ Press the Talk key</p>



Multiple handsets have been registered to the base station (→ p. 61).

Fast access for group call:

- or press and hold



Internal calls to other handsets registered to the same base station are free of charge. You hear the busy tone if:

- · There is already an internal connection
- The handset being called is not available (deactivated, outside of range).
- The internal call is not accepted within 3 minutes.

Internal consultation call / Internal transfer

Call an **external** participant and transfer the call to an **internal** participant or hold a consultation call with him or her.

▶ ... the list of handsets is opened ▶ ... use to select a handset or Call all ▶ OK ... the internal participant(s) are called ... possible options:

Hold a consultation call:

Speak to the internal participant

Return to the external call:

▶ Options ▶ 📑 End active call ▶ OK

Transfer the external call when the internal participant has answered:

Transfer the external call before the internal participant answers:

Press the End call key ... the external call is forwarded immediately. If the
internal participant does not answer or the line is busy, the external call will
automatically return to you.

End the internal call if the internal participant does **not** answer or the line is busy:

▶ End . . . You return to the external call

Establishing a conference call/call swapping

Conduct a call while a second call is being held. Both callers are indicated on the display.

- Call swapping: Use to swap between both participants.
- Establish a three-way conference call: ▶ Conf.
- End a conference call: End Conf. . . . You have been connected back to external participant
 use to swap between both participants

The other participants end the conference call using the End call key .

Accepting/rejecting call waiting

An external call arriving during an internal call is indicated with a call waiting tone. If the number is transferred, you will see the number or the name of the caller on the display.

- Rejecting a call: Reject
 The call waiting tone is turned off. The call continues to be indicated on the other registered handsets.
- Accepting a call: Accept...Speak to the new caller, the previous call is placed on hold.

Internal call waiting during an external call

If an internal participant attempts to call you while you are involved in an external or internal call, this call is shown on the display (**Call Waiting**).

- End display: Press any key
- Accept the internal call: End your current call
 The internal call is indicated in the usual way. You can accept the call.

Listening in to an external call

You are conducting an external call. An internal participant can listen in to this call and take part in the conversation (conference).



The **Listening In** function must be activated.

Activating/deactivating internal listening in

▶ ... use to select Settings OK Telephony OK Listening In Change (= on)

Internal listening in

The line is engaged with an external call. Your screen will display information to that effect. You can listen in to the external call.

▶ Press and **hold** ... all participants will hear a signal tone

Ending listening in

▶ Press 🕝 ... all participants will hear a signal tone

During a conversation

Handsfree mode

Activating/deactivating handsfree mode during a call, when establishing a connection and when listening to the answer machine:

Press the handsfree key

Placing the handset in the charging cradle during a call:

Call volume

Applies to the current mode (handsfree, receiver or headset if the handset has a headset connection):



The setting is automatically saved after around 3 seconds, even if **Save** is not pressed.

Muting the microphone

When the microphone is switched off, callers will no longer hear you.

Switch the microphone on/off during a call: ▶ Press ___.

Provider-specific functions (network services)

Network services depend on the network (analogue fixed line network or IP telephony) and on the network provider (service provider) and must be requested from that provider if required.

You will find a description of the features on your network provider's website or at one of their store branches.

If you require assistance, please contact your network provider.



Requesting network services may incur additional costs. Please consult your network provider.

Network services fall into two distinct groups:


- Network services that are activated when in idle status for the following call or all subsequent
 calls (for example, "calling anonymously"). These are activated/deactivated via the
 Select Services menu.
- Network services that are activated during an external call, (for example,"consultation call",
 "swapping between two callers"). These are made available during an external call either as
 an option or by using a display key (e.g. Ext. Call).



To activate/deactivate the features, a code is sent to the telephone network.

After a confirmation tone from the telephone network, press . It is not possible to reprogram the network services.

Switch network provider (Belgium)



Calling Line Identification

During a call, the caller's number is transferred (CLI = Calling Line Identification) and may be displayed on the recipient's display (CLIP = CLI presentation). If the caller's number is withheld, it will not be displayed to the recipient. The call is made anonymously (CLIR = CLI Restriction).

Caller display for incoming calls

Calling Line Identification

The caller's phone number is displayed. If the caller's number is saved in the directory, the name is displayed.

No Calling Line Identification

Instead of name and number, the following is displayed:

- External: No number has been transferred.
- Withheld: Caller has withheld Calling Line Identification.
- · Unavailable: Caller has not authorised Calling Line Identification.

Calling Line Identification for outgoing calls

Switching Calling Line Identification on/off for all calls

These settings apply to all registered handsets.

▶ ... use to select Services OK All Calls Anonym.
 Change (All Calls Anonym.

Deactivating Calling Line Identification for the next call

► ... use to select Services • OK • Next Call Anonym. • OK • ... use to enter the number • Dial ... the connection is established without Calling Line Identification

Call waiting during an external call

During an **external** call, a call waiting tone indicates another external caller. If the number is being transferred, you will see the number or the name of the caller on the display.


Reject waiting caller:

▶ Options ▶ Reject waiting call ▶ OK ... the waiting caller hears the busy tone

Accept the waiting call:

Accept

Once you have accepted the waiting call, you can switch between the two callers ("Call swapping" p. 24) or speak to both simultaneously.



Activating/deactivating call waiting



Call waiting is activated or deactivated for all registered handsets.

Call divert

When diverting a call, the call is forwarded to another connection.

▶ ... use to select Select Services OK Call Divert OK ... then Switch on/off: Status: ... use to select On or Off

Enter the number for call diverting:

- ▶ **To Phone Number** ▶ ... use **to** enter the number Set the time for call divert:
- ▶ When ▶ ... use to select the time for call divert All Calls: Calls are diverted immediately

No Answer: Calls are diverted if no one accepts the call within several rings.

When Busy: Calls are diverted if the line is busy.

Activate: > Send

A connection is established to the telephone network ...a confirmation is sent from the telephone network \blacktriangleright Press the End call key



Diverting calls may incur additional costs. Please consult your network provider.

Calls with three participants

Consultation calls

Make another external call during an external call. The first call is placed on hold.

▶ Ext. Call ▶ ... use to enter the number of the second participant ... the active call is placed on hold and the second participant is called


If the second participant does not answer: **> End**

Ending a consultation call

▶ Options ▶ ☐ End active call ▶ OK ... the connection to the first caller is reactivated

OΙ

 Press the End call key ... a recall to the first participant is initiated




Call swapping

Switching between two calls. The other call is placed on hold.

- During an external call, dial the number of a second participant (consultation call) or accept a waiting caller ... the display shows the numbers and/or names of both call participants, the current participant is marked with ...
- Use the control key to switch back and forth between participants

Ending a currently active call



or

▶ Press the End call key 🕝 . . . a recall to the first participant is initiated

Message lists

Notifications about missed calls, messages on the answer machine/network mailbox, received SMS messages and missed alarms are saved in the messages list.

As soon as a **new message** arrives, an advisory tone will sound. The Message key also flashes (if activated pp. 26).

Icons for message types and the number of new messages are shown on the idle display.

Notification for the following message types is available:

- on the answer machine/network mailbox
- in the missed calls list
- in the SMS message list
- in the missed alarms list



The icon for the network mailbox is always displayed, provided the number is stored in the telephone. The other lists are only displayed if they contain messages.

Display messages:

- Press the Message key ... Messages lists that contain messages are displayed, Mailbox: is always displayed An entry is marked in bold: new messages are available. The number of new messages is shown in brackets.
- An entry is **not** marked in bold: no new messages. The number of old messages is shown in brackets.
- ... use to select a list ▶ OK ... the calls or messages are listed

Network mailbox: The network mailbox number is dialled.

Example



Example




Activating/deactivating Message key flashing

▶ return to idle display without making changes: ▶ Back

Receipt of new messages is displayed by a flashing message key on the handset. This type of alert can be activated/deactivated for each message type.

In idle status:



26

Call lists


The telephone saves different types of calls (missed, accepted and outgoing calls) in lists.

List entry

The following information is displayed in the list entries:

- The list type (in the header)
- Icon for the type of entry:
 - Missed calls,
 - Accepted calls,
 - Outgoing calls (redial list),
 - ap Call on the answer machine
- Caller's number. If the number is stored in the directory, the name and number type (Phone (Home), Phone (Office), • Phone (Mobile)) are shown instead. In the event of missed calls, the number of missed calls from this number is also shown in square brackets.
- Date and time of call (if set)

Example




Opening the call list

Via the display key: ▶ Calls ▶ ... use to select the list ▶ OK ▶ ... use to select **Call Lists** ▶ **OK** ▶ ... use to select Via the menu: the list > OK

Via the Message key (missed calls):

▶ Press the Message key Missed Calls: ▶ OK

Calling back a caller from the call list



Additional options

Delete an entry:

▶ (Call Lists) OK > ... use (The select list) OK ... possible options:

View an entry:

Copy the number to the directory:

▶ ... use to select entry ▶ Options ▶ Copy to Directory

Delete list:

Directory

The local directory is unique to the handset. However, it is possible to send entries to other handsets.

Opening the directory

▶ **Briefly** press in idle status

or

▶ ■ ▶ ... use to select Directory ▶ OK

Directory entries

Number of entries: up to 500

Information: First name and surname, up to three telephone numbers, e-mail

address, anniversary with alert, VIP ringtone with VIP icon, CLIP-picture

Length of the entries: Numbers: max. 32 digits

First name, surname: max. 16 characters E-mail address: max. 64 characters

Creating an entry

Names/numbers:

 ... use to enter first names and/or surnames, at least one number (personal, office, or mobile) and an e-mail address, if applicable

Anniversary:

... use to activate/deactivate Anniversary ... use to enter date and time ... use to select type of alert (Visual only or a ringtone)

Caller Melody (VIP):

... use to select the ringtone that will indicate a call from the participant ... if a Caller Melody (VIP) has been assigned, the entry will appear in the directory with the VIP icon.

Caller Picture:

... use to select a picture that is to be displayed during a call from the participant
 Resource Directory).

Save entry: > Save



The entry is only valid if it contains at least one number.

Example





For **Caller Melody (VIP)** and **Caller Picture:** the telephone number of the caller must be supplied.

| Searching for/selecting a directory entry |
|---|
| ▶ 🗊 ▶ use 🜓 to browse searched names |
| or |
| ▶ use to enter initial letters (max. 8 letters) the display jumps to the first name starting with these initial letters ▶ use to continue browsing to the desired entry, if needed |
| Scroll through directory: ▶ 📦 Press and hold |
| Displaying/changing an entry |
| ▶ use to select entry ▶ View ▶ use to select the field to be changed ▶ Edit |
| or |
| ▶ use to select an entry ▶ Options ▶ Edit entry ▶ OK |
| Deleting entries |
| Delete the selected entry: ▶ |
| Delete all entries: ▶ |
| Setting the order of the directory entries |
| Directory entries can be sorted by first name or surname. |
| ▶ Options ▶ Sort by Surname / Sort by First Name |
| If no name was entered, the default telephone number is shown in the surname field. These entries appear at the beginning of the list, regardless of how the entries are sorted. |
| The sort order is as follows: |
| Space Digits (0-9) Letters (alphabetically) Other characters. |
| Displaying the number of entries available in the directory |
| ▶ ☐ ▶ Options ▶ ♠ Available Memory ▶ OK |

Copying number to the directory

Copy numbers to the directory:

- From a list e.g. the call list or the redial list
- · From the text of an SMS
- When dialling a number

The number is displayed or highlighted.

- ▶ Press the display key → or Options ▶ Copy to Directory ▶ OK ... possible options: Create a new entry:
 - ► <New Entry> ► OK ► ... use to select number type ► OK ► complete entry ► Save Add number to an existing entry:
 - ... use to select an entry ▶ OK ▶ ... use to select number type ▶ OK ... the number is entered or a prompt to overwrite an existing number is displayed ▶ ... if required, answer the prompt with Yes/No ▶ Save

Copying an entry/directory



The sending and receiving handset must both be registered to the same base station.

The other handset and the base station are able to send and receive directory entries.



An external call interrupts the transfer.

Caller pictures and sounds are not transferred. Only the date is transferred for an anniversary.

Both handsets support vCards:

- No entry with the name is available: a new entry is created.
- An entry with the name is already available: The entry is expanded to include the new numbers. If the entry contains more numbers than allowed by the recipient handset, a second entry is created with the same name.

The recipient handset does not support vCards:

A separate entry is created and sent for each number.

The sending handset does not support vCards:

A new entry is created on the receiving handset and the transferred number is added to the **Phone (Home)** field. If an entry with this number already exists, the copied number is discarded.

Copying individual entries

▶ ... use to select the desired entry ▶ Options ▶ Copy entry ▶ OK ▶ to Internal ▶ OK ▶ ... use to select the receiving handset ▶ OK ... the entry is copied

Copy the next entry after successful transfer: Press Yes or No



Use vCard via SMS to send a directory entry in vCard format by SMS.

Copying the entire directory

▶ Options ▶ Copy all ▶ OK ▶ to Internal ▶ OK ▶ ... use to select the receiving handset ▶ OK ... the entries are copied one after the other

Copying a vCard using Bluetooth

Copy directory entries in vCard format, e.g. to exchange entries with a mobile phone.



Bluetooth mode is activated

The other handset/mobile phone supports Bluetooth.

▶ ... use to select an entry if needed ▶ Options ▶ Copy entry / Copy all ▶ vCard via Bluetooth ... the Known Devices list is displayed ▶ ... use to select device ▶ OK

Receiving a vCard using Bluetooth

If a device in the **Known Devices** list sends a vCard to your handset, a directory entry is automatically created and a message is shown in the display.

If the sending device is not in the list: \blacktriangleright ... use \sqcap to enter the PIN of the **sending** Bluetooth device \blacktriangleright **OK** ... the copied vCard is available as a directory entry

Synchronising the phonebook with the PC address book (Gigaset QuickSync)



The Gigaset QuickSync programme has been installed on the computer.

The handset is connected via Bluetooth or via a USB data cable to the computer.

Free download and further information at www.gigaset.com/guicksync

Answer machine

Local answer machine

Switching the answer machine on/off

The answer machine can be set to the following modes:

Answer & record The caller hears an announcement and is able to leave a message. **Answer only** The caller hears an announcement but cannot leave a message.

Alternating The mode switches between Answer & record and Answer only at pre-

determined times.

▶ ... use to select Answer Machine OK Activation OK ... then

Switch on/off: ► Activation: ... use to select On or Off
Set mode: ► Mode ► ... use to select mode

Set the time for **Alternating** mode:

... use to switch between Record from and Record until ... use to enter hours/minutes in 4-digit format to set the start and end of the period. (The time must be set.)

Operation using the handset

Playing back messages

▶ Press and hold the 1 ∞ key



Key 1 is assigned to the answer machine.

or

▶ Press the Message key 💌 ▶ 📬 Answer Mach.: ▶ OK

or

► I . . . use to select Answer Machine OK Play Messages OK

The answer machine begins immediately with message playback. New messages are played back first.

Actions during playback

- Stop playback: ▶ 2 / or use the display key: ▶ Options
- Continue playback: ▶ Press 2 / again or use the display key: ▶ Continue
- Go to the start of the current message: ▶ Press key 1 🚥
- Repeat the last 5 seconds of the message: ▶ Press key 4
- Skip to the next message: ▶ Press or key 3
- Skip to previous message during the time stamp playback:
 - Press or key 1 =
- Skip to next message during the time stamp playback:
 - ▶ Press key 4
- Mark a message as "new": ▶ Press key ▼
 or use the display key ▶ Options ▶ ♠ Mark as new ▶ OK

An "old" message that has already been played back is displayed as a "new" message again. The key on the handset flashes.

- Copying the phone number from a message to the directory: ▶ Options ▶ Copy to
 Directory ▶ ... complete entry using
- Delete all old messages: ▶ Options ▶ ☐ Delete old list ▶ OK ▶ Yes

Picking up a call from the answer machine

You can pick up a call while the answer machine is recording or is being operated remotely:

Press the Talk key or use display key Accept ... recording is interrupted ... speak to the caller

If three seconds of the message have already been recorded when you accept the call, the message is saved. The Message key a on the handset flashes.

Forwarding an external call to the answer machine



An external call is indicated on the handset.

The answer machine is activated, is not in use and still has enough memory.

Press the display key → ○ ... The answer machine starts immediately in answer and record mode and records the call. The set time for ring delay (→ p. 36) is ignored

Activating/deactivating two-way record

Pick up an **external** call with the answer machine:

Inform the caller of the two-way recording ▶ Options ▶ Two-way Record ▶ OK ... two-way recording is indicated in the display by an advisory text and placed in the answer machine list as a new message

End two-way recording: **End**

Activating/deactivating call screening

During recording of a message you can screen a call via the handset loudspeaker:

Permanently switching call screening on/off:

► ... use to select Answer Machine ► OK ► Call Screening ► Change (= on) ... call screening is switched on/off for all registered handsets

Switching off call screening for the current recording:

▶ Press the display key **Silence** or the End call key 🕝 ▶ ... Pick up call using 🕜

Operating when on the move (remote operation)

Access answer machine or switch answer machine on from another telephone (e.g. hotel, mobile phone).



The system PIN is set to something other than 0000 and the other telephone has tone dialling (DTMF).

Switching on the answer machine

Call the telephone connection and let it ring until the announcement "Please enter PIN" (approx. 50 seconds) ▶ ... use to enter the telephone's system PIN within 10 seconds ... the answer machine is switched on, the remaining memory is announced, messages are played back



Incorrect PIN is entered or entry takes too long (more than 10 seconds): The connection is interrupted. The answer machine will remain deactivated.

The answer machine cannot be deactivated remotely.

Checking the answer machine



The answer machine is activated.

 Call the telephone connection ▶ ... during the announcement press key [9]... playback of the announcement is interrupted ▶ Enter system PIN

You are informed whether any new messages have been recorded. Message playback begins.

The answer machine is operated using the following keys:

| During the time stamp playback: Skip to previous message. During message playback: Go to the start of the current message. | 1 |
|---|------|
| Pause playback. Press again to resume. After a pause of approx. 60 seconds, the connection is ended. | 2 |
| Go to the next message. | 3 |
| Repeat the last 5 seconds of the message playback. | 4 |
| During message playback: Delete current message. | 0 |
| Change the status of a previously played back message to "new". | * |
| The next message starts to play. The remaining memory is announced at the end of the message. | last |

Cancelling remote operation

▶ Press the End call key 🕝 or replace the receiver



The answer machine will terminate the connection under the following circumstances:

- The entered system PIN is incorrect.
- There are no messages on the answer machine.
- · After the remaining memory announcement.

Settings

Recording a personal announcement/advisory message

The phone is supplied with pre-recorded announcements for announcement and advisory mode. If a personal announcement has not been recorded, the relevant pre-recorded announcement is used.

Complete the recording and save:

▶ End . . . the announcement is played back for you to check

Cancel the recording: Press the End call key or Back

Resume the recording:

OK

Repeat the recording:

New



Recording ends automatically if the maximum recording time of 170 seconds is exceeded or there is a break in speech for more than 2 seconds.

If the recording is cancelled, the default announcement is used.

The recording is cancelled or not started if the answer machine memory is full.

 Delete old messages . . . the answer machine switches back to Answer & record mode . . . repeat the recording, if needed

Listening to announcements/advisory messages

Cancel playback: Press the End call key or Back

Cancel playback and record a new announcement:

New

If the answer machine's memory is full, it will switch to **Answer only** mode.

▶ Delete old messages . . . the answer machine switches back to Answer & record ▶ . . . repeat any recording

Deleting announcements/advisory messages

▶ ... use to select Answer Machine OK Answer Machine A

Once the announcement has been deleted, the relevant pre-recorded announcement is used again.

Setting recording parameters

► ... use to select Answer Machine OK Recordings OK ... then Maximum recording time:

▶ **Length:** ... use to select timeframe

Recording quality:

Quality use to switch between Long Play and Excellent (at higher quality, the max. recording time will decrease)

When should a call be picked up:

▶ 🔲 Ring Delay ▶ ... use 💽 to select a time

Save settings:

Save

The following apply when setting is **Automatic**:

- No new messages available: a call will be picked up after 18 seconds.
- New messages available: a call will be picked up after 10 seconds.

When checking messages remotely $(\rightarrow p. 34)$ it is therefore apparent after 15 seconds that there are no new messages waiting. No call costs are incurred if the call is ended immediately.

Changing the language for the voice prompt and default announcement

▶ ... use to select Answer Machine OK Language OK ... use to select your language (Dutch / French / German / Flemish / English) Select (= selected)

Network mailbox



The network mailbox has been requested from the network provider.

Entering a number

► ... use to select Answer Machine ► OK ► Network Mailbox ► OK ... use to enter or amend the network mailbox number ► Save



To activate/deactivate the network mailbox use the phone number and a function code of your network provider. Please contact the network provider if you require any further information.

Playing back messages

▶ Press and hold 1 =



Key 1 has been assigned to the network mailbox.

or

▶ Press the Message key Network Mailbox ▶ OK

or

▶ Image: Note that the property is a property in the property is a property in the property in the property in the property is a property in the property in the property in the property is a property in the property in

Listen to announcement out loud: ▶ Press the handsfree key 🔳

Set fast access for the answer machine

It is possible to call a network mailbox or the telephone's local answer machine directly by pressing key 1

Assigning key 1 / Changing assignment

Settings for the fast access are device-specific. A different answer machine can be assigned to $\log \lceil \frac{1}{2} \rceil$ on each registered handset.

Return to idle status: Press and hold the End call key

Network mailbox

If no number has yet been saved for the network mailbox:

... use to make a change in the line Network Mailbox ... use to enter the number of the network mailbox Save Press and hold the End call key (idle status)

Additional functions

Sound profiles

The telephone has sound profiles for adapting the handset to the environmental conditions: **Profile Loud, Profile Silent, Profile Personal.**

Use to switch between the profiles ... the profile is changed straight away without a
prompt

The profiles are set as follows by default:

| Default setting | Profile Loud | Profile Silent | Profile Personal | |
|-----------------|-------------------|----------------|---------------------|-----|
| Ringtone | | On | Off | On |
| Ringtone volume | Internal | 5 | Off | 5 |
| | External | 5 | Off | 5 |
| Handset volume | Receiver | 5 | 3 | 3 |
| | Handsfree | 5 | 3 | 3 |
| Advisory tones | Key click | Yes | No | Yes |
| | Battery tone | Yes | Yes | Yes |
| | Confirmation tone | Yes | No | Yes |

Activate alert tone for an incoming call for **Profile Silent**: ▶ after switching to **Profile Silent** press the display key **Beep** . . . the icon ♣ appears in the status bar



The set profile remains set when switching the phone off and back on.

Changes to the settings listed in the table:

- apply in the Loud and Silent profiles as long as the profile is not changed.
- are permanently saved in Profile Personal for this profile.

Calendar

You can remind yourself of up to 30 appointments.


In the calendar, the current day is outlined in white; on days with appointments, the numbers are displayed in colour. When a day is selected, it will be outlined in colour.



Saving appointments to the calendar



Date and time have been set.





If an appointment has already been entered: ▶ ♠ New Entry> ▶ OK ▶ ... Then enter information for the appointment.

Notification of appointments/anniversaries

Anniversaries are transferred from the directory and displayed as an appointment. An appointment/anniversary is displayed in idle status and the selected ringtone plays for 60 seconds as a notification.

Acknowledge and stop the reminder: Press the display key OFF

Respond with SMS: ▶ Press the display key SMS . . . the SMS menu is displayed



During a call, a reminder is indicated on the handset **once** with an advisory tone on the handset.

Displaying missed appointments/anniversaries

The following appointments and anniversaries are saved in the Missed Alarms list:

- · The appointment/anniversary call was not acknowledged.
- · The appointment/anniversary was notified during a phone call.
- The handset was switched off at the time of the appointment/anniversary.

The last 10 entries are stored. The $\frac{1}{2}$ icon and the number of new entries are shown in the display. The most recent entry appears at the top of the list.

Opening the list

Press the Message key Missed Alarms: ► OK ► ... use to browse through the list of any appointments

or

Each entry is displayed with the number or name, date and time. The most recent entry appears at the top of the list.

Delete an appointment/anniversary: > Delete

Compose an SMS: ▶ SMS (only if the list has been opened via the menu) . . . the SMS menu is opened

Displaying/changing/deleting stored appointments

▶ ... use to select Organizer ▶ OK ▶ Calendar ▶ OK ▶ ... use to select day ▶ OK ... the appointment list is displayed ▶ ... use to select date ... possible options:

Display appointment details:

Change appointment: ▶ View ▶ Edit

Activate/deactivate appointment:

Delete appointment: ▶ Options ▶ Delete entry ▶ OK

Delete all appointments for a day:

Timer

Setting the timer (countdown)

Enable/disable: Activation: ... Select with On or Off

Set the duration: \blacktriangleright \square **Duration** ... Use \blacksquare to enter the hours and minutes for the timer

Min.: 00:01 (one minute); Max.: 23:59 (23 hours, 59 minutes)

Save the timer: **Save**

The timer starts the countdown. In the idle display, icon and the remaining hours and minutes are displayed until one minute is left. From this point, the remaining seconds are counted down. At the end of the countdown, the alarm is triggered.

Disabling/repeating the alarm

Switch off the alarm: ▶ OFF

Repeat the alarm: ▶ Restart ... the timer display is displayed again ▶ set another duration

as required **Save** ... the countdown is restarted

Alarm clock



Date and time have been set.

Activating/deactivating the alarm clock and setting the wake-up time

| ■ • use to s | sele | ct Granizer NOK N Grand Clock NOK then |
|-----------------------|------|--|
| Switch on/off: | • | Activation: use to select On or Off |
| Setting the wake-up t | ime | |
| | • | Time use to enter hours and minutes |
| Set days: | • | Occurrence use to switch between Monday-Friday |
| | | and Daily |
| Set the volume: | • | ▼Volume ▶ use ▼ to set volume in 5 increments or selectorescendo (increasing volume) |
| Set alarm: | • | ■ Melody ► use ■ to select a ringtone for the alarm |
| Save settings: | • | Save |

When the alarm clock is activated, the icon and the wake-up time are displayed in idle display.

Alarm

An alarm is shown on the display and indicated by the selected ringtone melody. The alarm sounds for 60 seconds. If no key is pressed, the alarm is repeated after 5 minutes. After the second repetition, the alarm call is deactivated for 24 hours.



During a call, the alarm is only indicated by a short tone.

Switching off/repeating the alarm after an interval (snooze mode)

Deactivate the alarm: > OFF

Repeat the alarm (snooze mode): Press Snooze or any key ... the alarm is switched off and repeated after 5 minutes.

Baby monitor

When the baby monitor is switched on, the stored (internal or external) destination number is called as soon as a defined noise level is exceeded in the vicinity of the handset. The alarm to an external number is cancelled after approximately 90 seconds.

You can answer the alarm using the Two Way Talk function. This function is used to switch the loudspeaker of the handset located in the baby's room on or off.

In baby monitor mode, incoming calls are only indicated on the display (without ringtone). The display backlight is reduced to 50%. Advisory tones are deactivated. All keys are locked, with the exception of the display keys and the centre of the control key.

If you accept an incoming call, the baby monitor mode is suspended for the duration of the call, but the function remains activated. The baby monitor mode is not deactivated by switching the handset off and on again.



The handset should be positioned 1 to 2 metres away from the baby. The microphone must point towards the baby.

Activating the function reduces the operating time of your handset. For that reason, place the handset in the charging cradle if necessary.

The baby monitor is activated 20 seconds after switching on.

The answer machine for the destination number must be switched off.

After switching on:

▶ Test sensitivity.

Set microphone sensitivity:

Save settings: > Save

▶ Test the connection, if the alarm is being forwarded to an external number.

| activating and setting the baby monitor | | |
|--|--------|-------------------|
| ▶ use to select ★ Additional Features ▶ OK ▶ | Baby M | lonitor activated |
| Baby Monitor • OK then | +1) | |
| Switch on/off: | | J |
| Activation: use to select On or Off | | 07:15 |
| Enter destination: | INT 1 | . 14 Oct |
| ▶ Send alarm to ▶ use t to select External or | | • 30 |
| Internal | Е | Baby Monitor |
| External: Number use to select number or select a number from the directory: | | 0891234567 |
| Internal: ▶ | OFF | Options |
| Activate /deactivate two way talks | | |

The destination number is displayed in idle display when the baby monitor is activated.

🕎 Two Way Talk 🕨 . . . use 🕟 to select On or Off

▶ Sensitivity ▶ ... use ★ to select High or Low

Deactivate baby monitor / Cancel alarm

Deactivate the baby monitor: In idle status press the display key OFF

Cancel the alarm: Press the End call key alarm

Deactivate the baby monitor remotely



The alarm is forwarded to an external destination number.

The receiving phone supports tone dialling.

Accept alarm call ▶ Press keys # The baby monitor is deactivated and the handset is in idle status. The baby monitor settings on the handset (e.g., no ringtone) will remain activated until you press the display key OFF.



The baby monitor cannot be reactivated remotely.

Reactivate: - p. 44

ECO DECT

The device range is set to maximum as default. This guarantees the best connection between the handset and the base station. In idle status, the handset will not function (as it is not transmitting). Only the base station will maintain contact with the handset via a low wireless signal. During a call, the transmission power automatically adapts to the distance between the base station and handset. The smaller the distance to the base, the lower the radiation.

To reduce the radiation further:

Reducing radiation by up to 80%

► ... use to select Settings ► OK ► ECO DECT ► OK ► Maximum

Range ► Change (= off)



The range is also reduced with this setting.

It is not possible to use a repeater to increase the range.

Deactivating radiation in idle status

► ... use to select Settings ► OK ► ECO DECT ► OK ► No Radiation ► Change (= on)



To benefit from the advantages of the setting **No Radiation**, all registered handsets must support this feature.

If the setting **No Radiation** is activated and a handset is registered to the base that does not support this feature, **No Radiation** is automatically deactivated. As soon as this handset is de-registered, **No Radiation** will automatically be re-activated.

The wireless connection will only be established for an incoming or outgoing call and the connection will be delayed by about 2 seconds.

In order that a handset can establish a wireless connection with the base station more quickly for an incoming call, it must "listen" to the base station more often, i.e. scan the environment. This increases power consumption and reduces the standby and talk-time of the handset.

When **No Radiation** is activated, there will be no range display/range alarm on the handset. Contactability can be tested by attempting to establish a connection.

▶ Press and **hold** the Talk key ... the dialling tone sounds.

Protection against unwanted calls

Time control for external calls



Date and time have been set.

Enter a time period during which the handset should suspend ringing to indicate external calls e.g. during the night.

▶ ... use to select Settings OK Audio
 Settings OK Audio
 Settings OK Audio
 Time Control OK ... then

Switch on/off:

use to select On or Off

Enter time:

use to switch between Suspend ring. from and Suspend ring. until ▶
 ... use to enter start and end in 4-digit format

Save: **Save**







The time control only applies to the handset for which the setting is configured. The telephone will continue to ring for numbers that have been assigned to a VIP group in the directory.

Protection from anonymous callers

The handset will not ring if callers' numbers are not revealed. This setting can be applied to only one or to all registered handsets.

For one handset

► ... use to select Settings ► OK ► Audio Settings ► OK ►

Ringtones (Handset) ► OK ► Anon. Calls Silent ► Edit (= on) ... the call is only signalled on the display

For all handsets

Lose to select Settings → OK → Telephony → OK → Anonymous
 Calls → Edit (= on) → ... use to select Protection Mode:

No Protection Anonymous calls are indicated in the same way as identified numbers

Silent Call The telephone will not ring and the incoming call will only appear in the display.

Block Call The telephone will not ring and the incoming call will not appear in the display. The caller will hear the busy tone.

Save settings: > Save

Black list

When the black list function is activated, calls from black list numbers are not indicated or are only indicated in the display. These settings apply to all registered handsets.

Displaying/editing the black list

- ▶ ... use to select Settings ▶ OK ▶ Telephony ▶ OK ▶ Black List ▶ Edit ▶ Blocked Numbers ▶ OK ... the list of blocked numbers is displayed ... possible options:
 - Create an entry: ▶ Neu ▶ ... use to enter a number ▶ Save
 - Delete an entry:

 ... use to select an entry

 Delete ... the entry is deleted

Transferring a number from a call list to the black list

▶ ... use to select
 Missed calls
 ▶ OK
 ▶ ... use to select Accepted calls/
 Missed calls
 ▶ OK
 ▶ ... use to select entry
 ▶ Options
 ▶ Copy to Blacklist
 ▶ OK

Setting the protection mode

- ▶ ... use to select Settings ▶ OK ▶ Telephony ▶ OK ▶ Black List ▶
 Edit ▶ Protection Mode ▶ OK ▶ ... use to select desired protection:
 - No Protection All calls are indicated, including from callers whose numbers are on the black list.
 - Silent Call The telephone will not ring and the incoming call will only appear in the display.
 - Block Call The telephone will not ring and the incoming call will not appear in the
 - display. The caller will hear the busy tone.

Save settings: > Save

Switch off ringtone when in charging cradle

The handset will not ring when placed in the charging cradle. The call is only indicated on the display.

▶ ... use to select Settings ▶ OK ▶ Audio Settings ▶ OK ▶
Ringtones (Handset) ▶ OK ▶ Silent Charging ▶ Change (= ringtone is switched off when in charging cradle)

SMS (text messages)

It is possible to send SMS messages as soon as the telephone has been connected.



Calling Line Identification is enabled (→ p. 21).

The network provider supports the SMS service.

If no SMS service centre is entered, the submenu **SMS** only consists of the entry **Settings**.

Writing and sending SMS messages



An SMS may be up to 612 characters in length. If the number of characters exceeds 160, the SMS is sent as **linked** SMS messages (up to four individual SMS messages).

The remaining number of characters is shown in the top right corner of the display, followed by an indication in brackets of which part of a linked SMS is currently being written. Example: **405(2)**.

▶ **IIII** ▶ ... use **T** to select **SMS** ▶ **OK**...then

Write an SMS: ▶ New SMS ▶ OK ▶ ... use to enter SMS text

Send an SMS: Press the End call key

or ▶ Options ▶ 🚍 Send ▶ OK

Enter number (Send SMS to):

From the directory: ▶ 🔲 ▶ ... use 🚺 to select number ▶ **OK**

or 🕨 ... use 🎮 to enter number directly

If sending SMS messages to an SMS mailbox: add the mailbox ID to the **end** of the number.

Send: ▶ Send



The number must include the local area code (even if you are in that area).

If an external call comes in, or if you interrupt writing for more than 2 minutes, the text is automatically saved in the draft message list.



Sending SMS messages may incur **additional costs**. Please consult your network provider.

Sending SMS messages to an e-mail address



The network provider supports this feature.

- ► Insert eMail address

 to select SMS ► OK ► New SMS ► OK... then

 Enter address:

 to enter the e-mail address at the start of the SMS message

 or

 Options ► Insert eMail address ► ... use to select a
 - directory entry containing an e-mail address OK

 Write text:

 ... use to select

Write text:

✓ ... use

to complete the SMS message

Send:

✓ Options

Send

OK

... use

▶ Options ▶ Send ▶ OK ▶ ... use to enter the number of the e-mail service (if not entered) ▶ Send ... the SMS is sent to the e-mail service of the SMS send service centre

Temporary storing of an SMS (draft message list)

You can temporarily store text messages, change and send them later.

Saving SMS in the draft message list

▶ ... use to select SMS ▶ OK ▶ New SMS ▶ OK ▶ ... use to write SMS ▶ Options ▶ Save ▶ OK

Opening and editing an SMS from the draft message list

Receiving an SMS

Incoming SMS messages are saved in the incoming message list, linked SMS messages are generally displayed as **one** SMS.

SMS message list


The incoming SMS message list contains all the received SMS messages and those SMS messages that could not be sent due to an error.

New SMS messages are indicated on all Gigaset handsets by the cion on the display, the flashing Message key and an advisory tone.

Open the SMS message list




- Every entry in the list contains:
- · the number or name of the sender,
- · arrival date and time.



Functions of the incoming message list



Reading and managing SMS messages



Saving numbers from SMS text to the directory

If a telephone number in the SMS text is recognised, it is automatically highlighted.

- Save the number in the directory:
 If the number is to also be used to send an SMS, save the number including the local area code (dialling code).
- Dial a number: Press the Talk key



The +-icon is not copied for international area codes.

▶ You should then enter "00" at the start of the number.

SMS with vCard

The vCard is an electronic business card. It is indicated by the figure icon in the SMS text. A vCard can contain a name, home number, work number, mobile number and a birthday. Individual entries in a vCard can be saved to the directory one after the other.

When reading an SMS containing the vCard: ▶ View ▶ Save

The directory is opened automatically. The number and name are copied. If a birthday is entered on the vCard, the date is copied to the directory as an anniversary. If necessary, edit the entry in the directory and save it. You will return to the vCard automatically.

SMS notification

Receive notifications of missed calls and/or new messages on the answer machine.

| ■ | sele | ct SMS • OK • Settings • OK • Notification • |
|-----------------|------|---|
| Change (= on) | the | n |
| Enter number: | • | To use to enter the number to which the SMS should be |
| | | sent |
| Missed calls: | • | Missed calls use to select On or Off |
| Answer machine: | • | For AM messages use to select On or Off |
| Save settings: | • | Save |



Do not enter your own fixed line network number for notification of missed calls. This can create an endless loop that will incur charges.

SMS notification may incur additional costs.

SMS service centres

The number for at least one SMS service centre must be saved in the device to be able to send SMS messages. The SMS service centre number can be obtained from the service provider.

SMS messages are received from **every** entered SMS service centre as long as they are registered with their service provider.

Your SMS messages are sent via the SMS service centre that is entered as the active send centre. Only one SMS service centre can be the active send centre at any one time.

Entering/changing the SMS service centre / Setting the send service centre

OK ▶ ... use to select SMS service centre (= current send service centre) ▶ Edit ... then Activate send service centre:

Active Send: ... use to select Yes or No (Yes = SMS messages are sent via the SMS service centre)

Enter the number of the SMS service.

▶ SMS Service Centre Number ▶ ... use 🕶 to enter the number Save settings: > Save



If you have agreed a flat fixed line network rate, the chargeable numbers with dialling code 0900 are often blocked. If, in this case, a 0900 number is entered for the SMS service centre, you will not be able to send text messages from your phone.

If the attempt to send fails, the SMS is saved in the incoming messages list and indicated as failed.

SMS to PARXs

- The Call Line Identification must be forwarded to the extension of the PABX (CLIP).
- If necessary, the access code/outside line code must be prefixed to the number of the SMS service centre (depending on your PABX). To test: Send an SMS to your own number, once with the access code and once without.
- If the SMS is sent without the extension number, it will not be possible for the recipient to answer directly.

Activating/deactivating first ring muting

Every incoming SMS is indicated by a single ring. If such a "call" is answered, the SMS is lost. To prevent this, mute the first ring for all external calls. In idle status:

▶ **() (** (e.g. 1) ... then

Do not mute the first ringtone: Mute the first ringtone (default setting):

SMS troubleshooting

- E0 Calling Line Identification permanently withheld (CLIR) or Calling Line Identification not activated
- FE Error occurred while sending SMS.
- FD Connection to SMS service centre failed, see self-help.

Self-help with errors

You cannot send messages

- You have not requested the CLIP service (Calling Line Identification Presentation).
 - Ask your network provider to enable the feature.
- SMS sending was interrupted (e.g. by a call).
 - Re-send the SMS.
- The network provider does not support this feature.
- No number or an incorrect one has been entered for the send service centre.
 - ▶ Enter the number (→ p. 52).

SMS text is incomplete

- · The phone's memory is full.
 - Delete old SMS messages.
- The network provider has not yet sent the rest of the SMS.

You have stopped receiving SMS messages

Call divert has been activated for All calls.

▶ Change call divert (→ p. 23).

The SMS is played back

- The "display call number" service is not activated.
 - Ask the network provider to enable this feature (subject to a fee).
- Your mobile phone operator and SMS service provider are not working in partnership.
 - Obtain information from your SMS service provider.
- The phone is not registered with the SMS service provider.
 - ▶ Send an SMS to register the phone for receiving SMS.

Resource Directory

Sounds for ringtones and images that can be used as caller pictures (CLIP pictures) or as a screensaver are saved in the handset's resource directory. A range of monophonic and polyphonic sounds and pictures have been pre-set but further images and sounds can be downloaded using a PC (Gigaset QuickSync).


Media types:

| Туре | | Format |
|---------|--|---|
| Sound | Ringtones Monophonic Polyphonic Imported sounds | Internal Internal Internal WMA, MP3, WAV |
| Picture | CLIP-picture Screensaver | BMP, JPG, GIF 240 x 172 pixels 240 x 320 pixels |

If insufficient memory is available, you must delete one or more pictures or sounds before others can be saved.

Manage CLIP pictures/sounds

| • | ■ ►use to select Additional Features OK ► Resource Directory OK |
|---|---|
| | possible options: |



Play sound:

Set volume: ▶ Options ▶ Volume ▶ OK ▶ ... use to select volume > Save

Rename picture/sound:

▶ Select Caller Pictures / Sounds ▶ OK ▶ ... use to select sound/image ▶ Options ▶ Rename ▶ ... use < € to delete name, use to enter new name Save ... the entry is saved with the new name

Delete picture/sound:

Select Caller Pictures / Sounds No. . . . use to select sound/picture ▶ Options ▶ Delete entry . . . the selected entry is deleted



The relevant options are not available if a picture/sound cannot be deleted.

Check memory

Display the available memory for screensavers and CLIP-pictures.

Bluetooth

The handset is able to use Bluetooth™ to communicate wirelessly with other devices that also use this technology, e.g. for connecting a Bluetooth headset.



Bluetooth is activated and the devices have been registered to the handset.

The following devices can be connected:

· A Bluetooth headset



The headset features the **Headset** or **Handsfree Profile**. If both profiles are available, the handsfree profile is used to communicate.

It may take 5 seconds to establish a connection, whether a call is accepted using the headset or transferred to the headset, or a call is made from the headset.

• Up to 5 data devices (PCs, tablets or mobile phones) for the transmission of address book entries as a vCard or for the exchange of data with the computer.

In order for telephone numbers to be used further, the area code (international and local area code) must be saved to the telephone.

Operating Bluetooth devices \rightarrow device user guides

Activating/deactivating Bluetooth mode

▶ ... use to select Bluetooth OK Activation Change (= activated)

If the local area code is still not saved: \(\rightarrow\) ... use \(\frac{\dagger}{\dagger}\) to enter local area code \(\rightarrow\) OK

When in idle status, the activated Bluetooth mode is indicated on the handset by the 🕴 icon.

Registering Bluetooth devices

The distance between the handset in Bluetooth mode and the active Bluetooth device (headset or data device) should not exceed 10 m.



The registration of a headset overwrites a previously registered headset.

If a headset is to be registered that is already registered with a different device, this connection must be deactivated before registering.

▶ ... use to select Bluetooth ▶ OK ▶ Search for Headset / Search Data

Device ▶ OK ... the search starts (may take up to 30 seconds) ... the names of found devices

are displayed ... possible options:

Register device:
• Options • Trust Device • OK • ... use to enter the PIN of the Bluetooth device to be registered • OK ... the device is added to the list of known devices

Display information about a device:

Repeat search: ▶ Options ▶ Repeat Search ▶ OK

Cancel search:

Cancel

Editing the list of known (trusted) devices

Open the list

- ▶ ... use to select Bluetooth ▶ OK ▶ Known Devices ▶ OK ... the known devices are listed, an icon indicates the type of device
 - Bluetooth headset
 Bluetooth data device

If a device is connected, the relevant icon is shown in the display header instead of \$\cdot\$.

Edit an entry

- ▶ ... use to select Bluetooth ▶ OK ▶ Known Devices ▶ OK ▶ ... use to select entry ... possible options:
 - View an entry:
 ▶ View ... the device name and device address are displayed ▶ Press
 OK to go back

De-register a Bluetooth device:

▶ Options ▶ Delete entry ▶ OK

If an active Bluetooth device is de-registered, it may try to re-connect as a "non-registered device".

Rejecting/accepting a non-registered Bluetooth device

If a Bluetooth device that is not registered in the list of known devices tries to connect to the handset, a prompt will appear asking you to enter the PIN of the Bluetooth device (Bonding).

Reject:

- ▶ Briefly press the End call key 🕝
- Accept:
- ... use to enter the PIN of the Bluetooth device to be accepted ▶ OK ▶
 ... Wait for PIN confirmation ... then

Add the device to the list of known devices: > Yes

Use the device temporarily: **> No** ... the Bluetooth connection can be used, as long as the device is located within transmission range or until it is switched off

Changing the Bluetooth name of the handset

The handset is shown by this name on another Bluetooth device.

► ... use to select Bluetooth ► OK ► Own Device ► OK ... the name and the device address are shown ► Change ► ... use to change the name ► Save

Additional functions using the PC interface



The Gigaset QuickSync program has been installed on the computer.

Free to download at → www.gigaset.com/guicksync

OuickSvnc functions:

- Sync the handset's directory with Microsoft® Outlook®
- Upload CLIP-pictures (.bmp) from the computer to the handset
- Upload pictures (.bmp) as screensavers from the computer to the handset
- Upload sounds (ringtone melodies) from the computer to the handset
- Update firmware
- Cloud synchronisation with Google™
- ▶ Connecting the handset to the computer via Bluetooth or via a USB data cable.



Connect the handset directly to the PC and not via a USB hub.

Transferring data



Data transfer using Bluetooth:

- · The computer has Bluetooth capability.
- A USB data cable is not plugged in. If a USB data cable is plugged in during an
 existing Bluetooth connection, the Bluetooth connection is interrupted.
- Launch the **Gigaset QuickSync** program on the computer.

The message **Data transfer in progress** is shown on the display during data transfer between the handset and PC. During this time, it is not possible to enter any data using the keypad and incoming calls are ignored.

Carrying out a firmware update

- ▶ Connect the telephone and the PC using a USB data cable ▶ Launch Gigaset QuickSync ▶ Establish connection to the handset
- Start firmware update in Gigaset QuickSync ... Information about this can be found in Gigaset QuickSync help feature

The update process may take up to 10 minutes (not including download time).



Do not interrupt the process and do not remove the USB data cable.

The data are first downloaded from the online update server. The time required for this depends on Internet connection speed.

The display on your telephone is switched off, the Message key and the Talk key flash. Once the update is complete, your telephone will automatically restart.

Procedure in the event of an error

If the update procedure fails or the telephone no longer functions properly after the update, repeat the update procedure:

- ► End the "Gigaset QuickSync" program on the PC ► Remove the USB data cable from the telephone ► Remove the battery ► Re-insert the battery
- ▶ Carry out the firmware update again as described above

If the update procedure fails more than once or it is no longer possible to connect to the PC, carry out the **Emergency Update**:

- ▶ End the "Gigaset QuickSync" program on the PC ▶ Remove the USB data cable from the telephone ▶ Remove the battery
- Press and hold keys 4 and 6 at the same time with the forefinger and middle finger ▶ Replace the battery
- Release keys 4 and 6 ... the Message key and the Talk key will flash alternately
- ▶ Carry out the firmware update as described above



Always save pictures and sounds uploaded onto the handset on the PC, as they are deleted during an **Emergency Update**.

Expanding the functionality of the telephone

Multiple handsets

Up to six handsets can be registered to the base station.

Each registered device is assigned an internal number (1 - 6) and an internal name (INT 1 – INT 6). The number or name assigned can be changed.

If all internal numbers have already been assigned at the base station: • de-register a handset that is no longer needed

Registering the handset

A handset can be registered on up to four base stations.



Registration must be initiated on the base station **and** on the handset. Both must be carried out **within 60 secs**.

On the base station

▶ Press and **hold** the Registration/Paging key on the base station (approx. 3 secs)

On the handset

▶ ... use to select Settings OK Registration OK Register Handset OK ... use to select the base station (if the handset has already been registered to four base stations) OK ... an available base station is sought ... Enter system PIN (default setting: 0000) OK

Once registration is complete, the handset returns to idle status. The internal number of the handset appears in the display, e.g. INT 1. If not, repeat the procedure.



Maximum possible number of handsets registered to the base station (all internal numbers assigned): The handset with the highest internal number is replaced by the new one. If this is not possible, because a conversation is being held on this handset, for example, the message **No available internal number** is given. De-register a handset that is no longer required and repeat the registration procedure

Registering a handset to multiple base stations

Your handset can be registered to up to four base stations. The active base station is the base station to which the handset was last registered. The other base stations remain saved in the list of available base stations.

▶ ... use to select Settings ▶ OK ▶ Registration ▶ OK ▶ Select Base ▶ OK ... possible options:

Change active base station:

Best Base: The handset chooses the base station with the best reception as soon as it loses connection to the current base station.

Change name of a base station:

De-registering the handset

▶ ... use to select Settings OK Registration OK De-register Handset OK ... the handset being used is selected ... use to select a different handset if desired OK ... enter system PIN if desired OK ... Confirm de-registration with Yes

If the handset is still registered to other bases, it switches to the base with the best reception (Best Base).


Locating a handset (Paging)

▶ Briefly press the Registration/paging key on the base station.

All handsets will ring at the same time ("paging"), even if ringtones are switched off. **Exception:** handsets on which the baby monitor is activated.

Ending the search

- ▶ **Briefly** press the registration/paging key on the base station
- or Press the End call key on the handset
- or Press the display key Silence on the handset
- or No action. After approx. 30 seconds, the paging call will end automatically.



Changing the handset name and internal number

When registering multiple handsets, they will automatically be assigned the names INT 1, INT 2, etc. Each handset will automatically be assigned the lowest unassigned internal number. The internal number is shown as the name of the handset on the display e.g. INT 2. You can change the names and the numbers of handsets. The name must not exceed 10 characters in length.



Repeater

A repeater increases the receiving range between the Gigaset handset and the base station.

The registration procedure for a repeater depends on the version of the repeater being used.

- Repeater without encryption, e.g. Gigaset repeater prior to Version 2.0
- Repeater with encryption, e.g. Gigaset repeater later than Version 2.0

Further information about the Gigaset repeater can be found in the repeater user guide and at www.gigaset.com.

Repeater without encryption

Activate Maximum Range/deactivate No Radiation

```
► Loselect Settings ► OK ► CODECT ► OK ► Maximum

Range ► Change ( No Radiation ► Change ( = off)
```

Deactivate encryption

```
▶ ... use to select Settings ▶ OK ▶ System ▶ OK ▶ Encryption ▶ Change ( = deactivated)
```

Registering a repeater

▶ Connect the repeater to the mains power supply ▶ Press and hold the Registration/paging key on the telephone base station (min. 3 secs) ... the repeater is automatically registered It is possible to register more than one Gigaset repeater.

Repeater with encryption



Encryption is activated (default setting).

Registering a repeater

Connect the repeater to the mains power supply ▶ Press and hold the Registration/paging key on the telephone base station (min. 3 secs) . . . the repeater is automatically registered

Up to 2 repeaters may be registered.

The ECO DECT function **Maximum Range** is activated and the **No Radiation** function is deactivated. The settings cannot be changed whilst the repeater is registered.

As soon as a repeater is registered, it will appear in the repeater list under

Settings ► System ► Repeater

De-registering a repeater

Operation with a router

When operating on the analogue connection of a router, any echoes that may occur can be reduced by activating XES mode 1 (XES = eXtended Echo Suppression).

If the XES mode 1 does not sufficiently suppress the occurring echoes: activate XES mode 2.

- \blacktriangleright \ast $\boxed{\# \cdot \circ}$ $\boxed{0}$ $\boxed{5}$ $\boxed{\# \cdot \circ}$ $\boxed{7}$ $\boxed{0}$ $\boxed{\ }$ $\boxed{\ }$... press one of the following keys 0 → OK Normal mode

 - 1 □ ► OK XES mode 1
 - **OK** XES mode 2



If there are no problems with echoes, the normal mode (factory settings) should be activated.

Operation with a PABX

To find out which settings are required for a PABX, please refer to the PABX user guide.

You cannot send or receive SMS messages on PABXs that do not support Calling Line Identification.

Setting Tone or Pulse dialling mode

▶ ... use to select Settings ▶ OK ▶ Telephony ▶ OK ▶ Dialling
 Mode ▶ OK ▶ ... use to select Tone or Pulse ▶ Select (= selected)

Setting the flash time

▶ ... use to select Settings ▶ OK ▶ Telephony ▶ OK ▶ Recall ▶ OK ... possible flash times are listed ▶ ... use to select flash time ▶ Select (= selected)

Saving an access code (outside line code)

Setting the access code (e.g. "0") for dialling using the fixed line network.

▶ ... use to select Settings OK Telephony OK Access
Code OK ... then

Fixed line network:

Access external line with: ... use to enter or change access code, max. 3 digits

Rule: For ... use to select when the access code should be dialled Call Lists: The access code will only prefix numbers from a list (list of answered calls, list of missed calls, SMS list, answer machine list).

All calls: The access code prefixes all numbers dialled.


Off: The access code is deactivated and does not prefix any telephone number.

Save: **Save**



The access code never prefixes any SMS service centre numbers.

Setting pauses



To enter dialling pause when dialling:

▶ Press and **hold** the hash key [# -] . . . a **P** appears in the display.

Adjusting the telephone settings

Handset

Changing the language

► ... use to select Settings ► OK ► Language ► OK ► ... use to select language ► Select (= selected)

If the handset has been set to an incomprehensible language:

▶ Press the keys 9 5 slowly one after the other ▶ ... use to select the correct language ▶ press the right display key

Display and keypad

Screensaver

A digital or analogue clock and a range of pictures can be selected to be displayed as a screensaver when in idle status.

▶ ... use to select Settings OK Display & Keypad OK Screensaver Edit (= on) ... then

Switch on/off: Activation: . . . use to select On or Off

Select screensaver: ▶ □ Selection ▶ ... use □ to select a screensaver (Digital Clock

/ Analog Clock / <Pictures> / Slideshow)

View screensaver: View Save selection: Save

The screensaver is activated approx. 10 seconds after the display has changed to idle status.



All pictures from the **Screensaver** folder of the **Resource Directory** are available for selection.

End screensaver

▶ Press the End call key **briefly** ... the display changes to idle status

Large font

Show text and icons in call lists and in the directory in a larger size in order to improve legibility. Only one entry is shown in the display and names are abbreviated if necessary.

▶ ... use to select Settings OK Display & Keypad OK Large
 Font Change Settings

Colour scheme

The display may appear in a range of colour combinations.

▶ ... use to select Settings OK Display & Keypad OK Select the desired colour scheme Select = selected

Display backlight

The display backlight always illuminates when the handset is taken out of the base station/charging cradle or when a key is pressed. Any **digit keys** that are pressed appear on the display for pre-dialling.

Switch the display backlight on/off when in idle status:



Backlight when not in the charging cradle:

▶ □ Out of Charger ▶ ... use ► to select On or Off

Save selection: > Save



The handset's standby time may be significantly reduced if the display backlight is switched on.

Keypad illumination

You can set the brightness of keypad illumination in 5 increments.

► ... use to select Settings ► OK ► Display & Keypad ► OK ► Key Illumination ► OK ► ... use to select Brightness (1 - 5) ► Save

Activating/deactivating automatic keypad lock

Automatically lock the keypad when the handset has been in idle status for around 15 seconds.

Activating/deactivating Auto Answer

When set to Auto Answer, the handset accepts an incoming call as soon as it is removed from the charging cradle.

► Lose to select Settings ► OK ► Telephony ► OK ► Auto Answer ► Change (= on)

Regardless of the **Auto Answer** setting, the connection ends as soon as you place the handset back in the charging cradle. Exception: Press and hold the handsfree key for a further 2 seconds while placing the handset in the charging cradle.

Changing the earpiece and handsfree volume

You can set the volume of the earpiece and speaker at 5 levels independently of each other.



Changes are only saved permanently in Profile Personal.

During a conversation

▶ 🊹 Handset Volume ▶ ... use 🕟 to select volume ▶ Save ... the setting is saved



Without saving, the setting is automatically saved after around 3 seconds.

In idle status

▶ (a) Settings (b) OK (c) Audio Settings (c) OK (c) Handset Volume (c) OK ... then

For the earpiece:
• Earpiece: ... use • to set the volume

For the speaker: ▶ □ Speaker ▶ ... use □ to set the volume

Save settings: **Save**

Earpiece and handsfree profile

Select a profile for the **earpiece** and **handsfree mode** in order to adapt the telephone as much as possible to the surroundings. Check which is the most comfortable profile for you and your caller.



Earpiece Profiles: High or Low (default setting)

Handsfree Profiles: Profile 1 (default setting) ... Profile 4

Save

Ringtones

Ringtone volume

▶ ... use to select Settings ▶ OK ▶ Audio
Settings ▶ OK ▶ Ringtones (Handset) ▶ OK ▶
Volume ▶ OK ▶ ... use to select For internal calls and
alarms or External Calls ▶ ... use to set volume in
5 increments or in crescendo mode (increasing volume) ▶
Save



Back



Changes are only saved permanently in Profile Personal.

Ringtone melody

Set a variety of ringtones for internal and external calls.



Switching the ringtone on/off

Switching the ringtone off permanently

▶ Use the ♠ key to set **Profile Silent** ... the following icon appears in the status bar 🍇

Switching the ringtone on permanently

▶ Use the ♠ key to set Profile Loud or Profile Personal

Switching the ringtone off for the current call

▶ **Silence** or press the End call key

Switching the alert tone (beep) on/off

Switch on an alert tone (beep) instead of the ringtone:

▶ ... Press the Profile key to select Profile Silent press Beep within 3 seconds ... the following icon appears in the status bar

Switching off the alert tone: 🕨 ... Press the Profile key 🛕 to change profile

Switching the silent alert on/off

Incoming calls and other messages are indicated by a silent alert.

► Lose to select Settings ► OK ► Audio Settings ► OK ► Silent

Alert ► Change (= on)

Switching advisory tones on/off

The handset notifies acoustically about different activities and statuses. These advisory tones can be switched on/off independently of each other.

► ... use to select Settings ► OK ► Audio Settings ► OK ► Advisory

Tones ► OK ... then

Tone when keys are pressed:

▶ **Key Tones:** ... use to select **On** or **Off**

Confirmation/error tone after making entries, advisory tone when a new message has been received:

▶ Confirmation ▶ ... use to select On or Off

Warning tone when there are fewer than 10 minutes of talktime remaining (every 60 seconds):

▶ ■ Battery ▶ ... use ■ to select On or Off

Warning tone when the handset is moved out of range of the base station:

▶ **Qut of Range:** ... use **t** to select **On** or **Off**



There is no battery warning when the baby monitor is switched on.

Fast access to numbers and functions

Number keys: It is possible to assign a number from the directory to the keys $0 \perp$ and 2 to 9.

Display keys: The left and right display keys have a **function** preset by default, but the keys can be re-assigned.

You can then dial the number or start the function by simply pressing a key.

Assigning a number to digit keys (quick dial)



A number has not been assigned to the digit key.

Press and hold the digit key

or

▶ Briefly press the digit key ▶ Press the display key QuickDial

The directory opens.

... use
 to select an entry ▶ OK ▶ ... use
 to select a number if necessary ▶ OK ...
 the entry is saved to the digit key



If the entry in the directory is deleted later, this will not affect the assignment of the digit key.

Dialling a number

▶ Press and **hold** the digit key ... the number is dialled immediately

or

▶ Briefly press the digit key ... the number/name (possibly in abbreviated form) is shown on the left display key ▶ ... press the display key ... the number is dialled

Changing the digit key assignment

▶ **Briefly** press the digit key ▶ **Change** ... the directory is opened ... possible options:

Change the assignment: ▶ ... use to select an entry ▶ OK ▶ ... select a number if

required NOK

Assigning display keys, changing assignments

Press and hold the left or right display key in idle status . . . the list of possible key assignments is opened ▶ . . . use to select function ▶ OK . . . possible options:

Quick Dial Assign a number from the directory to the display key

Baby Monitor Set and activate/deactivate baby monitor

Timer Set, enable and disable the timer

Alarm Clock Set and activate/deactivate the alarm clock

CalendarOpen calendarOne Touch CallSet up one touch callBluetoothOpen Bluetooth menu

Redial Show redial list

More Functions... ▶ OK ▶ ... use to select other function

Call Lists Show call lists

Withhold Number Withhold phone number identification for next call

Call Divert Activate/deactivate Call Divert

SMS Open SMS menu

Starting a function

With the telephone in idle status: **\rightarrow Briefly** press ... the assigned function is executed

Changing the handset PIN

The handset is protected against unauthorised use by a PIN. The handset PIN must be entered e. g. when switching off the keypad lock.

Change the handset's 4-digit PIN (default setting: 0000):



Resetting the handset to the default settings

Reset any individual settings and changes that you have made.





The following settings are **not** affected by a reset

- Registration of the handset to the base station
 - Date and time
- · Directory entries and call lists
- SMS lists

System


Date and time

To ensure you have the correct time for incoming calls and to use the alarm clock and calendar, for example, the date and time must be set.

If the date and time have not yet been set on the handset, the display key Time appears.

Press the display key Time

or



Own area code

Your area code (international and local area code) must be saved on the phone before you can transfer phone numbers (e.g. in vCards).

Some of these numbers are already preset.

```
► ... use  to select  Settings ► OK ►

Telephony ► OK ► Area Codes ► OK ► Check

(pre-)set area code
```

Edit the number:

```
    ... use to select/switch entry field ... use to change entry position to enter digit ... delete digit if desired ... use to enter digit ...
```

Example



Activating/deactivating music on hold

```
    ▶ ... use to select  Settings ▶ OK ▶ Audio Settings ▶ OK ▶ Music on hold ▶ Change ( = on )
```

Changing the system PIN

Secure the telephone's system settings with a system PIN. You have to enter the system PIN when you register or de-register a handset, change local network settings, perform a firmware update or reset the phone to default settings.

Change the telephone's 4-digit system PIN (default setting: 0000):



Resetting system PIN

Resetting the base station to the original PIN 0000:

▶ Unplug the network cable from the base station ▶ Press and hold the Registration/Paging key on the base station ▶ At the same time reconnect the network cable to the base station ▶ Press and hold the key for at least 5 secs . . . the base station is reset and the system PIN is set to 0000



All handsets are de-registered and must be re-registered. All settings are returned to default settings.

Restoring the phone to default settings

When the settings are reset

- the date and time are retained.
- handsets are still registered,
- the system PIN is retained,
- Maximum Range is activated and No Radiation is deactivated.
- ▶ ... use select Settings OK System OK Base Reset Base Reset OK ... use to enter system PIN OK Yes... the base station is restarted. The restart takes around 10 seconds.

Appendix

Questions and answers

Possible solutions are available online at www.gigaset.com/service

Troubleshooting

The display is blank.

- The handset is not activated. Press and hold
- The battery is empty. Charge the battery or replace it

"No Base" flashes on the display.

- The handset is outside the range of the base station. Move the handset closer to the base station
- The base is not activated. Check the base station power adapter
- The base station's range is reduced because Maximum Range is deactivated.
 - Activate Maximum Range or reduce the distance between the handset and base station

"Please register handset" flashes on the display.

The handset has not yet been registered or was de-registered due to the registration of an additional handset (more than 6 DECT registrations).

Your settings are not accepted.

The wrong profile has been set. > Set Profile Personal ... then make changes to the device settings.

The handset does not ring.

- The ringtone is deactivated. Activate ringtone
- Call forwarding is set. Deactivate call forwarding
- The phone does not ring if the caller has withheld his number.
 - Activate the ringtone for anonymous calls.
- The phone does not ring during a specific period or for certain numbers.
 - Check the time control for external calls

No ringtone/dial tone from the fixed line network.

Incorrect phone cable. Please always use the phone cable supplied or ensure that the pin connections
are correct when purchasing from a retailer.

The connection always terminates after approx. 30 seconds.

 A repeater (earlier than Version 2.0) has been activated or deactivated.
 Switch the handset off and back on again.

Error tone sounds after system PIN prompt.

You have entered the wrong system PIN.
 Repeat the process, reset the system PIN to 0000 if required

Forgotten system PIN.

Reset the system PIN to 000

The other party cannot hear you.

The handset is "muted". Activate the microphone again

Some of the network services do not work as specified.

Features are not enabled. Contact the network provider for details.

The caller's number is not displayed.

- Calling Line Identification (CLI) is not enabled for the caller.
 The caller should ask the network provider to enable Calling Line Identification (CLI).
- Calling Line Identification Presentation (CLIP) is not supported or enabled by the network provider.
 Ask the network provider to enable Caller Line Identification Presentation (CLIP).
- The telephone is connected via a PABX or a router with an integrated PABX (gateway) that does not transmit all information.
 - ▶ Reset the system: Briefly pull out the power plug. Reinsert the plug and wait until the device restarts.
 - Check the settings on the PABX and activate phone number display, if necessary. To do this, search for terms such as CLIP, calling line identification, telephone number identification, caller ID, ... in the system user guide or ask the system manufacturer.

You hear an error tone when keying in (descending tone sequence).

Action has failed/invalid input. Repeat the process. Read the display and refer to the user guide if necessary.

You cannot listen to messages on the network mailbox.

Your PABX is set to pulse dialling.

Set your PABX to tone dialling.

No time is specified for a message in the call list.

Date/time are not set.
 Set the date/time.

Registration or connection problems with a Bluetooth headset.

- Reset the Bluetooth headset (see headset user guide).
- Delete the registration data on the handset by de-registering the device.
- Repeat the registration procedure.

Answer machine

No time is specified for a message in the call list.

Date/time are not set. Set the date/time

The answer machine reports "Invalid PIN" during remote operation.

- You have entered the wrong system PIN.
 Repeat input of system PIN
- The system PIN is still set to 0000. ▶ Set the system PIN to something other than 0000.

The answer machine is not recording any messages/has switched to answer only mode.

• The memory is full. • Delete old messages • Listen to new messages and then delete

Service (Customer Care)

Step by step towards your solution with Gigaset Customer Care www.gigaset.com/service.



Visit our Customer Care pages

Here you will find:

- Frequently asked questions
- · Free software and user manual downloads
- Compatibility checks



Contact our Customer Care team

Couldn't find a solution in the FAQs section? We are happy to help...

... online:

via our contact form on the customer service page

... by telephone:

Belaium 07815 6679

(local call cost charge)

Netherlands 0900-3333102

(1.00 € per call)

Please have your proof of purchase ready when calling.

Please note that if the Gigaset product is not sold by authorised dealers in the national territory the product may not be fully compatible with the national telephone network. It is clearly specified on the box near the CE mark for which country/countries the equipment has been developed. If the equipment is used in a manner inconsistent with this advice or with the instructions of the manual and on the product itself, this may have implications on the conditions for warranty or guarantee claims (repair or exchange of product).

In order to make use of the warranty, the product purchaser is asked to submit a receipt which proves the date of purchase (date from which the warranty period starts) and the type of goods that have been purchased.

Guarantee Certificate

Without prejudice to any claim the user (customer) may have in relation to the dealer or retailer, the customer shall be granted a manufacturer's Guarantee under the conditions set out below:

- In the case of new devices and their components exhibiting defects resulting from manufacturing and/or
 material faults within 24 months of purchase, Gigaset Communications shall, at its own option and free of
 charge, either replace the device with another device reflecting the current state of the art, or repair the
 said device. In respect of parts subject to wear and tear (including but not limited to, batteries, keypads,
 casing), this warranty shall be valid for six months from the date of purchase.
- This Guarantee shall be invalid if the device defect is attributable to improper treatment and/or failure to comply with information contained in the user guides.
- This Guarantee shall not apply to or extend to services performed by the authorised dealer or the customer themselves (e. g. installation, configuration, software downloads). User guides and any software supplied on a separate data medium shall be excluded from the Guarantee.
- The purchase receipt, together with the date of purchase, shall be required as evidence for invoking the Guarantee. Claims under the Guarantee must be submitted within two months of the Guarantee default becoming evident.
- Ownership of devices or components replaced by and returned to Gigaset Communications shall vest in Gigaset Communications.
- This Guarantee shall apply to new devices purchased in the European Union. For Products sold in Belgium
 and the Netherlands the Guarantee is issued by: Gigaset Communications Nederland B.V.
- Any other claims resulting out of or in connection with the device shall be excluded from this Guarantee.
 Nothing in this Guarantee shall attempt to limit or exclude a Customers Statutory Rights, nor the manufacturer's liability for death or personal injury resulting from its negligence.

Manufacturer's advice

- The duration of the Guarantee shall not be extended by services rendered under the terms of the Guarantee
- Insofar as no Guarantee default exists, Gigaset Communications reserves the right to charge the customer for replacement or repair.
- The above provisions does not imply a change in the burden of proof to the detriment of the customer.

To invoke this Guarantee, please contact the Gigaset Communications telephone service. The relevant number is to be found in the accompanying user guide.

Exclusion of liability

Your handset's display consists of pixels. Each pixel consists of three sub-pixels (red, green, blue).

It may be the case that a sub-pixel is missing or has a colour deviation.

A warranty claim is only valid if the maximum number of permitted pixel errors is exceeded.

| Description | Maximum number of permitted pixel errors |
|--|--|
| Colour illuminated sub-pixels | 1 |
| Dark sub-pixels | 1 |
| Total number of coloured and dark sub-pixels | 1 |



Signs of wear on the display and casing are excluded from the warranty.

Manufacturer's advice

Authorisation

This device is intended for analogue phone lines in your network.

Country-specific requirements have been taken into consideration.

Hereby, Gigaset Communications GmbH declares that the radio equipment type Gigaset SL450A is in compliance with Directive 2014/53/EU.

The full text of the EU declaration of conformity is available at the following internet address: www.qiqaset.com/docs.

This declaration could also be available in the "International Declarations of Conformity" or "European Declarations of Conformity" files.

Therefore please check all of these files.

Environment

Our environmental statement

We at Gigaset Communications GmbH are aware of our social responsibility. That is why we actively take steps to create a better world. In all areas of our business – from product planning and production to sales and waste of disposal – following our environmental conscience in everything we do is of utmost importance to us. Learn more about our earth-friendly products and processes online at www.qiqaset.com.

Environmental management system



 $Gigaset \, Communications \, GmbH \, is \, certified \, pursuant \, to \, the \, international \, standards \, ISO \, 14001 \, and \, ISO \, 9001.$

ISO 14001 (Environment): Certified since September 2007 by TÜV SÜD Management Service GmbH

ISO 9001 (Quality): Certified since 17/02/1994 by TÜV SÜD Management Service GmbH.

Disposal

Batteries should not be disposed of in general household waste. Observe the local waste disposal regulations, details of which can be obtained from your local authority.

All electrical and electronic equipment must be disposed of separately from general household waste using the sites designated by local authorities.



If a product displays this symbol of a crossed-out rubbish bin, the product is subject to European Directive 2012/19/EU.

The appropriate disposal and separate collection of used equipment serve to prevent potential harm to the environment and to health. They are a precondition for the re-use and recycling of used electrical and electronic equipment.

For further information on disposing of your used equipment, please contact your local authority or your refuse collection service.

Care

Wipe the device with a **damp** cloth or an antistatic cloth. Do not use solvents or microfibre cloths. **Never** use a dry cloth; this can cause static.

In rare cases, contact with chemical substances can cause changes to the device's exterior. Due to the wide variety of chemical products available on the market, it was not possible to test all substances. Impairments in high-gloss finishes can be carefully removed using display polishes for mobile phones.

Contact with liquid



If the device comes into contact with liquid:

- 1 Disconnect the power supply.
- 2 Remove the batteries and leave the battery compartment open.
- 3 Allow the liquid to drain from the device.
- 4 Pat all parts dry.
- 5 Place the device in a dry, warm place for at least 72 hours (not in a microwave, oven etc.) with the battery compartment open and the keypad facing down (if applicable).
- 6 Do not switch on the device again until it is completely dry.

When it has fully dried out, you will normally be able to use it again.

Technical data

Battery

Technology: lithium ion (Li-lon)

Voltage: 3.7 V Capacity: 750 mAh

Handset operating times/charging times

The operating time of your Gigaset depends on the capacity of the battery, its age and the way it is used. (All times are maximum possible times.)

| Standby time (hours) | 200/160 * |
|--|-----------|
| Talktime (hours) | 12 |
| Operating time with 1.5 hours of calls per day (hours) | 110/85 * |
| Charging time in charging cradle (hours) | 2.5 |

^{*} No Radiation deactivated/activated, without display backlight in idle status

Power consumption of the handset in the charging cradle

When charging: approx. 4.5 W
To maintain the charge status: approx. 0.3 W

Base power consumption

Standby: approx. 0.5 W
During a call: approx. 0.6 W


General specifications

| DECT standard | Supported |
|--|---|
| GAP standard | Supported |
| No. of channels | 60 duplex channels |
| Radio frequency range | 1880-1900 MHz |
| Duplex mode | Time division multiplexing, 10 ms frame length |
| Repetition frequency of the transmission pulse | 100 Hz |
| Duration of the transmission pulse | 370 μs |
| Channel grid | 1728 kHz |
| Bit rate | 1152 kbit/s |
| Modulation | GFSK |
| Language code | 32 kbit/s |
| Transmission power | 10 mW average power per channel, 250 mW pulse power |
| Range | Up to 50 m indoors, up to 300 m outdoors |
| Base station power supply | 230 V ~/50 Hz |
| Environmental conditions for operation | +5 °C to +45 °C; 20% to 75% relative humidity |
| Dialling mode | DTMF (tone dialling)/PD (pulse dialling) |

Bluetooth

| Radio frequency range | 2402-2480 MHz |
|-----------------------|------------------|
| Transmission power | 4 mW pulse power |

Pin connections on the telephone jack



Character charts

Standard characters

Press the relevant key the number of times indicated.

| | 1x | 2x | 3x | 4x | 5x | 6x | 7x | 8x | 9x | 10x |
|-----|----|----|-----|----|----|------------------------|----|----|----|-----|
| 1 ∞ | 1 | | | | | | | | | |
| 2 | a | b | С | 2 | ä | á | à | â | ã | ç |
| 3 | d | e | f | 3 | ë | é | è | ê | | |
| 4 | g | h | i | 4 | ï | í | ì | î | | |
| 5 | j | k | - 1 | 5 | | | | | | |
| 6 | m | n | 0 | 6 | ö | ñ | ó | ò | ô | Õ |
| 7 | р | q | r | S | 7 | ß | | | | |
| 8 | t | u | V | 8 | ü | ú | ù | û | | |
| 9 | w | х | У | z | 9 | ÿ | ý | æ | ø | å |
| 0 - | 1) | | , | ? | ! | ← ²⁾ | 0 | | | |

¹⁾ Space

²⁾ Line break

Display iconsThe following icons are displayed depending on the settings and the operating status of your telephone.

Icons in the status bar

| lcon | Meaning |
|------------|--|
| † †*13) | Signal strength (No Radiation off) 1% -100% white, if Maximum Range on; green, if Maximum Range off |
| (| Red: no connection to the base station |
| (P) | No Radiation activated: white, if Maximum Range on; green, if Maximum Range off |
| ဓ | Answer machine activated indicator flashes: Answer machine is recording a message or is being operated by another internal participant |
| \bar{x} | Profile Silent activated (Ringtone switched off) |
| र्जु | "Beep" ringtone activated |

| Icon | Meaning |
|------------|--|
| ~ | Keypad lock activated |
| | Battery charge status: White: between 11% and 100% charged |
| | Red: less than 11% charged |
| | Flashes red: battery almost empty (approx. 5 minutes of talktime left) |
| ∮ □ | Battery is charging (current charge status): 0% - 100% |

Display key icons

| lcon | Meaning |
|---------------------------|--------------------|
| $\rightarrow \rightarrow$ | Last number redial |
| < C | Delete text |

| Icon | Meaning |
|------------|---------------------------------|
| V | Open the directory |
| +14 | Copy number to the directory |
| → a | Divert a call to answer machine |

Display icons

Display icons to indicate ...

| lcon | Meaning |
|---|---|
| $\left((\bigwedge)\right)$ | External call |
| $\big(\!\!\!\big(\bigstar)\!\!\!\big)$ | Internal call |
| (→ | Establishing a call (outgoing call) |
| (↔) | Connection established |
| (×) | No connection established/ connection terminated |

| Icon | Meaning |
|---|-----------------------------|
| $\left(\left(\mathbf{F}\right) \right)$ | Reminder for appointment |
| $\left((\stackrel{\bullet}{ \leftrightsquigarrow})\right)$ | Reminder for anniversary |
| $\left(\left(\bigodot\right) \right)$ | Alarm call |
| $\Big((\lozenge)\Big)$ | Countdown timer |
| $\left(\left(\mathbf{OO}\right) \right)$ | Answer machine is recording |

Other display icons

| Icon | Meaning |
|----------|---|
| © | Alarm clock is activated, display with alarm time |
| 0 | Timer switched on, display with countdown |
| ~ | Action complete (green) |
| X | Action failed (red) |

| lcon | Meaning |
|------|-------------------|
| i | Information |
| ? | (Security) prompt |
| 0 | Please wait |

Menu overview



Not all functions described in the user quide are available in all countries or from all network providers.

Open the main menu: when handset is in idle status press



Select Services

| Next Call Anonym. |
|-------------------|
| Call Divert |
| Call Waiting |
| All Calls Anonym. |

→ p. 22 → p. 23

→ p. 22 → p. 22

Bluetooth

| Activation |
|--------------------|
| Search for Headset |
| Search Data Device |
| Known Devices |
| Own Device |
| |


→ p. 56

→ p. 56 → p. 57

→ p. 57 → p. 57

→ p. 58

Additional Features



→ p. 44 → p. 17

→ p. 55

Call Lists

All calls

Missed calls

Outgoing calls Accepted calls → p. 27

✓ SMS



→ p. 49

→ p. 50

→ p. 50 → p. 52

→ p. 52

Answer Machine Play Messages Network Mailbox → p. 37 Answer Machine → p. 32 Activation → p. 32 Announcements Record Announcem → p. 35 Play Announcement **→** p. 36 Delete Announcem. → p. 36 Rec. Advisory Msg. → p. 35 Del. Advisory Msg. → p. 36 Recordings → p. 36 Call Screening → p. 34 Network Mailbox → p. 37 Set Key 1 → p. 38 Language → p. 36 Organizer Calendar → p. 40 Timer → p. 42 Alarm Clock → p. 43 Missed Alarms → p. 41 → p. 28 Directory Settings Date/Time → p. 75 Audio Settings Handset Volume → p. 70 **Acoustic Profiles** Earpiece Profiles → p. 70 Handsfree Profiles → p. 70 **Advisory Tones** → p. 72 Silent Alert **⇒** p. 72 Ringtones (Handset) Volume → p. 71 Melodies → p. 71 Time Control → p. 47 Anon. Calls Silent → p. 47 Silent Charging → p. 48 Music on hold → p. 75 Display & Keypad Screensaver → p. 68 Large Font → p. 68 Colour Schemes → p. 69 Display Backlight → p. 69


Key Illumination

Auto Keypadlock

→ p. 69

→ p. 69

Menu overview



Index

| A | Battery |
|--|---|
| | charging |
| Access code (PABX) | charging status85 |
| Activating/deactivating message LED | inserting |
| Advisory tones | Beep (alert tone) |
| Alarm | Best base station |
| Alarm clock | Black list |
| switch on/off | Bluetooth |
| Alert tone (beep) | activate |
| Anniversary, see Appointment | changing the device name |
| Announcement (answer machine)36 | copy directory (vCard)31 |
| deleting | de-registering devices |
| Announcement mode (answer machine) 32 | list of known devices |
| Anonymous calling | registering devices |
| Answer machine | Broken display |
| activating/deactivating | bioken display |
| announcement mode | |
| calling back a caller | C |
| deleting messages | Calendar |
| playing back messages | Call |
| | accepting |
| recording a personal announcement/ | anonymous |
| advisory message | external |
| remote operation | internal |
| set fast access | participant listening in |
| skipping ahead | transferring internally (connecting) 19 |
| skipping back | two-way recording |
| voice prompt language | Call block |
| Appointment | Call divert |
| display missed41 | Call list |
| missed | copying a number to the directory 27 |
| notification40 | delete |
| setting | |
| Assigning key 1 | delete an entry |
| Assigning number key | dialling |
| Authorisation | entry |
| Automatic | opening |
| answer70 | Call lists |
| redial | Call protection |
| redial | Call screening during recording |
| В | Call swapping |
| | two external calls 24 |
| Baby monitor | Call waiting, external |
| activation | accepting/rejecting |
| deactivation | Call waiting, internal |
| Base | accept |
| connecting to a router 9 | Call, anonymous |
| connecting to the mains power supply/tele- | protection from 47 |
| phone network9 | Caller display |
| Base power consumption 82 | Calling |
| Base station | external |
| changing | internal |
| changing the name 62 | Calling Line Identification |
| connecting to the PABX 66 | none |
| connecting to the router 65 | |
| restoring to default settings | switching off temporarily |
| setting | switching on/off |
| system PIN | Cancel the alarm (baby monitor) |
| 3y3cm r IIV | Care 81 |

| Care of the device | opening |
|---|--|
| Changing | order of entries |
| display language68 | saving an entry |
| earpiece volume | searching |
| handsfree volume | selecting an entry |
| system PIN | sending entry/list to handset 30 |
| Changing the device name (Bluetooth) 58 | sending to handset |
| Changing the handset PIN | Display |
| Changing the name of the handset 63 | activating/deactivating new message 26 |
| Changing the PIN | anonymous |
| Changing the system PIN | backlight |
| Character charts | broken |
| Charge status of the batteries | changing display language 68 |
| Charging cradle (handset) | colour scheme |
| connecting9 | directory memory |
| Charging time of handset82 | external |
| CLI, Calling Line Identification | missed appointment/anniversary 41 |
| CLIP, CLI Presentation | network mailbox message |
| | |
| CLIP-picture | screensaver |
| view in Resource Directory55 | |
| CLIP-picture, in directory | unknown |
| CLIR, CLI Restriction | Display icons |
| Colour scheme | Display keys |
| Conference | assigning |
| Conference call | icons |
| end | Disposal |
| Connecting the power cable9 | Draft message list (SMS) 50 |
| Connecting the USB data cable | DTMF (tone dialling) 66 |
| Connections with the base station62 | |
| Consultation call | E |
| ending | Earpiece profile |
| external | Earpiece volume 20 |
| internal | Echo, when operating a router 65 |
| Contact with liquid | ECO DECT 46 |
| Contents of the package8 | E-mail address 50 |
| Control key | Emergency numbers |
| Correcting incorrect entries | not possible |
| Countdown (timer) | End call key |
| Customer Care | Entering numbers |
| | Entering special characters |
| D | Entering text |
| Deactivating wireless module46 | Entering the number |
| Deleting | of the network mailbox |
| messages | Entering umlauts |
| De-registering (handset) 62 | Environment 80 |
| De-registering devices (Bluetooth) 57 | Exclusion of liability |
| Dialling | External call |
| from the call list | forwarding to answer machine 33 |
| from the directory | |
| from the redial list | F |
| using guick dial | Fast access |
| Dialling mode | Firmware updates 60 |
| Dialling pause 67 | Flash time |
| Directory | |
| copy vCard (Bluetooth) | G |
| copying numbers | Getting started |
| dialling numbers16 | Gigaset QuickSync |
| entry | Guarantee Certificate |
| | GUARANTEE CERTIFICATE |

Index

| H | K |
|---|---|
| Handset | Key (base), registration/paging 5 |
| advisory tones | Key 1 (fast access) |
| automatic keypad lock 69 | Key, assigning |
| changing the name 63 | Keypad illumination |
| changing the number 63 | Keypad lock, automatic 69 |
| changing the settings | Keys |
| changing to a different base station 62 | control key |
| changing to best reception62 | display keys 5, 14 |
| colour scheme | End call key |
| connecting the charging cradle9 | end call key |
| de-registering the handset62 | handsfree |
| display backlight69 | hash key |
| display language68 | menu |
| earpiece volume | message key 5 |
| handset volume | on/off key |
| handsfree volume | paging key5 |
| idle status | profile key 5, 39 |
| keypad illumination | recall key |
| large font | star key |
| muting20 | talk key 5 |
| overview | |
| registering | L |
| registering to another base station 62 | Language display11, 68 |
| restoring to default setting | Large font |
| searching for | Linked, see SMS |
| set up10 | Liquid |
| switch on/off | List |
| use as a baby monitor | known devices (Bluetooth) 57 |
| Handsfree key | SMS draft message list |
| Handsfree mode 20 | SMS message list |
| Handsfree profile | Listening in to an external call 20 |
| Handsfree volume | Local area code |
| Hash key5 | Lock/unlock the keypad |
| Headset (Bluetooth) | Lower/upper case |
| Headset connection5 | Lower, apper case |
| Headset socket | M |
| Hearing aids | Making calls |
| Help | accepting a call |
| · | external |
| 1 | internal |
| Icons | Manufacturer's advice 80 |
| alarm clock | Maximum Range |
| displaying new messages25 | Medical equipment |
| indications | Melody |
| new SMS50 | ringtone for internal/external calls 71 |
| on display keys | Memory in the directory |
| status bar | Memory, resource directory |
| timer | Menu key |
| Idle status | Message |
| returning to | marking as "new" |
| Illumination, keypad 69 | Message key 5 |
| Indications, icons86 | opening list 50 |
| Internal | Message list (SMS) |
| consultation | Message lists |
| listening in | Messages |
| making calls | copying number to the directory 33 |
| International code | |

| Microphone | Power adapter | | |
|--|--|--|--|
| switch on/off20 | Profile key | | |
| Missed anniversaries/appointments 41 | Profiles | | |
| Music on hold | Protection from calls anonymous | | |
| Muting the handset | black list | | |
| Muting the nandset20 | switch off ringtone when in charging | | |
| N | cradle | | |
| Network mailbox | time control | | |
| defining for fast access | Pulse dialling | | |
| entering number | | | |
| Network MB, see Network mailbox | Q | | |
| Network provider | Questions and answers | | |
| Network provider, switch | Quick dial | | |
| Network services, provider-specific 21 | QuickSync | | |
| Number | | | |
| copying to the directory30 | R | | |
| do not transfer | Radiation | | |
| saving in the directory | reducing 46 | | |
| withhold22 | Radiation-free | | |
| | Recall key | | |
| 0 | Reception booster, see Repeater | | |
| On/off key | Recording | | |
| One touch call | two-way recording | | |
| Outside line code (PABX) | Recording quality (answer machine) | | |
| Outside line code (PABA) | Redial list | | |
| handset | Registering (handset) 61 | | |
| nanuset | Registering device (Bluetooth) | | |
| P | Registration/paging key 5 | | |
| PABX | Remotely operating the answer machine 34 | | |
| connecting to the base station 66 | Repeater | | |
| pauses | Resetting the handset to the default | | |
| saving access code66 | settings | | |
| setting dialling mode66 | Resource Directory | | |
| setting flash time66 | memory | | |
| SMS | view CLIP picture | | |
| Paging | Ring delay | | |
| Pause | Ring delay (answer machine) | | |
| after access code | Ringtone | | |
| after line seizure | changing | | |
| after Recall key | muting | | |
| PC Interface | muting first | | |
| Phone | switch off when in charging cradle 48 | | |
| setting | time control | | |
| Phone directory, see Directory | volume | | |
| Phonebook, see Directory | Router connection | | |
| Picking up | Router, connecting the base station 65 | | |
| a call from answer machine | | | |
| Picture | S | | |
| as CLIP image | Safety precautions | | |
| as screensaver55 | Screensaver | | |
| delete | Searching | | |
| formats | handset | | |
| rename | Searching in directory | | |
| Pin connections83 | Sending | | |
| Playing back | entire directory to handset | | |
| announcement (answer machine)36 | SMS messages | | |
| Playing back messages32 | Service | | |

Index

| Service provider, see Network provider | |
|--|--|
| Setting the date | T |
| Setting the system | Talk key |
| Setting the system | Technical data |
| Setting up | Telephone |
| handset | operating |
| | Telephone jack, pin connections 83 |
| Show new messages | Three-way conference call, |
| Signal strength | see Conference call |
| Signal tone, see Advisory tones | Time control for external calls |
| Silent alert | Timer |
| SMS | Tone dialling (DTMF) |
| deleting | Transferring, external call internally |
| draft message list | |
| incoming message list 50 | Troubleshooting general |
| linked49 | |
| message list | SMS54 |
| reading | |
| receiving | U |
| self help with error messages 54 | Update 60 |
| send centre52 | Upper/lower case |
| sending to e-mail address 50 | USB connection socket |
| temporary storing | Using |
| to PABXs53 | multiple handsets61 |
| troubleshooting | |
| vCard52 | V |
| writing/sending | vCard (SMS) |
| SMS message list (SMS) 50 | Viewing network mailbox message 25 |
| SMS notification | VIP group, classify directory entry 28 |
| SMS service centre | VIP ringtone |
| changing the number | Volume |
| setting | earpiece |
| Snooze mode (alarm)43 | handset handsfree volume |
| Sound | handset speaker/earpiece volume 20 |
| delete | speaker |
| formats | speaker |
| playback55 | W |
| | |
| rename | Warning tone, see Advisory tones |
| Sound profiles | Withheld number |
| Sounds for ringtones | Writing (SMS) |
| Speaker | |
| Star key | X |
| Status bar | XES mode 65 |
| icons | |
| Switch (network provider) 21 | |
| Switch on/off alarm (timer)42 | |
| Symbols, see Icons85 | |
| System PIN | |
| changing | |
| resetting | |
| System settings securing | |
| - | |

Issued by

Gigaset Communications GmbH Frankenstr. 2a, D-46395 Bocholt

© Gigaset Communications GmbH 2018

Subject to availability.

All rights reserved. Rights of modification reserved.

www.gigaset.com

Apple, the Apple logo and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Google, Android, Google Play and other brands are trademarks of Google Inc.