Gigaset

Е630 н

Congratulations

By purchasing a Gigaset, you have chosen a brand that is fully committed to sustainability.

This product's packaging is eco-friendly!

To learn more, visit www.gigaset.com.





Overview of handset



- 1 LED light / Visual call signal (→ page 31, → page 31)
- 2 Display in idle status
- 3 Status bar (→ page 36) Icons display current settings and operating status of the phone
- 4 **Side keys** (→ page 15)
- 5 Display keys (→ page 15)
- 6 End call key, on/off key End call;

Cancel function:

Go back one menu level (press **briefly**); Back to idle status (press and **hold**); Switch handset on/off (press and **hold** in idle status)

- 7 Message key (→ page 16) Access to the calls and message lists; Flashing: new message or new call
- 8 Profile key (→ page 31)
- 9 Hash kev

Keypad lock on/off (press and **hold** in idle status):

Toggles between upper/lower case and digits

- 10 Connection socket for headset (→ page 6)
- 11 Microphone
- 12 Star key

With an open connection: Switch from pulse dialling to tone dialling (press briefly);

When inputting text: Open special characters table

- 13 Key 1
 - Select network mailbox (press and **hold**)
- 14 Flash key
 - Consultation call (flash)
 - Insert a dialling pause (press and hold)
- 15 Answer call key / Handsfree key Dial number displayed;

Accept call;

Switch from earpiece to handsfree mode; Open the redial list (press briefly); Start dialling (press and hold);

16 Control key / Menu key (→ page 14)

Contents

Contents

Overview of handset	1
Safety precautions	3
Getting started	4
Understanding the operating steps in the user guide	13
Getting to know your phone	14
Making calls	
Adjusting the telephone settings	21
Restoring phone to default setting	26
ECO DECT	26
Multiple handsets	27
Phonebook (Address book)	28
Call list	30
Sound profiles	31
Spot LED	31
Calendar	32
Alarm clock	33
Baby monitor	34
Display icons	36
Menu tree	38
Environment	42
Appendix	43
FCC / ACTA Information	45
Service (Customer Care)	49
Index	53

Safety precautions



- Read the safety precautions and the user guide before use.
- Explain their content and the potential hazards associated with using the device to your children.
- The device cannot be used in the event of a power failure. It is also **not** possible to transmit **emergency calls.**
- Emergency numbers cannot be dialled if the keypad/display lock is activated!



Do not use the devices in environments with a potential explosion hazard (e.g., paint shops).



The base and charger are not splashproof. For this reason do not install them in a damp environment such as bathrooms or shower rooms.



Use only the power adapter indicated on the device.



Use only **rechargeable batteries** that correspond to the **specification** (see "Specifications"). Never use a conventional (non-rechargeable) battery or other battery types as this could result in significant health risks and personal injury. Rechargeable batteries, which are noticeably damaged, must be replaced. Do not charge the handset in charging unit or base station while the headset is connected.



If you give your Gigaset to a third party, make sure you also give them the user guide.



Remove faulty devices from use or have them repaired by our Service team, as these could interfere with other wireless services. Disconnect the telephone network connector (TNV circuit connector).



Do not use the device if the display is cracked or broken. Broken glass or plastic can cause injury to hands and face. Send the device to our Service department to be repaired.



Do not hold the rear of the handset to your ear when it is ringing or when speaker mode is activated. Otherwise you risk serious and permanent damage to your hearing.

Your Gigaset is compatible with the majority of digital hearing aids on the market. However, perfect function with all hearing aids cannot be guaranteed.

The phone may cause interference in analogue hearing aids (humming or whistling) or cause them to overload. If you require assistance, please contact the hearing aid supplier.



Using your telephone may affect nearby medical equipment. Be aware of the technical conditions in your particular environment, e.g., doctor's surgery.

If you use a medical device (e.g., a pacemaker), please contact the device manufacturer. They will be able to advise you regarding the susceptibility of the device to external sources of high frequency energy (for the specifications of your Gigaset product see "Specifications").

Getting started

Checking the contents of the package

- One handset,
- One charging cradle incl. power adapter,
- One battery cover (rear cover for the handset),
- One locking disc for the battery cover,
- Two batteries,
- One belt clip,
- One rubber cover for the headset socket,
- One user guide.

Installing the charging cradle

The charging cradle is designed for use in closed, dry rooms in a temperature range of $+41^{\circ}$ F to $+113^{\circ}$ F.


▶ Set up the charging cradle on a flat, non-slip surface.

The phone's feet do not usually leave any marks on surfaces. However, due to the multitude of different varnishes and polishes used on today's furnishings, marks on the surfaces cannot be completely ruled out.

Notes

- Never expose the telephone to the effects of heat sources, direct sunlight or other electrical devices.
- Protect your Gigaset from moisture, dust, corrosive liquids and fumes.
- Pay attention to the range of the base. This is up to 100 ft inside buildings and up to 700 ft in unobstructed outdoor areas. The range is reduced when Maximum Range is deactivated.

Connecting the charging cradle



- ▶ Connect the flat plug to the charging cradle 1.
- Plug the power adapter into the power socket 2.

If you have to remove the plug from the charging cradle again:

- Disconnect the power adapter from the mains power supply.
- Press the release button 3 and disconnect the plug 4.

Setting up the handset for use

The display is protected by a plastic film. Please remove the protective film!

Inserting the batteries and closing the battery cover

Caution

Use only rechargeable batteries recommended by Gigaset Communications GmbH (\Rightarrow page 43), as this could otherwise result in significant health risks and personal injury. For example, the outer casing of the batteries could be destroyed or the batteries could explode. The phone could also malfunction or be damaged as a result of using batteries that are not of the recommended type.

- Insert the batteries with the polarity in the right direction (for correct +/- direction, see diagram).
- ▶ Hold the battery cover at a slight angle and insert the bottom into the casing first 1.
- ▶ Then press the cover 2 until it clicks into place.
- Insert the locking disc as shown (at an angle of approx. 20°) 3. Pay attention to the arrow markings.
- Turn locking disc clockwise to the end stop 4.
 The locking disc is closed once the markings on the disc are aligned with those on the cover 5.

To **open the battery cover**, for example to change the batteries:

- Turn the locking disc anti-clockwise to the end stop
 (approx. 20°) and remove 7.
- Place your fingernail in the notch on the side between the cover and the casing 8 and remove the cover 9.



Getting started

Belt clip

The handset has notches on each side to attach the belt clip.

- To attach press the belt clip onto the back of the handset so that the tabs on the belt clip click into place in the notches.
- To remove press the centre of the belt clip firmly with your right thumb, push the fingernail of your left thumb up between the clip and the casing and pull the clip in an upward direction.



Connecting the headset



You can connect a headset to the underside of your telephone with the 2.5 mm jack connector 1. For information on recommended headsets, see the relevant product page at www.gigaset.com.



If you **do not** wish to connect a headset, please insert the rubber cover supplied 2 to guarantee the unit is still splash proof.

Attention

Do not charge the handset in charging unit while the headset is connected.

Charging the batteries

The batteries are supplied partially charged. Please charge completely before use. (The batteries are fully charged when the power icon f disappears from the display.)

▶ Charge the handset in the charging cradle for **7.5 hours**.



Notes

- The handset may only be placed in the designated base/charging cradle.
- The battery may heat up during charging. This is not dangerous.
- After a time, the charge capacity of the battery will decrease for technical reasons.

Changing the display language

You can also change the display language via the menu:

or, if you do not understand the language currently set, go to:



Press right on the control key.

▶ Press keys 6 and 5 solowly one after the other.

Example



The language selection display appears.
The current language (e.g. English) is selected.



 \blacktriangleright Press the down control key \bigcirc ...



... until the language you wish to use is displayed e.g. French.

Press the right key, directly under the display, to select the language.

Example



The selection is marked with .

Press and hold the End call key 6 to return to idle status.

Registering the handset

The registration process depends on the base. You must initiate registration on the handset **and** on the base. Both must be carried out **within 60 secs**.

- On the base: Press and hold (min. 3 secs) the Registration/ paging key.
- On the handset, press the display key Register.

☐ ► ♥ ► OK ► © Registration ► OK ► Register Handset ► OK

Display shows: **Searching for a base in registration mode**. The connection to the base will be established; this may take some time.

▶ Enter the system PIN if required (factory setting: 0000). ▶ OK

When registering, the display screen shows: **Handset is registering**After registering successfully, the display screen shows: **Handset registered**

Your handset can be registered on up to four bases. To see how to use your handset with multiple bases and de-register a handset, refer to the user guide for the base.



Setting the date and time

Set the date/time so that the correct date and time can be assigned to incoming calls, and so that you can use the alarm.



Press the key Time below the display screen to open the input field.

(If you have already set the date/time, open the input field via the menu:



The submenu **Date/Time** is shown on the display.



Press the **right** or **left** control key to change the input position, e.g. to correct an entry.





- Press the down control key to switch to the time input field.
- ► Enter the hours and minutes in 4-digit format via the keypad e.g., O □ (7-∞) 1 □ (5-∞) for 07:15 am.

 Change the input position with the control key if necessary.
- Press the key Save below the display screen to save the entry.



Display shows: **Saved**. You will hear a confirmation tone.



You will automatically return to idle status.

Your phone is now ready for use.

What would you like to do next?

After successfully setting up the phone, you can make calls straight away, customise your Gigaset according to your requirements or firstly familiarise yourself with the operation.

Setting ringtones

Assign specific tunes to internal and external calls, reminders (\rightarrow page 23), wake-up calls (\rightarrow page 33) and to certain callers (\rightarrow page 28).

Protecting yourself against unwanted calls

Set your phone up so that it doesn't ring if there is an anonymous call or use the time control (> page 24).

Adjusting your phone to your surroundings

Use 3 sound profiles to adjust your phone to a quiet or loud background (→ page 31).

Register an existing Gigaset handset and add it to the phonebook

Use available handsets to continue calling from your new base. Transfer directory entries from these handsets to your new handset (\rightarrow page 29).

Configuring ECO DECT settings

Reduce the transmission power (emissions) of your phone (→ page 26).

If you have any questions about using your phone, please read the tips on troubleshooting (→ page 40) or contact our Customer Service team (→ page 49).

Understanding the operating steps in the user guide



Answer call key / Menu key / End call key

 O → to 9 wxz
 Number / Letter keys

 * / # →
 Star key / Hash key

■ / FLASH / ▲ Message key / Flash key / Profile key

Overview of display icons (→ page 36).

Example: Activating/deactivating Auto Answer

Illustration in the user guide:

□ ► OK ► □ Telephony ► OK ► Auto Answer ► Change (= activated)

Follow this procedure:

- ▶ ☐: With the handset in idle status, press the right control key to open the main menu.
- Navigate to the icon using the control key.
- OK: Press the display key OK or the middle of the control key to open the submenu Settings.
- ▶ **© Telephony**: Scroll to the entry **Telephony** with the control key **©**.
- ➤ OK: Press the display key OK or the middle of the control key to open the submenu Telephony.
- Auto Answer: The activate/deactivate auto answer function is selected.
- Change (M = activated): Press the display key Change or the middle of the control key to alternate between activating or deactivating (M = activated, = deactivated).

Getting to know your phone

Switching the handset on/off

▶ Press and **hold** the End call key **a** in idle status to switch the handset on or off.

Locking/unlocking the keypad

The keypad lock prevents any accidental use of the phone. If you press a key when the keypad is locked, a message is displayed.

▶ Press and hold the #- key to lock or unlock the keypad.

If a call is signalled on the handset, the keypad automatically unlocks. and you can accept the call. It then locks again when the call is finished.

Control key



The control key allows you to navigate within menus and entry fields. In idle status or during an external call, it has the following functions:

14/1	41	L	44	:_	:	: 41 -	ctatuc

- Open the phonebook.
- or Open the main menu.
- Open list of handsets.

During an external call

- Open the phonebook.
- Initiate an internal consultation call.
- Adjust the loudspeaker volume for earpiece and handsfree mode.

Functions when pressing the centre of the control key

The key has different functions, depending on the operating situation.

- In idle status, it opens the main menu.
- In submenus, selection and entry fields, the key takes on the function of the display keys OK, Yes, Save, Select or Change.

Note

These instructions demonstrate opening the main menu by pressing the right of the control key and confirming the functions by pressing the appropriate display key. However, if you prefer, you can also press the middle of the control key.

Side kevs



Press these keys on the right-hand side of the handset to set the volume for the earpiece, ringtone, handsfree mode, alarm clock, appointments and the headset depending on the situation.

Display keys

The display keys have a function preset by default in idle status, but the keys can be re-assigned (→ page 25).

The functions of the display keys change depending on the operating situation. Example



Some of the important display keys are:

Options Open a menu for further functions.

OK Confirm selection.

Rack Skip back one menu level or cancel operation.

Save Save entry.

Overview of icons on the display keys (→ page 37).

Menu guidance

The functions of your telephone are displayed on a menu that consists of several levels. Menu overview → page 38.

Main menu (first menu level)

▶ When the handset is in idle status, press **right** on the control key to open the main menu.

The main menu functions are shown in the display as icons. The icon for the selected function is highlighted and the name of the associated function appears in the display header.

Accessing a function, i.e. opening the corresponding submenu (next menu level):

▶ Use the control key 😂 to navigate to the required function and press the display key OK.

Returning to idle status: **Briefly** press the display key **Back** or End call key 📆.



Submenus

The functions in the submenus are displayed as lists.

To access a function:

Scroll to the function using the control key (and press OK.

Returning to the previous menu level: **Briefly** press the display key **Back** or End call key **6**.

Returning to idle status

From any menu:

Press and hold the End call key 6.

Or:

 If you do not press a key, the display automatically returns to idle status after 2 minutes.

Message lists

Any messages you receive are saved in the message lists. An advisory tone sounds as soon as a **new entry** appears on a list. The Message key also flashes. Icons for message types and the number of new messages are shown on the idle display.

New messages available:

- On the answer machine (depending on the base)/network mailbox
- 🖍 In the missed calls list
- In the missed alarms list.

Open the message list by pressing the Message key . You can access the following message lists:

- Answer Mach.: Answer machine list (depending on the base)
- Mailbox: Network mailbox (if your network provider supports this function and the number
 of the network mailbox has been stored.)
- Missed Calls: Missed call list (see "Call list" → page 30)
- Missed Alarms: Missed appointments list

The icon for the network mailbox is always displayed, provided the number is stored in the telephone. The other lists are only displayed if they contain messages.

Opening the list: ⑤ Select required list. ▶ OK

Exception: If you select the **network mailbox**, the number of the network mailbox will be selected. Lists are not opened on the display.

Example







Entering numbers and text

If several number and/or text fields are displayed (e.g. First Name and Surname in a phonebook entry), the field is automatically activated. The following fields must be activated by navigating with the control key (...). A field is activated when a cursor is blinking inside it.

Correcting incorrect entries

- Deleting words before the cursor: press and hold the display key <C.



Entering text

- Letters/Characters: Multiple letters and characters are assigned to each key between On and One of the characters are shown according to the key in a selection line at the bottom left of the display. The selected character is highlighted. Briefly press the key several times in succession to select the required letter/character.
- Placing the cursor: Letters/characters are inserted at the cursor position. You can insert the cursor by pressing the control key , or in fields with multiple characters.
- Typing lower case, upper case and numbers: Press the hash key to switch between lower case, upper case or numbers for the following letters.
 When editing a phonebook entry, the first letter and each letter following a space is automatically in upper case.
- Special characters: Press the star key * to open the special characters table. Navigate to the character desired using the star key and press the display key Insert to select it.
- Special letters: Umlauts or other marked/diacritic characters can be selected by pressing the
 corresponding letter several times. See the character table → page 44.

Making calls

Making an external call

Or:

Press and **hold** the Answer call key **G**, enter number.

You can cancel the dialling process with the End call key 🙃.

Dialling with the redial list

The redial list contains the 20 numbers last dialled with the handset. You can manage this similarly to your phone's message lists (→ page 16).

- ▶ Press the Answer call key abriefly to open the redial list.
- ▶ © Select entry. ▶ Press the Answer call key 💪. The number is dialled.

When a name and corresponding phone number are displayed: Press the display key View.

Managing entries in the redial list:

▶ Open redial list. ▶ ⑤ Select entry. ▶ Options

You can select the following functions:

- Copy to Directory ➤ OK
 Copy an entry to the phonebook (→ page 28).
- Delete entry > OK
 Delete the selected entry.
- Delete all ➤ OK
 Delete all entries.

Dialling from the call list

○ ► C→ ► OK ► © Select list. ► OK

Select entry.

▶ The number is dialled.

Notes

- You can also bring up the call list using the display key Calls, but you must assign a display key accordingly (> page 25).
- You can also open the list Missed calls using the Message key .

Example

All calls	;
✓ △ James Fost Today, 08:30	er
€ 01712233445 06/11/2013, 10:30	
View	Options

Dialling with the phonebook

- Select entry. ▶ ←
- \blacktriangleright If multiple numbers are entered: Select the number with \boxdot and press the Answer call key G or OK.
- ▶ The number is dialled.

One touch call

You can set up your phone so that you can dial a specific number when you press a **key of your choice**. This allows children, who are unable to enter a number, to call a certain number, for example.

- □ > ★ > OK > ⑤ One Touch Call > OK
- Activation: On / Off
- ▶ Call to: Enter or change the number that you wish to dial.
- Save

The activated One Touch Call appears on the idle display. The saved number is dialled by pressing any key. Press the End call key 👩 to cancel dialling.

Ending one touch call:

▶ Press the display key **OFF**. ▶ Press and **hold** the #→ key.

Or:

▶ Press and **hold** the #- key.

Accepting a call

You have the following options:

- Press C.
- ▶ If Auto Answer is switched on (→ page 22), remove the handset from the charging cradle.

Activate/deactivate Simple Auto Answer

In addition to using the Answer call key , you can also answer a call using the keys ...**9**...**9**...**1**...**1**...**1**...**2**...**1**...**2**...**3**...**3**...**3**...**4**...**3**...**4**...**5**....**5**...**5**...**5**...**5**...**5**...**5**...**5**...**5**...**5**...**5**...**5**

 \bigcirc ▶ OK ▶ \bigcirc Telephony ▶ OK ▶ \bigcirc Easy Acceptance ▶ Change (\boxtimes = activated)

Please note: Changes are only saved permanently in Profile Personal (→ page 31).

Handsfree mode

If you are going to let someone listen in, you should tell the other party that this is happening.

Press 💪

Placing the handset in the charging cradle during a call:

▶ Press and hold for a further 2 seconds while placing the handset in the charging cradle.

Adjusting the loudspeaker volume

• Accessing the settings via the menu:

→ OK → C Audio Settings → OK → Handset Volume → OK

▶ Earpiece: Volume can be set at 5 levels for the earpiece and headset.

▶ **Speaker:** Set the volume at 5 levels.

Save

 Accessing the settings during a call for the mode currently in use (handsfree, earpiece, headset):

Press side keys + /- (→ page 1) or control key ► .

▶ The setting is saved automatically after 2 seconds or press the display key **Save**. The screen reverts back to its previous display.

— Note
Changes are only saved permanently in Profile Personal (→ page 31).

Switching the microphone on/off (muting)

If you turn the microphone off during a call, your caller can no longer hear you.

Press to switch the microphone on/off.

Deactivating call waiting for the next call if the function is activated:

○ ► S ► OK ► C Next Call ► OK ► C Call Waiting ► OK ► Dial the number ► Dial

Adjusting the telephone settings

The handset and base station are preconfigured, but you can change the settings to suit your individual requirements.

The settings can be changed via the menu **Settings** whilst on a call or in idle status.

Changing the display language

Setting your country and local area codes

Your area code (international and local area code) must be saved on the phone before you can transfer phone numbers (e.g. in vCards). Some of these numbers are already preset. Please ensure that the prefix is correctly separated from the rest of the area code.

□ ► Q ► OK ► Q Telephony ► OK ▶ ♠ Area Codes ▶ OK ▶ ♠ Navigate to the entry field. delete the number using **⟨ℂ** if needed ▶ Enter the number Save

Example



Screensaver

Save

Adjusting the handset display settings

Setting a screensaver

You can set a screensaver for the display when in idle status. You can choose from an analogue clock, a digital clock or an image

To show the display in idle status, **briefly** press **7**. □ ► ♥ ► OK ► ♠ Display ► OK

- ▶ Screensaver (✓ = activated) ▶ Edit
 - Activation: On / Off
 - Selection:
 - Digital Clock / Analog Clock / [Images]

- View (View screensaver)
- ▶ ⑤ Select screensaver ▶ **OK**
- Save

Setting the colour scheme

You can set the display to show a dark or a light background.

Colour Scheme 1 / Colour Scheme 2 ► Select (● = selected)

en fres 21



Example

Activation

Selection:

Back

Analog Clock



Setting the display backlight

The display backlight is always lit when the handset is not in the base/charging cradle or when a key is pressed. Any **digit keys** pressed appear on the display for pre-dialling.

You can also activate/deactivate the display backlight for idle status:

→
 OK →
 Oh Display → OK →
 Backlight → OK

In Charger: 🕞 On / Off

Out of Charger: On / Off

Save

Note

The handset's standby time can be significantly reduced if the display backlight is activated.

Activating/deactivating visual call

Incoming calls are signalled visually (e.g. in noisy environments).

→ OK → C Telephony → OK → C LED Call Signal → Change (= activated)

Please note: Changes are only saved permanently in Profile Personal (→ page 31).

Activating/deactivating Auto Answer

When set to Auto Answer, the handset accepts an incoming call as soon as you remove it from the charging cradle.

 \bigcirc \blacktriangleright OK \blacktriangleright OK \blacktriangleright Telephony \blacktriangleright OK \blacktriangleright Auto Answer \blacktriangleright Change (\boxtimes = activated)

Regardless of the setting **Auto Answer**, the connection ends as soon as you place the handset back in the charging cradle. Exception: Press and hold $\mathcal{C}_{\mathbf{q}}$ for a further 2 seconds while placing the handset in the charging cradle.

Setting earpiece profiles

You can set various profiles for the **earpiece** to optimally adapt your phone to your environment. Check which is the most comfortable for you.

Earpiece Profiles: High and Low. The default is Low.

Setting the handset ringtones

Setting the ringtone volume

- ▶ For internal calls and alarms:
 - Volume can be set at 5 levels or crescendo (increasing volume) for internal calls and anniversaries.
- ▶ External Calls:
 - Volume can be set at 5 levels or crescendo (increasing volume) for external calls.
- Save

When the telephone rings, you can permanently change the ringtone volume using the side keys + (louder) or - (quieter).

Example



Please note: Changes are only saved permanently in Profile Personal (→ page 31).

Setting the ring melody

- ▶ Internal Calls: Setting the volume/melody for internal calls and anniversaries.
- **External Calls:** Setting volumes/melodies for external calls.
- Save

Activating/deactivating the ringtone

Deactivating the ringtone **permanently**: Using the Profile key ♠, set the **Profile Silent** (→ page 31). -♠ appears in the status bar.

Activating the ringtone permanently: Using the Profile key, ▶ set the Profile Loud or Profile Personal (→ page 31).

Deactivating the ringtone for a current call: Press Silence or 🙃 .

Silent alert

Incoming calls and other messages are indicated by a silent alert.

 \bigcirc > OK > \bigcirc Audio Settings > OK > \bigcirc Silent Alert > Change (\boxtimes = activated)

Please note: Changes are only saved permanently in Profile Personal (→ page 31). This setting is saved in the Profile Silent.

Activating/deactivating advisory tones

Your handset uses advisory tones to tell you about different activities and statuses. These advisory tones can be activated/deactivated independently of each other.

► Key Tones: On / Off
Tone when keys are pressed.

► Confirmation: On / Off
Confirmation/error tone after making entries, advisory tone when a new message has been received

Warning tone when there are fewer than 10 minutes of talktime remaining (every 60 seconds). There is no battery warning when the baby monitor is activated.

Save

Please note: Changes are only saved permanently in Profile Personal (→ page 31).

Protection against unwanted calls

Setting time control for external calls

You can specify a time period when you do not want the telephone to ring.

□ ► ♥ ► OK ► ♠ Audio Settings ► OK

▶ ♠ Ringtones (Handset) ▶ OK ▶ ♠ Time Control ▶ OK

▶ For external calls: On / Off

If activated:

- **Suspend ring. from:** Enter the start of the period.
- ▶ Suspend ring. until: Enter the end of the period.
- Save

Example



Note

During this period, your phone will continue to ring for numbers to which you have assigned a VIP ringtone in the phonebook.

Protection from anonymous callers

You can set your phone so that it doesn't ring for anonymous calls (callers who have withheld Calling Line Identification). The call is only signalled on the display. The setting only applies to handsets for which the setting is configured.

Quick access to numbers and functions

The digit keys 0 - 1 and 2 - 1 up to 9 - 1 can be assigned to a number from the phonebook.

The left and right **display keys** have a **function** preset by default, but the keys can be re-assigned $(\rightarrow page 25)$.

You can then dial the number or start the function by simply pressing a key.

Assigning digit keys

Prerequisite: You must assign a number to the digit key.

Press and hold the digit key.

Or:

Briefly press the digit key. ▶ Press the display key **QuickDial**.

► The phonebook opens. ► ⑤ Select entry. ► OK

The entry is saved to the corresponding digit key.

Note

If you delete or edit the entry in the phonebook at a later date, this will not affect the assignment to the number key.

Selecting numbers/changing an assignment

Prerequisite: You must have assigned a number to the digit key.

When the handset is in idle status

▶ Press and **hold** the digit key: The number is dialled immediately.

Or:

 Briefly press the digit key: Press the left-hand display key with the number/name (abbreviated if necessary) to dial the number.

Or٠

Press the display key **Change** to change the key assignment, or press the display key **Clear Key** to delete the assignment.

Assigning display keys

▶ In idle status, press and hold the left or right-hand display key. ▶ The list of possible key assignments is opened. ▶ ② Select entry ▶ OK

Choose from the following functions:

Baby Monitor Set and activate the baby monitor (→ page 34).

Alarm Clock Set and activate the alarm clock (→ page 33).

Calendar (→ page 32).

One Touch Call Set up one touch call (→ page 19).

Redial Show redial list (→ page 18).

Spot LED: LED light (torch function) on/off (→ page 31).

More Functions... You can also choose further functions:

Call Lists Show call list (→ page 30).

Restoring phone to default setting

You can reset individual modifications to handset settings.

The following are **not** affected by the reset:

- Date / time.
- Registration of handsets to the base and the current selection of the base,
- Entries in the calendar and phonebook,
- Redial list.

When resetting the handset (Handset Reset), audio and display settings will be deleted.

Resetting the handset





ECO DECT uses less energy and reduces transmission power.

Reducing radiation (depending on the base)

The radiation can only be reduced if your base supports this function.

Your telephone's transmission power is **automatically** reduced according to the distance to the base.

You can reduce the radiation from the handset and the base even further by

- deactivating Maximum Range,
- activating No Radiation.

For more details, see the user guide for your base station.

Multiple handsets

Making internal calls

internal calls to other nandsets registered to the same base are free of charge.
Select the handset or Call all (group call) from the list if required. > 🗸
Holding down immediately starts a call on all registered handsets.

Internal consultation/internal transfer

You receive a call from an **external** participant and would like to transfer the call to an **internal** participant or wish to consult him/her.

Holding a consultation call: You are speaking to the internal participant and are returning to your external call: ▶ Options ▶ ② End active call ▶ OK

Transferring an external call: You have two options to transfer the call:

Wait until the participant called answers, then hang up:
 Press the End call key .

Or:

▶ Hang up before the participant calls: Press the End call key 🕝.

If the participant called does not answer of does not transfer the call, end the consultation with **Fnd**

Establishing a conference call/call swapping

You are taking a call while a second call is being held. Both callers are indicated on the display.

- ▶ **Call swapping:** You can switch between both participants using ⑤.
- ► Establishing a three-way conference call: Press Conf.
 Ending a conference call: Press End Conf. You are reconnected with the external participant.
 You can switch again between both participants using ②.

Each of the callers can end their participation in the conference call by pressing the End call key .

Accepting/rejecting call waiting

If you get an external call while conducting an internal call, you will hear the call waiting tone. If the number is transferred, you will see it or the name of the caller on the display.

- ▶ Rejecting a call: ▶ Press the display key **Reject**.
- Accepting a call: Press the display key Accept. You are now speaking to the new caller.
 The previous call is placed on hold.

Ending the current call and returning to the call on hold:

Phonebook (Address book)

In a **phonebook entry**, you can store first names and surnames, up to three numbers, an anniversary with a reminder, and caller melody.

You can create the directory (with up to 200 entries) individually for each of your handsets. You can also send lists/entries to other handsets (→ page 29).

Length of the entries

3 numbers: Max. 32 digits each
First name and surname: Max. 16 characters each

Managing directory entries

Opening phonebook

Press the key 💭 in idle status or, depending on the situation, the display key 💟.

Creating a new entry

- ▶ Open directory. ▶ ♠ <New Entry> ▶ OK
- Switch between the input fields using (2) and enter the relevant components of the entry (names, numbers, anniversary, ringtone).
 - Navigate downwards to display further components.
- Press the display key Save.

To create an entry, you must enter at least one number. If you have assigned a caller melody, the entry in the phonebook is supplemented with the symbol (VIP).

Displaying/changing an entry

- ▶ Open phonebook. ▶ ⑤ Select the desired entry.
- ▶ View ▶ Display all components of the entry. ▶ Edit Or:

Deleting an entry

- ▶ Open phonebook. ▶ ② Select the desired entry. ▶ Options ▶ ② Delete entry ▶ OK Delete all entries in the directory:
- ▶ Open phonebook. ▶ Options ▶ ☼ Delete List ▶ OK

Defining the order of the contacts entries

You can define whether the entries are to be sorted by first name or surname.

▶ Open phonebook. ▶ Options ▶ Press Sort by Surname or Sort by First Name.

If no name was entered, the default number is shown in the surname field. These entries appear at the beginning of the list, regardless of how the entries are sorted.

The sort order is as follows:

Space | Digits (0-9) | Letters (alphabetical) | Other characters

Example



Displaying the number of entries that are available in the directory

▶ Open phonebook. ▶ Options ▶ ⑤ Available Memory ▶ OK

Selecting a phonebook entry, searching in the phonebook

- Open phonebook.
- ▶ Scroll to the name you are searching for using ⑤. Holding down ⑤ scrolls continuously upwards or downwards through the phonebook.

Or:

▶ Enter the first few letters (max. 8 letters) using the keypad. The display jumps to the first name that begins with these letters. If necessary, scroll on to the desired entry using ⑤.

Transferring an entry/phonebook to another handset

Prerequisites:

- The sending and receiving handsets must both be registered to the same base.
- The other handset and the base can send and receive directory entries.

You can transfer the entire directory, an individual entry or several individual entries.

— Notes

- An external call interrupts the transfer.
- Caller pictures and sounds are not transferred. Only the date is transferred for an anniversary.
- When transferring an entry between two vCard handsets:
 If the recipient does not yet have an entry with that name, a new entry is created.
 - If there is already an entry with that name, this entry is expanded with the new numbers. If the entry contains more numbers than the recipient permits, a further entry is created with the same name.
- If the recipient is not a vCard handset: A separate entry is created and sent for each number.
- Your handset receives entries from a non-vCard handset: Entries with numbers that are already stored are discarded, otherwise a new entry is created.

Transferring individual entries

- ▶ Open phonebook. ▶ 🖨 Select the desired entry. ▶ Options
- Copy Entry ➤ OK ➤ C to Internal ➤ OK ➤ C Select the recipient handset. ➤ OK

Transferring the entire directory

- ▶ Open phonebook. ▶ ♠ Select the desired entry. ▶ Options
- ▶ ② Copy List ▶ OK ▶ ② to Internal ▶ OK ▶ ② Select the recipient handset. ▶ OK

Transferring a displayed number to the phonebook

- ▶ The number is displayed or highlighted.
- ▶ Press display key → or Options ▶ ♠ Copy to Directory. ▶ OK

Or٠

- ▶ 🗘 Select entry. ▶ OK ▶ 🔁 Select number type. ▶ OK
 - ▶ The number is entered or an existing number is overwritten (answer the prompt using Yes/No).
- Save

Call list

Your telephone stores calls in various lists. Opening the lists:

- Missed calls list: Message key Missed Calls: OK

The last 20 entries are displayed in the call list.

List entry

The following information is displayed in the list entries:

- The list type (in the header row)
- ◆ Icon for the type of entry:
- ◆ Caller's number. If the number is stored in the phonebook, name and number type are displayed instead (△ Phone (Home), M Phone (Office), □ Phone (Mobile)). For missed calls, the number of missed calls from this number is also shown in square brackets.
- Date and time of call (if set).
- ▶ ⑤ Select entry. ▶ Options
- ▶ View: All available information is displayed, e.g. the corresponding number when a name is displayed.
- ▶ Options: You can delete the entry or transfer the number to the phonebook (→ page 30).

Calling back a caller from the call list:

▶ ⑤ Select entry. ▶ Press the Answer call key <a>C.

Example



30

Sound profiles

You can call up the 3 sound profiles that are adapted for your handset to your surroundings consecutively by using the key. The profile is switched immediately without a prompt. By default, **Profile Personal** is activated.

The profiles are set as follows by default:

Default setting		Profile Loud	Profile Silent	Profile Personal
Silent alert (→ page 23)		On	like Profile Personal	Off
Ringer (→ page 23)		On	Off	On
Ringtone volume (→ page 23)	Internal	5	Off	3
	External	5	Off	3
Handset volume (→ page 20)	Handset	5	3	3
	Handsfree	5	3	3
LED light for a call (→ page 22)	Yes	No	No	
Simple Auto Answer (→ page 19	Yes	No	No	
Advisory tones (→ page 24)	Key click	Yes	No	Yes
	Confirmation tone	Yes	No	Yes
	Battery tone	Yes	Yes	Yes

When switching to **Profile Silent** you can activate an alert tone by pressing the **Beep** display key. -⊋ appears in the status bar.

Changes in **Profile Loud** and **Profile Silent** only apply provided that the profile is not changed (by pressing the Profile key). Changes to **Profile Personal** are stored permanently for this profile.

The set profile remains set when switching the phone off and back on.

Spot LED

You can use your telephone as a torch.

Activating/deactivating the torch function

Press the **Spot LED** display key (→ page 25).

□ ► ★ ► OK ► Spot LED ► OK

After 2 minutes the function is automatically deactivated or press the OFF display key.

Calendar

You can remind yourself of up to 30 appointments.

In the calendar, the current day is outlined in white; on days with appointments, the numbers are displayed in colour. When a day is selected, it will be highlighted.

Saving appointments to the calendar

Prerequisite: Date and time are set (→ page 10).

- If no appointments have been entered, the data input window will open immediately to add the new appointment.

Activation: On/Off

The following information can be added:

- Date: The selected day is preset. Enter new data to change.
- Time: Time (hour and minute) of the appointment.
- Text: Appointment name (e.g. dinner, meeting).
- Signal: Select the melody of the reminder signal or deactivate the acoustic signalling.
- Save

Signalling of appointments/anniversaries

Anniversaries are transferred from the phonebook and displayed as an appointment. An appointment/anniversary is displayed in idle status and signalled for 60 seconds with the selected ringtone.

You can deactivate the reminder call:

Press OFF to acknowledge and end the reminder call.

When you are on the phone, a reminder call is indicated on the handset with a single advisory tone.

During the reminder call you can turn the ringtone volume + (up) or - (down) continuously using the side keys.

Displaying missed appointments/anniversaries

The following appointments and anniversaries are stored in the Missed Alarms list:

- The appointment/anniversary call was not acknowledged.
- The appointment/anniversary was signalled during a phone call.
- The handset was switched off at the time of the appointment/anniversary.

The last 10 entries are stored. The icon and the number of new entries are shown in the display. The most recent entry appears at the head of the list.

To open the list: ▶ Message key ▶ ♠ Missed Alarms ▶ OK
Or via the menu: ▶ ▶ OK ▶ ♠ Missed Alarms ▶ OK

▶ 🖨 scroll in the list if required

Information about the appointment/anniversary is displayed. You can:

▶ Delete an appointment/anniversary: **Delete**

Displaying/changing/deleting stored appointments

□ > ★ > OK > □ Calendar > OK > □ Select the desired day. > OK > The appointment list is displayed. > □ Select the desired appointment.

▶ View: Display appointment settings, change, if required using Edit.

Or:

- ▶ Options: Change settings or delete appointments.
 - Edit entry ▶ OK
 - Delete entry ▶ OK
 - Activate/Deactivate ▶ OK
 - Delete all Appoints. ▶ OK ▶ Confirm prompt with Yes. All appointments for the selected day are deleted.

Alarm clock

Prerequisite: Date and time are set (→ page 10).

You can activate/deactivate and set the alarm clock as follows:




- Changing the settings:
 - Time: Set the hour and minute for the wake-up time (time setting → page 10).
 - Occurrence: Daily/Monday-Friday
 - Volume: Volume can be set at 5 levels or crescendo (increasing volume).
 - **Melody:** Select a ringtone for the alarm call.
- Press the display key Save.

When the alarm clock is activated, the icon 🛇 and the alarm time is displayed in idle status.

An alarm call is signalled in the display and with the selected ringtone for a maximum of 60 seconds. During a call, the wake-up call is only signalled by a short tone.

During the sounding of the alarm you can turn the volume + (up) or - (down) continuously using the side keys.

Example



Deactivating the alarm call/repeating after a pause (snooze mode)

Prerequisite: One alarm call sounds.

Deactivating until the next alarm call: Press OFF.

Or:

Snooze mode:

Press **Snooze** or any key. The wake-up call is deactivated and then repeated after 5 minutes. Or:

Press nothing. The alarm call is deactivated after 60 seconds and then repeated after 5 minutes. After the fourth repetition, the alarm call is deactivated for 24 hours.

Baby monitor

When the baby monitor is switched on, the stored (internal or external) destination number is called as soon as a defined noise level is exceeded in the vicinity of the handset. The baby monitor alarm to an external number is cancelled after approximately 90 seconds.

In baby monitor mode, incoming calls are only signalled on the display (without ringtone). The display backlight is reduced to 50%. Advisory tones are deactivated. All keys are locked, with the exception of the display keys and pressing the middle of the control key.

You can answer the baby monitor alarm using the **Two Way Talk** function. Deactivate/activate the speaker of the handset with this function.

If you accept an incoming call, the baby monitor mode is suspended for the duration of the call, but the function **remains** activated. The baby monitor mode is not deactivated by switching the handset off and on again.

Caution

Ensure the following points:

- The handset should be positioned 1 to 2 metres away from the baby. The microphone
 must be pointed towards the baby.
- Activating the function reduces the operating time of your handset. If necessary, place the handset in the charger.
- ◆ The baby monitor is activated 20 seconds after switching on.

Please always check the functionality when you switch on:

- Test the sensitivity.
- Check the connection if you are forwarding the baby monitor alarm to an external number.
- Make sure that the answer machine at the target number is switched off.

Activating/deactivating and setting the baby monitor

- Baby Monitor ▶ OK
 Baby Monitor ▶ OK
- Setting the baby monitor:
 - Send alarm to: Internal (at least 2 handsets are registered)/ External
 If Internal is selected:
 - ► Handset: Press the Change display key. ► ⑤ Select handset. ► OK

If External is selected:

- ▶ Number: Enter the number directly or select from the phonebook (press the display key
 .
- Two Way Talk: On/Off
- baby monitorSensitivity: High/Low
- Save

The target number is displayed in idle status when the baby monitor alarm is activated. The baby monitor is deactivated using the **OFF** display key.

Cancelling the baby monitor alarm

Cancelling during a baby monitor alarm: Press .

Deactivating the baby monitor remotely

Prerequisites: The baby monitor alarm is forwarded to an external destination number. The recipient's phone supports tone dialling.

The call is ended. The baby monitor is deactivated and the handset is in idle status.

Baby monitor activated



Display icons

Icons in the status bar

The following icons are displayed in the status bar depending on the settings and the operating status of your telephone:

Icon	Meaning					
	Signal strength					
111)	76% - 100%					
111	51% - 75% White, if Maximum Range is on;					
71	26% - 50% Green, if Maximum Range is off					
•	1% - 25%					
•	Red: no connection to the base					
郊	Profile Silent activated (The ringtone is switched off)					
<u> न्द</u> ्	"Beep" ringtone activated					
0	Key lock					

Icon	Meaning
	Battery charge status:
	White: charged over 66%
	White: charged between 34 and 66%
	White: charged between 11 and 33%
	Red: charged below 11%
	Flashes red: battery almost empty (approx. 5 minutes talktime remaining)
	Battery is charging (current charge status):
<i>f</i> 🗀	0% - 10%
<i>f</i> 🔳	11%–33%
<i>f</i> 🔳	34% - 66%
<i>5</i> 🗆	67% - 100%

Menu icons

Ö	Alarm Clock
C ÷	Call Lists
മ	Answer Machine
5	Select Services
*	Additional Features
\Omega	Settings

Display key icons

The following icons indicate the current function of the display keys according to the operating situation:

Icon	Action
++	Last number redial
<c< th=""><th>Deleting text</th></c<>	Deleting text

Icon	Action
V	Opening phonebook
→ ¥	Copy number to the phonebook

Display icons for signalling of



Establishing a call (outgoing call)



Connection established



No connection established/connection terminated



External call



Internal call



Reminder call for anniversary



Reminder call for appointment



Alarm call

Other display icons



Information



(Security) prompt



Please wait...





Action failed (red)

Menu tree

Opening the main menu: Press whilst the telephone is in idle status.

Note

Not all functions described in this user guide are available in all countries or with all network providers.

Alarm Clock → page 33

Call Lists (depending on base)


Answer Machine (depending on base)

Select Services (depending on base)

★ Additional Features

Spot LED	→ page 31
Calendar	→ page 32
Baby Monitor	→ page 34
One Touch Call	→ page 19
Missed Alarms	→ page 33

Settings



Telephony	Auto Answer	→ page 22
	Easy Acceptance	→ page 19
	LED Call Signal	→ page 22
	Area Codes	→ page 21
	(further submenus depending on base)	1
System	Reset Handset	→ page 26
	(further submenus depending on base)	

Ouestions and answers

If you have any queries about the use of your telephone, suggested solutions are available on our web-site at

www.gigaset.com/service > FAQ > First steps for troubleshooting.

The table below also lists steps for troubleshooting.

You are not sure whether your device is equipped with an integrated answer machine.

Your device is equipped with an integrated answer machine if the submenu **Activation** is available.

The display is blank.

- The handset is not activated.
 - → Hold down 6.
- 2. The battery is empty.
 - Charge the battery or replace it (→ page 5).
- 3. The key and display lock is activated.
 - ▶ Hold down the hash key #= .

"No Base" flashes on the display.

- 1. The handset is outside the range of the base.
 - Move the handset closer to the base.
- 2. The base is not activated.
 - Check the base power adapter.
- 3. The base's range is reduced because Maximum Range is deactivated.
 - ▶ Activate Maximum Range (→ page 26) or reduce the distance between the handset and base.

"Please register handset" or "Place handset in base" flashes on the display.

The handset has not yet been registered or was de-registered due to the registration of an additional handset (more than six DECT registrations).

▶ Register the handset again (→ page 9).

Your settings are not accepted.

Ensure that you have set the Profile Personal before you make changes to the device settings (→ page 31).

The handset does not ring.

- 1. The ringtone is deactivated.
 - Activate ringtone (→ page 23).
- 2. Call forwarding is set.
 - Deactivate call forwarding.
- 3. The phone does not ring if the caller has withheld his number.
 - Activate the ringtone for unknown calls (→ page 24).
- 4. The phone does not ring during a specific period or for certain numbers.
 - Check time control for external calls (→ page 24).

The other party cannot hear you.

The handset is "muted".

Activate the microphone again (→ page 20).

The caller's number is not displayed.

- 1. Calling Line Identification (CLI) is not approved for the caller.
 - The caller should ask the network provider to enable Calling Line Identification (CLI).
- 2. Caller display (CLIP) is not supported by the network provider or is not enabled for you.
 - ▶ Caller display (CLIP) is enabled by the network provider.
- 3. Your telephone is connected via a PABX or a router with an integrated PABX (gateway) that does not transmit all information.
 - Reset the system: Briefly pull out the power plug. Reinsert the plug and wait until the device restarts.
 - Check the settings on the PABX and activate phone number display, if necessary. To do this, search for terms such as CLIP, calling line identification, phone number identification, caller ID, etc. in the system's user quide or ask the system manufacturer.

You hear an error tone when keying an input.

Action has failed/invalid input.

Repeat the process.

Read the display and refer to the user guide if necessary.

You cannot listen to messages on the network mailbox.

Your PABX is set to pulse dialling.

Set your PABX to tone dialling.

Exclusion of liability

Your handset display has a resolution of 128 x 160 pixels. Each pixel consists of three sub-pixels (red, green, blue).

It may be the case that a pixel is incorrectly controlled or has a colour deviation.

This is normal and no reason for a warranty claim.

The following table shows the number of pixel errors that may occur without leading to a warranty claim.

Description	Maximum number of permitted pixel errors
Colour illuminated sub-pixels	1
Dark sub-pixels	1
Total number of coloured and dark sub-pixels	1

 N	Ot a

Signs of wear on the display and housing are excluded from the warranty.

Environment

Our environmental statement

We at Gigaset Communications GmbH are aware of our social responsibility. That is why we actively take steps to create a better world. In all areas of our business – from product planning and production to sales and waste of disposal – following our environmental conscience in everything we do is of utmost importance to us.

Learn more about our earth-friendly products and processes online at www.gigaset.com.

Environmental management system



Gigaset Communications GmbH is certified pursuant to the international standards ISO 14001 and ISO 9001.

ISO 14001 (Environment): Certified since September 2007 by TÜV SÜD Management Service GmbH.

ISO 9001 (Quality): Certified since 17/02/1994 by TÜV SÜD Management Service GmbH.

Disposal

Batteries should not be disposed of in general household waste. Observe the local waste disposal regulations, details of which can be obtained from your local authority or the dealer you purchased the product from.

All electrical and electronic equipment must be disposed of separately from general household waste using the sites designated by local authorities.



The appropriate disposal and separate collection of used equipment serve to prevent potential harm to the environment and to health. They are a prerequisite for the re-use and recycling of used electrical and electronic equipment.

For further information on disposing of your used equipment, please contact your local authority, your refuse collection service or the dealer you purchased the product from.

Appendix

Care

Wipe the device with a slightly moistened cloth or an antistatic cloth. Do not use solvents or microfibre cloths.

Never use a dry cloth: this can cause static.

In rare cases, contact with chemical substances can cause changes to the device's exterior. Due to the wide variety of chemical products available on the market, it was not possible to test all substances.

Impairments in high-gloss finishes can be carefully removed using display polishes for mobile phones.

Contact with liquid 1



If the device comes into contact with liquid:

- Disconnect the power supply.
- Remove the batteries and leave the battery compartment open.
- 3 Allow the liquid to drain from the device.
- 4 Pat all parts dry,
- 5 Place the device in a dry, warm place for at least 72 hours (not in a microwave, oven etc.) with the battery compartment open and the keypad facing down (if applicable).
- Do not switch on the device again until it is completely dry.

When it has fully dried out, you will normally be able to use it again.

Technical data

Batteries

Technology: 2 x AAA NiMH

Voltage: 1.2 V Capacity: 800 mAh

Handset operating times/charging times

The operating time of your Gigaset depends on the capacity and age of the battery and the way it is used. (All times are maximum possible times).

Standby time (hours) *	310 *
Talktime (hours)	14
Operating time for 1.5 hours of calls per day (hours) *	125 *
Charging time in charging cradle (hours)	7.5

without display backlight in idle status

General specifications

DECT

DECT standard	DECT 6.0
GAP standard	Supported
No. of channels	30 duplex channels
Radio frequency range	1920MHz - 1930MHz
Duplex method	Time division multiplexing, 10 ms frame length
Repetition frequency of the transmission pulse	100 Hz
Duration of the transmission pulse	370 μs
Channel grid	1728 kHz
Bit rate	1152 kbit/s
Modulation	GFSK
Language code	32 kbit/s
Transmission power	5 mW average power per channel, 120 mW pulse power
Range	Up to 100 ft indoors, up to 700 ft outdoors
Environmental conditions for operation	+41°F to +113°F, 20% to 75% relative humidity

Character charts

Standard characters

Press the relevant key the number of times indicated.

	1x	2x	3x	4x	5x	6x	7x	8x	9x	10x
1	1									
2 ABC	a	b	С	2	ä	á	à	â	ã	ç
3 DEF	d	е	f	3	ë	é	è	ê		
4 GHI	g	h	i	4	ï	Ì	ì	î		
5 m.	j	k	ı	5						
6ммо	m	n	0	6	ö	ñ	ó	ò	ô	õ
7 _{PQRS}	р	q	r	S	7	ß				
8 TUV	t	u	٧	8	ü	ú	ù	û		
9 _{wxrz}	w	х	у	z	9	ÿ	ý	æ	ø	å
0 -	1) 		,	?	!	4 ²⁾	0			

¹⁾ Space

²⁾ Line break

Industry Canada Certification

Operation is subject to the following two conditions (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

NOTICE: The Industry Canada label identifies certified equipment. This certification means that the equipment meets certain telecommunications network, protective, operational and safety requirements as prescribed in the appropriate Terminal Equipment Technical Requirements document(s). The Department does not guarantee the equipment will operate to the user's satisfaction.

Before installing this equipment, users should ensure that it is permissible to be connected to the facilities of the local telecommunications company. The equipment must also be installed using an acceptable method of connection. The customer should be aware that compliance with the above conditions may not prevent degradation of service in some situations.

Repairs to certified equipment should be coordinated by a representative designated by the supplier. Any repairs or alterations made by the user to this equipment, or equipment malfunctions, may give the telecommunications company cause to request the user to disconnect the equipment.

Users should ensure for their own protection that the electrical ground connections of the power utility, telephone lines and internal metallic water pipe system, if present, are connected together.

This precaution may be particularly important in rural areas

NOTE: Users should not attempt to make such connections themselves, but should contact the appropriate electric inspection authority, or electrician, as appropriate.

This product meets the applicable Industry Canada technical specifications.

The Ringer Equivalence Number is an indication of the maximum number of devices allowed to be connected to a telephone interface. The termination of an interface may consist of any combination of devices subject only to the requirement that the sum of the RENs of all devices does not exceed five.

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

FCC / ACTA Information

Warning: Changes or modifications to this unit not expressly approved by Gigaset Communications USA LLC could void the FCC authority to operate the equipment. This includes the addition of any external antenna device.

This equipment complies with Part 68 of the FCC rules and the requirements adopted by the ACTA. On the bottom of the base station is a label that contains, among other information, a product identifier in the format US:AAAEQ##TXXXX. If requested, this number must be provided to the telephone company.

A plug and jack used to connect this equipment to the premises wiring and telephone network must comply with the applicable FCC Part 68 rules and requirements adopted by the ACTA. A compliant telephone cord and modular plug is provided with this product. It is designed to be connected to a compatible modular jack that is also compliant. See installation instructions for details.

The REN is used to determine the number of devices that may be connected to a telephone line. Excessive RENs on a telephone line may result in the devices not ringing in response to an incoming call. In most but not all areas, the sum of RENs should not exceed five (5.0). To be certain of the number of devices that may be connected to a line, as determined by the total

FCC / ACTA Information

RENs, contact the local telephone company. For products approved after July 23, 2001, the REN for this product is part of the product identifier that has the format US:AAAEQ##TXXXX. The digits represented by ## are the REN without a decimal point (e.g., 03 is a REN of 0.3). For earlier products, the REN is separately shown on the label.

A copy of the supplier's Declaration of Conformity (SDoC) is available at this Internet address: www.gigaset.com/docs.

If this equipment causes harm to the telephone network, the telephone company will notify you in advance, that temporary discontinuance of service may be required. But if advance notice isn't practical, the telephone company will notify the customer as soon as possible. Also, you will be advised of your right to file a complaint with the FCC if you believe it is necessary.

The telephone company may make changes in its facilities, equipment, operations or procedures that could affect the operation of the equipment. If this happens the telephone company will provide advance notice in order for you to make necessary modifications to maintain uninterrupted service. If you experience trouble with this telephone system, disconnect it from the network until the problem has been corrected or until you are sure that the equipment is not malfunctioning.

If trouble is experienced with this equipment, for repair or warranty information, please contact Support at **1-866 247-8758** tollfree. If the equipment is causing harm to the telephone network, the telephone company may request that you disconnect the equipment until the problem is resolved. This equipment is of a type that is not intended to be repaired by the Customer (user).

This telephone system may not be used on coin service provided by the telephone company. Connection to party line service is subject to state tariffs. Contact the state public utility commission, public service commission or corporation commission for information. Privacy of communications may not be ensured when using this phone.

If your home has specially wired alarm equipment connected to the telephone line, ensure the installation of this equipment does not disable your alarm equipment. If you have questions about what will disable alarm equipment, consult your telephone company or a qualified installer.

This telephone system equipment has been tested and found to comply with the limits for Class B digital device, pursuant to Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. These limits are designed to provide reasonable protection against harmful interference in a residential installation. Some cordless telephones operate at frequencies that may cause interference to nearby TV's and VCR's; to minimize or prevent such interference, the system base should not be placed near or on top of a TV or VCR; and, if interference is experienced, moving the base farther away from the TV or VCR will often reduce or eliminate the interference. However, there is no guarantee that interference will not occur in a particular installation. If this telephone system does cause harmful interference to radio or television reception, which can be determined by turning the system off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- 1. Reorient or relocate the receiving antenna.
- 2. Increase the separation between the base station and receiver.
- 3. Connect the base station into an outlet on a circuit different from that to which the receiver is connected.
- 4. Consult the dealer or an experienced radio TV technician for help.

Notice for Direct Inward Dialing ("DID")

ALLOWING THIS EQUIPMENT TO BE OPERATED IN SUCH A MANNER AS TO NOT PROVIDE FOR PROPER ANSWER SUPERVISION IS A VIOLATION OF PART 68 OF THE FCC'S RULES.

Notice to Hearing Aid Wearers:

This phone system is compatible with inductively coupled hearing aids.

Power Outage:

In the event of a power outage, your cordless telephone will not operate. The cordless telephone requires electricity for operation. You should have a telephone that does not require electricity available for use during power outages.

Notice:

The installation of the base unit should allow at least 8 inches between the base and persons to be in compliance with FCC RF exposure guidelines.

For body worn operation, the portable part (handset) has been tested and meets FCC RF exposure guidelines. Use with an accessory that contains metal parts may not ensure compliance with FCC RF exposure guidelines.

Notice to telephone company service:

If you need service from your telephone company, please provide them with the information

- Facility interface Code (FIC)
- Service Order Code (SOC)
- Universal Service Order Code (USOC)

as indicated on the label on the bottom side of the base station.

Safety precautions

Before using your telephone equipment, basic safety instructions should always be followed to reduce the risk of fire, electric shock and injury to persons.

- 1. Read and understand all instructions.
- 2. Follow all warnings and instructions marked on the product.
- 3. Unplug this product from the wall telephone jack and power outlet before cleaning. Do not use liquid cleaners or aerosol cleaners. Use damp cloth for cleaning.
- 4. Do not use this product near water, for example, near a bathtub, wash bowl, kitchen sink, or laundry tub, in a wet basement or near a swimming pool.
- 5. Place this product securely on a stable surface. Serious damage and/or injury may result if the unit falls.
- 6. Slots or openings in the cabinet and the back and bottom are provided for ventilation, to protect it from overheating. These openings must not be blocked or covered. This product should never be placed near or over a radiator or heat register, or in a place where proper ventilation is not provided.
- 7. This product should be operated only from the type of power source indicated on the marking label. If you are not sure of the type of AC line power to your home, consult your dealer or local power company.
- 8. Do not place objects on the power cord. Install the unit where no one can step or trip on the cord.
- 9. Do not overload wall outlets and extension cords as this can result in the risk of fire or electric shock.

- 10. Never push objects of any kind into this product through cabinet slots as they may touch dangerous voltage points or short out parts that could result in the risk of fire or electric shock. Never spill liquid of any kind on this product.
- 11. To reduce the risk of electric shock or burns, do not disassemble this product. Take it to a qualified service center when service is required. Opening or removing covers may expose you to dangerous voltages, dangerous electrical current or other risks. Incorrect reassembly can cause electric shock when the appliance is subsequently used. Disconnect TNV circuit connector before removing cover.
- 12. Unplug the product from the wall outlet and refer servicing to qualified service personnel under the following conditions:
- a.) When the power cord is damaged or frayed.
- b.) If liquid has been spilled into the product.
- c.) If the product has been exposed to rain or water.
- d.) If the product does not operate normally by following the operating instructions. Adjust only those controls that are covered by the operating instructions because improper adjustment of other controls may result in damage and may require extensive work by a qualified technician to restore the product to normal operation.
- e.) If the product has been dropped or physically has been damaged.
- f.) If the product exhibits a distinct change in performance.
- 13. Avoid using a telephone (other than a cordless type) during a thunderstorm. There may be a remote risk of electrical shock from lightning. Therefore we suggest a surge arrestor.
- 14. Do not use the telephone to report a gas leak in the vicinity of the leak.
- 15. Emergency/911 numbers may not be dialed if the keypad is locked.
- 16. Minimum No. 26 AWG telecommunication line cord must be used with this phone.



3187698

ETL LISTED

CONFORMS TO ANSI/UL STD 60950-1 CERTIFIED TO CAN/CSA C22.2 No.60950-1

BATTERY SAFETY PRECAUTIONS

To reduce the risk of fire, injury or electric shock, and to properly dispose of batteries, please read and understand the following instructions.

CONTAINS NICKEL METAL HYDRIDE BATTERY. BATTERY MUST BE RECYCLED OR DISPOSED OF PROPERLY. DO NOT DISPOSE OF IN MUNICIPAL WASTE.

- 1. Only use the batteries specified for use with this product.
- 2. DO NOT USE NICKEL CADMIUM OR LITHIUM BATTERIES, or mix batteries of different sizes or from different manufacturers in this product. DO NOT USE NONRECHARGEABLE BATTERIES.
- 3. Do not dispose of the batteries in a fire; the cells may explode. Do not expose batteries to water. Check with local codes for special disposal instructions.
- 4. Do not open or mutilate the batteries. Released electrolyte is corrosive and may cause damage to the eyes or skin. The electrolyte may be toxic if swallowed.
- 5. Exercise care in handling the batteries in order not to short the batteries with conducting materials such as rings, bracelets, and keys. The batteries or conducting material may overheat and cause burns or fire.
- 6. Charge the batteries provided with, or identified for use with, this product only in accordance with the instructions and limitations specified in the user's manual. Do not attempt to charge the batteries with any means other than that specified in the users manual.
- 7. Periodically clean the charge contacts on both the charger and handset.

Service (Customer Care)

Customer Care Warranty for Cordless Products
To obtain Customer Care Warranty service,
product operation information, or for problem resolution, call:

Toll Free: 1-866 247-8758

End-user limited warranty

This product is covered by a one year limited warranty. Any repair replacement or warranty service, and all questions about this product should be directed to:

1-866 247-8758 tollfree.

This limited, non-transferable warranty is provided to the original buyer/end-consumer ("you") for systems, handsets and accessories (collectively, "Product") provided by Gigaset Communications USA LLC or Gigaset Communications Canada Inc. (collectively "Gigaset NAM"). Gigaset NAM warrants to you that at the date of purchase, the Product is free of defects in workmanship and materials and the software included in the Product will perform in substantial compliance to its program specifications.

1. WARRANTY PERIOD

The Product warranty period is one (1) year from the original date of purchase by you. Proof of purchase (e.g., sales slip or invoice) must be provided with any Product returned during the warranty period. Batteries supplied with the Products are warranted to be free from defects at the time of purchase only.

2. FXCLUSIVE REMEDY

Gigaset NAM's entire liability and your exclusive remedy if the Product is defective in materials or workmanship during the warranty period and is returned shall be that the Product will be repaired or replaced as set forth in Section 4 below. Reconditioned replacement components, parts or materials may be used in the replacement or repair. Data in the memory of the Product may be lost during repair.

3. THIS LIMITED WARRANTY DOES NOT COVER AND IS VOID WITH RESPECT TO THE FOLLOWING:

- Cosmetic damage, physical damage to the surface of the Product, including, without limitation, breakage, cracks, dents, scratches or adhesive marks on the LCD screen or outside casing of the Product.
- Products which have been repaired, maintained or modified (including the antenna) by anyone other than Gigaset NAM or a Gigaset NAM-approved repair facility, or that have been improperly installed.
- Cost of installation, removal or reinstallation.
- Damage due to any telephone, electronic, hardware or software program, network, Internet or computer malfunctions, failures, or difficulties of any kind, including without limitation, server failure or incomplete, incorrect, garbled or delayed computer transmissions.
- Equipment and components not manufactured, supplied or authorized by Gigaset NAM.
- Modification of the Product's components, or operation of the Product in an unsuitable environment or in a manner for which it is not intended, including but not limited to failures or defects caused by misuse, abuse, accidents, physical damage, abnormal operation, improper handling or storage, neglect, alterations, unauthorized installation, removal or

End-user limited warranty

repairs, failure to follow instructions, problems caused by the carrier's network coverage, exposure to fire, water or excessive moisture or dampness, floods, or extreme changes in climate or temperature, acts of God, riots, acts of terrorism, spills of food or liquids, viruses or other software flaws introduced into the Product or other acts which are not the fault of Gigaset NAM and which the Product is not specified to tolerate, including damage caused by mishandling or blown fuses.

- Products which have had warranty stickers, electronic serial number and/or serial number label removed, altered, rendered illegible or fraudulently applied to other equipment.
- Signal reception problems (unless caused by defect in material or workmanship in the Product).
- Products operated outside published maximum ratings.
- Performance of the Products when used in combination with other products or equipment not manufactured, supplied or authorized by Gigaset NAM.
- Consumables (such as batteries and fuses).
- Payments for labor or service to representatives or service centers not authorized to perform product maintenance by Gigaset NAM.
- Loss of data.
- Testing and examination discloses that the alleged defect or malfunction in the Product does not exist.

This warranty does not cover customer education, instruction, installation or removal, set up adjustments, problems related to service(s) provided by a carrier or other service provider, and/ or signal reception problems. Gigaset NAM shall not be responsible for software, firmware, information, or memory data contained in, stored on, or integrated with any Products returned for repair, whether under warranty or not. This warranty is valid only in the country in which it is purchased (i.e., the United States of America or Canada respectively, but not both).

USE WITH ACCESSORIES NOT SUPPLIED BY GIGASET NAM OR NOT OTHERWISE EXPRESSLY AUTHORIZED BY GIGASET NAM MAY VOID WARRANTY.

4. WARRANTY CLAIM PROCEDURE

All warranty claims must be made by notifying Gigaset NAM prior to the expiration of the warranty period. Gigaset NAM's obligation to provide warranty support shall not extend past the end of the warranty period, except that any product repaired or replaced during the warranty period shall continue to be warranted for the balance of such warranty period or thirty (30) days, whichever is greater.

Support service will be provided for you by accessing the toll free customer service number: 1-866 247-8758 tollfree

5. LIMITATION OF WARRANTY

Gigaset NAM makes no warranty or representation that the software in the Products will meet your requirements or will work in combination with any hardware or applications software products provided by third parties, that the operation of the software will be uninterrupted or error free, or that all defects in the software products will be corrected.

6. LIMITATION ON REMEDIES: NO CONSEQUENTIAL OR OTHER DAMAGES

Your exclusive remedy for any breach of this limited warranty is as set forth above. Except for any refund elected by Gigaset NAM, YOU ARE NOT ENTITLED TO ANY DAMAGES, INCLUDING BUT NOT LIMITED TO CONSEQUENTIAL DAMAGES, if the Product does not meet the limited warranty, and, to the maximum extent allowed by applicable law, even if any remedy fails of its essential purpose. The terms below ("Exclusion of Incidental, Consequential and Certain Other Damages") are also incorporated into this limited warranty. Some states/jurisdictions/provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This limited warranty gives you specific legal rights. You may have others which vary from state/jurisdiction/province to state/jurisdiction/province.

7. DISCLAIMER OF WARRANTIES

GIGASET NAM AND ITS SUPPLIERS PROVIDE THE PRODUCT AND SUPPORT SERVICES (IF ANY) AS IS AND WITH ALL FAULTS. THE LIMITED WARRANTY IS IN LIEU OF ANY OTHER EXPRESS WARRANTIES (IF ANY) CREATED BY ANY DOCUMENTATION OR PACKAGING EXCEPT FOR THE LIMITED WARRANTY, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW IS IN LIEU OF ANY IMPLIED OR STATUTORY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, OF ACCURACY OR COMPLETENESS OR RESPONSES, OF RESULTS, OF WORKMANLIKE EFFORT, OF LACK OF VIRUSES AND OF LACK OF NEGLIGENCE, ALL WITH REGARD TO THE PRODUCT, AND THE PROVISION OF OR FAILURE TO PROVIDE SUPPORT SERVICES, ALSO, THERE IS NO WARRANTY OR CONDITION OF TITLE, OUIET ENJOYMENT, OUIET POSSESSION, OR CORRESPONDENCE TO DESCRIPTION OR NONINFRINGEMENT WITH REGARD TO THE PRODUCT. Some states/ iurisdictions/provinces do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above exclusions or limitations may not apply to you. If an implied warranty or condition is created by your state/ province and federal or state/provincial law prohibits disclaimer of it, you also have an implied warranty or condition, BUT ONLY AS TO DEFECTS DISCOVERED DURING THE PERIOD OF THIS LIMITED WARRANTY (ONE YEAR), AS TO ANY DEFECTS DISCOVERED AFTER THE ONE YEAR PERIOD, THERE IS NO WARRANTY OR CONDITION OF ANY KIND. This limited warranty gives you specific legal rights, and you may also have other rights which vary from state to state/province to province. In no event shall Gigaset NAM's liability exceed the cost of repairing or replacing defective Products as provided herein, and any such liabilities will terminate upon expiration of the warranty period.

Any supplements or updates to the Product or the software in the Product, including without limitation, any (if any) software fixes or upgrades or bug fixes provided to you after the expiration of the one year limited warranty period are not covered by any warranty or condition, express, implied or statutory.

8. EXCLUSION OF INCIDENTAL, CONSEQUENTIAL AND CERTAIN OTHER DAMAGES

TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT SHALL GIGASET NAM, SELLER OR THEIR SUPPLIERS BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES WHATSOEVER (INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFITS OR CONFIDENTIAL OR OTHER INFORMATION, FOR BUSINESS INTERRUPTION, FOR PERSONAL INJURY, FOR LOSS OF PRIVACY, FOR FAILURE TO MEET ANY DUTY INCLUDING OF GOOD FAITH OR OF REASONABLE CARE, FOR NEGLIGENCE, AND FOR ANY OTHER PECUNIARY OR OTHER LOSS WHATSOEVER) ARISING OUT OF OR IN ANY WAY RELATED TO THE USE OF OR INABILITY TO USE THE PRODUCT, THE PROVISION OF OR FAILURE TO PROVIDE SUPPORT SERVICES, OR OTHERWISE UNDER OR IN CONNECTION WITH ANY PROVISION OF THIS LIMITED WARRANTY, EVEN IN THE EVENT OF THE FAULT, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY, BREACH OF CONTRACT OR BREACH OF WARRANTY OF GIGASET NAM OR SELLER OR

End-user limited warranty

ANY SUPPLIER, AND EVEN IF GIGASET NAM OR SELLER OR ANY SUPPLIER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. REPAIR OR REPLACEMENT, AS PROVIDED UNDER THE WARRANTY, IS YOUR SOLE AND EXCLUSIVE REMEDY FOR BREACH OF THE LIMITED WARRANTY.

9. LIMITATION OF LIABILITY AND REMEDIES

NOTWITHSTANDING ANY DAMAGES THAT YOU MIGHT INCUR FOR ANY REASON WHATSOEVER (INCLUDING, WITHOUT LIMITATION, ALL DAMAGES REFERENCED ABOVE AND ALL DIRECT OR GENERAL DAMAGES), THE ENTIRE LIABILITY OF GIGASET NAM, SELLER AND ANY OF THEIR SUPPLIERS UNDER ANY PROVISION OF THIS LIMITED WARRANTY AND YOUR EXCLUSIVE REMEDY FOR ALL OF THE FOREGOING (EXCEPT FOR ANY REMEDY OF REPAIR OR REPLACEMENT ELECTED BY GIGASET NAM OR SELLER OR SUPPLIER WITH RESPECT TO ANY BREACH OF THE LIMITED WARRANTY) SHALL BE LIMITED TO THE GREATER OF THE AMOUNT ACTUALLY PAID BY YOU FOR THE PRODUCT OR FIVE DOLLARS (\$5.00 USD/CAN). THE FOREGOING LIMITATIONS, EXCLUSIONS AND DISCLAIMERS SHALL APPLY TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, EVEN IF ANY REMEDY FAILS ITS ESSENTIAL PURPOSE.

10. GOVERNING LAW

If this Product was purchased in the United States of America this limited warranty will be governed by the laws of Texas, and exclude the United Nations Convention on Contracts for the International Sale of Goods. If this Product was purchased in Canada this limited warranty will be governed by the laws of the Province of Ontario and the federal laws of Canada applicable therein, and exclude the United Nations Convention on Contracts for the International Sale of Goods

If you want to learn more about Gigaset Service or for Support on your Gigaset phone, visit our web site at http://www.gigaset.com or please call 1-866 247-8758 tollfree.

Issued by

Gigaset Communications GmbH

Frankenstr. 2a, D-46395 Bocholt

© Gigaset Communications GmbH 2015

All rights reserved.

Subject to availability. Rights of modifications reserved.

Product attributes subject to change.

We reserve the right, to make changes without notice in equipment design and/or components.

Part Number: A31008-M2553-R301-1-3S19

© Copyright 2015.

53

Index	Call waiting
	external call
Δ.	external during an internal call 27
A	internal during an external call 27
Address book, see Phonebook	Calling
Advisory tones 24	external
Alarm clock	internal 27
Anniversary	Care
displaying missed	Care of the device 43
Anonymous calls off24	Changing
Answer call key1	display language 8
Answer machine	phone settings
answer machine list	settings 21
Appointment	Character charts 44
displaying missed	Charge status indicator
Area code	Charge status of the batteries 36
setting own area code21	Charging cradle (handset)
Assigning number key25	connecting 4
Auto Answer	setting up 4
simple19	Charging time of handset
·	Colour scheme
В	Connecting the headset 6
Baby monitor	Consultation call
Backlight, display22	internal
Base	Contact with liquid
setting up 4	Contents of the package 4
Base station	Control key
changing the settings 21	Correcting incorrect entries
Battery	Correction of incorrect entries 17
charging7	Customer Care
charging status36	customer care
display	D
icon	Deactivating
inserting5	baby monitor
Birthday, see Anniversary	Default setting
Broken display	Dialling
. ,	from the call list
C	using speed dial 25
Call	using the redial list
accepting	with directory
accepting automatically 22	Directory
external	saving entry
internal27	Display
transferring (connecting) 27	backlight
transferring internally (connecting) 27	broken
Call lists30	changing display language 8
deleting an entry 30	colour scheme
Call protection	network mailbox message 16
Call signal, visual22	phonebook memory
-	screensaver
	setting
	setting the backlight
en fr es	53

Index

Display icons	setting	2
Display keys	setting up	. 5
assigning	speaker volume	20
icons37	switching on/off	14
Displays	transferring a call	27
missed appointments/anniversaries 33	use as a baby monitor	34
Disposal	using multiple	27
-	Handsfree mode	19
E	Handsfree volume	20
Earpiece profile22	Hash key	. 1
Earpiece volume20	Headset socket	. 6
ECO DECT	Hearing aids	. 3
Emergency numbers	Help	40
not possible		
End call key1	I	
End call/End key18	lcon	
Ending a conference call 27	alarm clock	33
Entering special characters 17	Icons	
Entering special letters	displaying new messages	
Entering text	on display keys	37
Entering umlauts	status bar	36
Environment42	Idle status, returning to	16
Exclusion of liability	Internal	
External call	making calls	27
call waiting20	Internal call	27
transferring internally (connecting) 27	call waiting	27
External calls	Internal consultation call	27
time control for ringtone24	V	
F	K	
•	Key	
Factory settings 26	assigning to a function or number	
Field strength36	Profile key	
Flash key1	Key 1 (fast access)	. 1
G	Keys	
_	Answer call key	
Getting started4	control key	
Н	display keys	
Handset	End call key	
advisory tones 24	End call/End key	
changing the settings	fast access	
colour scheme	Flash key	
connecting the charging cradle 4	Hash key	
display backlight	Message key	
display language	On/off key	
earpiece volume	profiles	
idle status	side key	
list14	Star key	. 1
muting		
3		
registering		
restoring to default setting26		

L	Р
Language 8 display 8 LED light 1, 31 Liquid 43 List 30 answer machine 16 call lists 30 handsets 14 missed calls 30 outgoing calls 30 List entry 30 Locking/unlocking the keypad 14 Lower/upper case 17	Phone restoring to default setting 26 setting 21 Phonebook 28 copying number from text 30 opening 14 order of entries 28 sending entry/list to handset 29 sending to handset 29 Power adapter 3 Profile key 1, 31 Profiles 31 Protection against unwanted calls 24 Protection from anonymous callers 24
M	Q
Making calls accepting a call 19 external 18 internal 27 Managing the calendar 32 Marked characters 17 Medical equipment 3 Melody ringtone for internal/external calls 23 Memory in the phonebook 29 Menu opening 14 tree 38 Message key 1 Message lists 16 opening 16 Microphone 1 Missed anniversaries/appointments 33	Questions and answers. 40 R Range. 4 reducing 26 Redial list 18 Reducing radiation 26 Reducing transmission power 26 Registering (handset) 9 Restoring to default setting 26 Restoring to factory settings 26 Ringtone changing 23 melody for internal/external calls 23 silencing for anonymous calls 24 time control for external calls 24 Ringtones 23 S
Missed call 30 Muting the handset 20	Safety precautions 3
Number copying to the phonebook30 Numbers entering17	Saving a number in the directory. 28 Screensaver. 21 Searching in directory. 29 Selecting an entry from the phonebook. 29 Sending phonebook entry to handset. 29
0	Service (Customer Care)
On/off key .1 One touch call .19 Operating time of handset .43 Order in the phonebook .28	Setting options phone

Index

Setting up
handset
Side key
Signal tone, see Advisory tones
Silent alert
Simple Auto Answer19
Snooze mode (alarm)34
Sound profiles31
Sound, see Ringtone
Speaker19
Speed dial25
Star key
Status bar
icons36
Switching microphone (handset) on/off 20
т
•
Technical data43
Telephone
operating14
Telephone care
Three-way conference call
ending
Time control
ringtone for external calls
Torch function
Transferring an external call internally 27
Troubleshooting
general40
U
Upper/lower case
• •
V
Viewing network mailbox message 16
VIP ringtone
Visual call signal
Volume
handset handsfree/earpiece volume 20
W

Warning tone, see Advisory tones

Issued by Gigaset Communications GmbH Frankenstr. 2a, D-46395 Bocholt

© Gigaset Communications GmbH 2015
Subject to availability.
All rights reserved. Rights of modification reserved.
www.gigaset.com