



Information on the phone system:

→ Detailed and up-to-date operating guide for your Gigaset phone <u>www.gigaset.com/manuals</u>



Documentation relating to your base/router



Gigaset HX - the universal handset

With your Gigaset HX handset, you have purchased a high-quality, multifunctional and future-proof device.

You can use your handset with several different DECT bases.

On a Gigaset base

Connect your HX handset to a Gigaset base and use the many features with the quality you would expect from Gigaset.

If your Gigaset base is IP-compatible, you can also make broadband calls using your HX handset with the highest voice quality (HDSP).

In this guide, all functions that are available for your HX handset are detailed/described. The complete functionality with Gigaset bases is described in the guide relevant to your Gigaset system.

All Gigaset user guides can be found at - www.gigaset.com/manuals

On a DECT/GAP telephone or router from another manufacturer

The handset also functions with DECT/GAP telephones from other manufacturers, of course, as well as DECT routers. Additional information can be found at

→ www.gigaset.com/compatibility.

On DECT routers with CAT-iq 2.0/2.1

Your Gigaset HX handset is certified in accordance with the DECT/CAT-iq 2.0/2.1 standard. As a result, operation with a DECT router with CAT-iq functionality is possible.

Handset functions on a CAT-iq router (amongst others):

- full access to the central directory on the router as well as the local directory integrated in the handset,
- · convenient calling and using of call lists,
- using several lines and call numbers (the relevant scope of the function is dependent on the country, network and router),
- enjoy excellent audio quality (certified HD-Voice[™] quality).
- → Details can be found in the relevant user guide for your router.

Additional information regarding your HX handset can be found at -> www.gigaset.com/hx

Details regarding the functionality of the handset on various bases and routers can be found at www.gigaset.com/compatibility

Contents

Overview	4
Safety precautions	6
Getting started	7
Using the telephone	12
Getting to know your telephone	12
Making calls	16
Local answer machine	19
Call lists	20
Message lists	21
Directories	23
Local handset directory	23
Base directory	27
Assignment of the control key to a directory	27
Additional functions	28
Calendar	
Timer	30
Alarm clock	
Baby monitor	32
ECO DECT	33
Protection against unwanted calls	34
Setting the handset	
Appendix	48
Customer Service & Assistance	48
Manufacturer's advice	50
Technical data	52
Display icons	54
Index	56
Open Source Software	60



Not all functions described in the user guide are available in all countries or from all network providers.

Overview

1	Display			If multiple functions are listed, the
2	Status bar (🛶 p. 54)		\mathbf{U}	button function depends on the situation.
	Icons display current settings a status of the telephone	ind operating		Subject to technical and visual
3	Display keys (- p. 13)			modifications as part of the product improvement process.
	Various functions, depending of situation	on the operating		
	Changing key assignments (-+	p. 44)		
4	End call key / On/off key			
	End call; Cancel function; one level back	Press briefly		
	Back to idle mode; Switch the handset on/off	Press and hold		
5	Control key / Menu key (12)		
	Open a menu; navigate in men fields; access functions	us and entry		10:45
6	Hash key / Lock key			INT 1 3. Aug
	Lock/unlock the keypad; enter a dialling pause	Press and hold		1111 S./Ng
	Toggle between upper/lower case and digits	Press briefly		
7	Recall key			
	Consultation call (flash)	Press and hold		Calls Calendar 3
8	Microphone		13 —	
9	Star key		15 -	
	Switch the ringtone on/off	Press and hold	12 —	
	Open the table of special characters;	Press briefly		5
10	Headset connector (3.5 mm ja	ck)	11 —	- 1 ao 2 ABC 3 DEF
11	Key 1			
	Select answer machine/ network mailbox	Press and hold		4 GHI 5 °JKL 6 MNO
12	Talk key / Handsfree key			7 PORS 8 TUV 9 WXYZ
	Accept call; dial number displayed; switch between earpiece mode and handsfree mode; open the redial list	Press briefly	10 — 9 —	★ ↓ 0 ℝ # 6 7
	Start dialling	Press and hold	-	
13	Message key (
	Access to the call and message	lists;		

Access to the call and message lists; Flashes: new message or new call

Availability and operation of the functions may differ on your telephone.

Illustration in the user guide

Δ Warnings, which if not heeded, can result in injury to persons or damage to devices. 0

Important information regarding function and appropriate handling or functions that could generate costs.

Prerequisite for being able to carry out the following action.

Additional helpful information.

Keys

i

or 🌈	Talk key	G or 🔳	Handsfree key
6	End call key	0_to9	Number / letter keys
£2/ 🔲	Control key rim / centre		Message key
R	Recall key	*	Star key
# +0	Hash key		
OK, Back, Select, Change, Save,		Display keys	

Procedures

Example: Switching Auto answer on/off

▶ 🔲 ▶ 🔂 Settings ▶ OK ▶ 🗂 Telephony ▶ OK ▶ Auto Answer ▶ Change (M = activated)

Symbols	Meaning
•	Every arrow initiates an action.
	When in idle status press the centre of the control key. The main menu opens.
 ▶ (1) ▶ OK 	Navigate to the o icon using the control key . Select OK to confirm. The submenu Settings opens.
TelephonyOK	Select the Telephony entry using the control key [. Select OK to confirm. The submenu Telephony opens.
Auto Answer	The function to switch Auto answer on/off appears as the first menu item.
Change	Select Change to activate or deactivate. Function is activated 🗹 /deactivated 🔳.

Safety precautions

!i	Read the safety precautions and the user guide before use.
\wedge	The device cannot be used in the event of a power failure. In case of a power failure it is also not possible to make emergency calls .
	If the LAN or Internet connection is down, functions that require an Internet connection are not available, such as Internet telephony (VoIP), online directories and the Info Center.
	Emergency numbers cannot be dialled if the keypad/display lock is activated!
ø	Use only rechargeable batteries that correspond to the specification (see list of permitted batteries www.gigaset.com/service). Never use a conventional (non-rechargeable) battery or other battery types as this could result in significant health risks and personal injury. Rechargeable batteries, which are noticeably damaged, must be replaced.
^	The handset must not be operated if the battery cover is open.
<u>/!\</u>	Ensure that the batteries can not be short-circuited by objects in the battery compartment.
(4)	Do not use the devices in environments with a potential explosion hazard (e.g. paint shops).
X	The devices are not splashproof. For this reason do not install them in a damp environment such as bathrooms or shower rooms.
(In a)	Use only the power adapter indicated on the device.
U	Whilst charging, the power socket must be easily accessible.
1	Remove faulty devices from use or have them repaired by our Service team, as these could inter- fere with other wireless services.
	Do not use the device if the display is cracked or broken. Broken glass or plastic can cause injury to hands and face. Send the device to our Service department to be repaired.
	Do not hold the rear of the handset to your ear when it is ringing or when speaker mode is acti- vated. Otherwise you risk serious and permanent damage to your hearing.
	The phone may cause interference in analogue hearing aids (humming or whistling) or cause them to overload. If you require assistance, please contact the hearing aid supplier.
.	Keep small cells and batteries, which can be swallowed, out of the reach of children. Swallowing a battery can lead to burns, perforation of soft tissue and death. Severe burns can occur within 2 hours of swallowing. In the case of a swallowed cell or battery, seek medical care immediately.
•	Using your telephone may affect nearby medical equipment. Be aware of the technical conditions in your particular environment, e.g. doctor's surgery. If you use a medical device (e.g. a pace- maker), please contact the device manufacturer. They will be able to advise you regarding the susceptibility of the device to external sources of high frequency energy (for the specifications of your Gigaset product see "Technical data").

Getting started

Contents of the package

- One handset, one battery cover, two batteries, one charging cradle with power adapter, one belt clip
- 1 x user guide

The charging cradle is designed for use in closed, dry rooms within a temperature range of $+5^{\circ}$ C to $+45^{\circ}$ C.

Never expose the telephone to heat sources, direct sunlight or other electrical devices.

Protect your telephone from moisture, dust, corrosive liquids and vapours.


The device's feet do not usually leave any marks on surfaces. However, due to the multitude of different varnishes and polishes used on furniture, contact marks on the surfaces cannot be completely ruled out.

Connecting the charging cradle

- Connect the flat plug of the power adapter 1.
- Plug the mains unit into your power socket 2.

To remove the plug from the charging cradle again:

- Disconnect the power adapter from the mains power supply.
- Press the release button 3.
- Remove the flat plug 4.



Setting up the handset for use

The display is protected by a plastic film. > Please remove the protective film!

Inserting the batteries



Only use **rechargeable batteries** since otherwise major health risks and injury may result. For example, the outer casing of the batteries could be destroyed or the batteries could explode. The device could also malfunction or be damaged as a result of using batteries that are not of the recommended type.



 Insert the batteries (for correct +/- direction, see diagram).



- Fit the battery cover from the top.
- Press the cover until it clicks into place.




To re-open the battery cover:

 Insert a fingernail behind the notch at the top of the cover and slide it downwards.

Attaching the belt clip

The handset has notches on each side for attaching the belt clip.

- Attaching the belt clip: > Press the belt clip onto the back of the handset so that the tabs on the belt clip click into place in the notches.
- Removing the belt clip: > Press the centre of the belt clip firmly with your right thumb. > Push the nail of your left thumb up between the clip and the casing. > Slide the clip upwards to remove.



Charging the batteries

Charge the batteries fully prior to first use in the charging cradle.

The batteries are fully charged when the power icon *display* disappears from the display.





Batteries may heat up during charging. This is not dangerous.

After a time, the charge capacity of the battery will decrease for technical reasons.

Changing the display language

You can change the display language if the phone is set to a language not required.

- Press the centre of the control key
- Press the keys 6 and 5 slowly and successively... the language settings display appears, the set language (e. g. English) is highlighted (= selected).
- To select a different language: Press the control key until the desired language is highlighted on the display,
 e. g. Francais press the key on the right directly underneath the display to activate the language.



Deutsch	0
English	\odot
Francais	0

▶ To revert to idle status: ▶ Press and hold the End call key

Registering the handset (depending on the base)

Registration must be initiated on the base station and on the handset.

Both must be carried out within 60 secs.

On the base / On the router

- Gigaset base:
- Press and hold the Registration/Paging key on the base station (approx. 3 sec.).

Other base station/router:

Information regarding the registration procedure
 Documentation regarding your base/your router

On the handset

► Construction ► OK ► Construction ► OK ► Register Handset ► OK ... an available base is sought ► if required: enter system PIN (default setting on Gigaset bases: 0000) ► OK

Once registration is complete, the handset returns to idle status. The internal number of the handset appears in the display, e.g. **INT 1**. If not, repeat the procedure.

A handset can be registered to up to four base stations.

▶ ► ★ ★ Settings ► OK ► ★ Registration ► OK

Change of base:

Select Base > OK > use to select base or Best Base > Select
 (Q = selected)

Best Base: The handset chooses the base station with the best reception as soon as it loses connection to the current base station.

De-registering the handset (depending on the base):

De-register Handset
 OK
 OK ... the handset being used is selected
 use
 to select another handset if required
 OK
 enter system PIN if required
 OK
 Confirm de-registration with Yes

If the handset is still registered to other bases, it switches to the base with the best reception (**Best Base**).

Data protection

If the product is connected to the Internet via an IP base station or router, it will automatically connect to the Gigaset support server sending regular product specific information. This information will for example be used for firmware updates or to provide internet services.

For more information regarding the stored data, please visit - <u>www.gigaset.com</u>

Setting the date and time

Set the date/time so that the correct date and time can be assigned to incoming calls and to enable the alarm to be used.



Date and time are set using the base. The date and time can also be set on an IP-compatible base via a time server on the network.

If the base permits it, you can set the date and time manually using the handset.

Press the display key Time

or, if the date and time have already been set:

Settings > OK > Date/Time > OK

The active input position flashes.

Change input position: 🕨 🂽

To switch between the entry fields: 🕨 📺

Enter date:

enter the day, month and year in 8-digit format.

Enter time:

enter hours and minutes in 4-digit format.

Save settings:

Press the display key Save. ... Saved is shown in the display and a confirmation tone sounds.

Return to idle status:


Press and hold the End call key 5


The telephone is now ready for use.

Connecting the headset

 Use the 3.5 mm jack to connect the headset to the left-hand side of the handset 1.

The headset volume corresponds to the setting for the receiver volume.









Using the telephone

Getting to know your telephone

Switch the handset on/off

Switching on:
When the handset is switched off, press and hold the End call key

Switch off: • When the handset is in idle status, press and hold the End call key 👩

If you place a deactivated handset into the charging cradle, it will automatically activate itself.

Lock/unlock the keypad

The keypad lock prevents any accidental use of the telephone.

Lock/unlock the keypad: > #-- Press and hold

Keypad lock activated: the following symbol appears



If a call is indicated on the handset, the keypad automatically unlocks and you can accept the call. It then locks again when the call is finished.

It is not possible to call emergency numbers either when keypad lock is activated.

Control key



The control key enables you to navigate the menus and input fields, and also to call up certain functions depending on the situation.

In the description below, the side of the control key (up, down, right, left) that you have to press in the different operating situations is marked in black, e. g. for "press right on the control key" or for "press the centre of the control key".

In idle status

Open the directory Open the list of available online directories (Gigaset-IP base) or central directory of the base (e.g. CAT-iq base)

Open the main menu

Open the list of handsets





In submenus, selection and entry fields

Confirm a function

Availability and operation of the functions may differ on your telephone.

During a conversation

Open the directory

Open the list of available online directories (Gigaset-IP base) or central directory of the base (e.g. CAT-ig base)

Mute the microphone


Initiate an internal consultation call

Adjust the loudspeaker volume for receiver and handsfree mode

Press and **hold**

Display keys

The display keys perform a range of functions depending on the operating situation.



Display key icons 🛶 p. 54



When the phone is in idle, the display keys have pre-set functions, but they can be reassigned.

Menu guidance

The functions of your telephone are displayed in a menu that consists of several levels.



The menu guidance depends on the base. Depending on the number and type of available functions, these may be provided in different menus, e.g. at top level or in a submenu.

Examples: Audio Settings may be in the top-level menu or in the Settings submenu, while Calendar may be in the Organizer menu or the Additional Features menu.

Selecting/confirming functions

Confirm selection using	OK or press the centre of the control key 🔳	
One menu level back using	Back	
Change to idle status	🕝 Press a	ind hold
Switch function on/off using	Change	enabled 🗹 / disabled 🔳
Activate/deactivate option using	Select	activated 🔘 / not activated 🔘

Main menu

In idle status:
Press the centre of the control key
Select a submenu
OK

The main menu functions are shown in the display as icons. The icon for the selected function is highlighted in colour and the name of the associated function appears in the display header.

Submenus

The functions in the submenus are displayed as lists. To access a function: The select a function CK Return to the previous menu level:

Press the display key Back

or


Press the End call key briefly

Returning to idle status

Press and hold the End call key 5



If a key is not pressed, after 2 minutes the display will **automatically** change to idle status.



Example



Entering text

Input position

- > select an entry field. A field is activated when the cursor is blinking inside it.
- move the position of the cursor.

Correcting incorrect entries

Delete characters to the left of the cursor:

Delete **words** to the left of the cursor:

- C Press briefly
- C Press and hold

Entering letters/characters

Multiple letters and numbers are assigned to each key between 2 and 9 and the 0 key. As soon as a key is pressed, the possible characters are displayed at the bottom of the display. The selected character is highlighted.

- Selecting letters/numbers: > Press the key briefly several times in succession
- Switch between lower case, upper case and number entry mode: Press the hash key #-- When editing a directory entry, the first letter and each letter following a space is automatically in upper case.

The availability of special characters depends on the language setting.

Making calls

Making a call

Image: Second Second

or

press and hold the Talk key enter the number

Cancel dialling: Press the End call key

On an IP-capable Gigaset base

The connection is selected via the send connection (line) set for the handset. To use another line:

press and hold the Talk key select the line Dial meter the number ... the number is dialled approximately 3 seconds after the last digit is entered

Dialling a number from the local directory

▶ 🗊 open the directory ▶ 🗊 select an entry ▶ press the Talk key 🕜

If multiple numbers are entered:

▶ 🕞 select a number ▶ press the Talk key 🕜 . . . the number is dialled



For fast access (quick dial): Assign numbers from the directory to the digit or display keys.

Dialling from a public/central directory

Depending on the base to which the handset is connected, you can dial from a public directory or a central directory on a CAT-iq base.

press and hold

Dialling from the redial list

The redial list contains the 20 numbers last dialled with the handset.

▶ Briefly press the Talk key
... the redial list is opened ▶
select an entry ▶ press the Talk key
Talk key

If a name is displayed:

▶ View . . . the number is displayed ▶ browse numbers if necessary ▶ when the desired number is reached press the Talk key

Managing entries in the redial list

Briefly press the Talk key ... the redial list opens ... use to select an entry
 Options ... possible options:

Copy an entry to the directory: The Copy to Directory Copy the number to the display:

► Display number ► OK ► Use as required C to change or add ► T save as a new entry in the directory

Delete the selected entry: Delete entry OK Delete all entries: Content of Con

Dialling from the call list

► Call Lists ► OK ► Select a list ► OK ► Select an entry ► press the Talk key



The call lists can be displayed directly by pressing the display key **Calls** if the relevant function has been assigned to the display key.

The Missed calls list can also be opened by pressing the Message key **S**.

Incoming calls

An incoming call is indicated by ringing, by a display on the screen and by the flashing Talk (

Accepting a call:

- Press the Talk key
- If Auto Answer is activated: > Remove the handset from the charging cradle
- Forward to the answer machine: ► → oo
- Accept a call on the headset

Switch off ringtone: Silent ... the call can be accepted for as long as it is shown on the display

Cancel a call and transfer the number to the black list (when enabled):

Block Yes

Reject the call: Press the End call key 👩



When the black list is enabled (protection mode **Silent Call**), a call from a number entered in the black list is shown on the display with **((S))**.

During a conversation

Handsfree mode

Activating/deactivating handsfree mode during a call, when establishing a connection and when listening to the answer machine (where the system has a local answer machine):

Press the handsfree key

Placing the handset in the charging cradle during a call:

Press and hold down the handsfree key
 Place the handset in the charging cradle
 hold
 for a further 2 seconds

Call volume

Applies for the mode currently being used (handsfree, receiver or headset, when the handset has a headset connector):

Press Press b use to set the volume Save



The setting is automatically saved after around 3 seconds, even if **Save** is not pressed.

Muting the microphone

When the microphone is switched off, callers will no longer hear you.

Switch the microphone on/off during a call: Press

Local answer machine

(only on Gigaset bases with local answer machine)

Switching the answer machine on/off

► Image: Answer Machine ► OK ► Image: Activation ► OK ► Image: Select an answer machine (if there are several) ► Change ► Image: On or Off ► Save

Playing back messages

Recording a personal announcement/advisory message

- Answer Machine > OK > Announcements > OK > Record
 Announcem. or Rec. Advisory Msg. > OK > Select an answer machine (if there are several) > OK > OK > record an announcement (at least 3 seconds) ... possible options: Complete the recording and save:
 - End ... the announcement is played back for you to check

Cancel the recording:

Press the End call key or Back

Resume the recording:

► OK

Repeat the recording:

New

Call lists

The telephone saves different types of calls (missed, accepted and outgoing calls) in lists.



The base/router to which the handset is registered provides information on call numbers.

Detailed information can be found at -> www.gigaset.com/compatibility.

List entry

The following information is displayed in the list entries:


- The list type (in the header)
- Icon for the type of entry:




Mew missed calls

- Accepted calls
- C Outgoing calls (redial list)

Call on the answer machine (only for a system with a local answer machine)





- Call blocked, call in the black list
- Caller's number. If the number is stored in the directory, the name and number type
 (Phone (Home), Phone (Office), Phone (Mobile)) are shown instead. In the event of missed calls, the number of missed calls from this number is also shown in square brackets.
- Connection by which the call was received/made
- Date and time of call (if set)

Opening the call list

 Via the display key:
 ▶ Calls ▶ 😭 select list ▶ OK

 Via the menu:
 ▶ 😭 🚱 Call Lists ▶ OK ▶ 😭 select list ▶ OK

Via the Message key (missed calls):

Press the Message key Missed Calls: OK

Calling back a caller from the call list

► Call Lists ► OK ► Select list ► OK ► Select entry ► Press the Talk key

Additional options

🔲 🕨 😭 🌈 Call Lists	s ▶ OK ▶ 💽 select list ▶ OK possible options:
View an entry:	select entry 🕨 View
Number into directory:	
•	select entry > Options > 😭 Copy to Directory > OK
Number into black list:	
•	select entry > Options > 😭 Copy to Blocklist > OK
Delete an entry:	😭 select entry 🕨 Options 🕨 😭 Delete entry 🕨 OK
Delete list:	Options 🕨 🏹 Delete List 🕨 OK 🕨 Yes

Message lists

Notifications about missed calls, messages on the answering machine/network mailbox and missed alarms are saved in the messages list and can be shown on the handset display.

As soon as a **new message** arrives, an advisory tone will sound. The Message key **a**lso flashes (if activated). Activation from the handset is only possible on Gigaset bases. use the web interface as required for CAT-ig routers. Information \rightarrow user guide of the base/router.

Icons for message types and the number of new messages are shown on the idle display.

Notification for the following message types is available:

oo on the answer machine/network mailbox



in the missed calls list



in the missed alarms list



The icon for the network mailbox is always displayed, provided the number is stored in the telephone. The other lists are only displayed if they contain messages.

Display messages:

- Press the Message key _____. Messages lists that contain messages are displayed, Mailbox: is always displayed The number of new messages is shown in brackets.
- Select a list > OK ... the calls or messages are listed Network mailbox: The network mailbox number is dialled.



The message list contains an entry for every answer machine assigned to the handset, e.g. for the local answer machine on a Gigaset base/CAT-ig router (if available) or for a network mailbox.

Exampl	e	
(LL ?		
		07:15
INT 1		14 Oct
9	6×	31
02	10	08
Calls		Calendar

Example

Messages & Calls	
Missed Alarms:	(1)
Missed Calls:	(3)
Mailbox:	(0)
Answer Mach.:	(5)
Back	OK

Activating/deactivating Message key flashing

Receipt of new messages is displayed by a flashing message key on the handset. This type of alert can be activated/deactivated for each message type.

In idle status:

•	■ ▶ Press keys ★ # -• 0 = 5 # -• appears in the display ▶ use I to select the	
	Messages on the network mailbox missed calls	 7 4 7 5
	Messages on the answer machine (only for a system with a local answer machine)	▶ 7 7
	The number 9 followed by the entry (e.g. 975) i	s displayed, the
	current setting for the select message type fla	shes in the
	entry field (e.g. 0) 🕨 use 👫 to set the action f	or the arrival of
	new messages:	
	The Message key flashes	▶ 0 -
	The Message key does not flash	▶ 1 ∞
	Confirm colocted cotting with OV	

• Confirm selected setting with **OK**

or

return to idle display without making changes: Back



Directories

Local handset directory

The local directory is unique to the handset. However, it is possible to send entries to other handsets.



Information about online directories on IP-capable bases and central directories on CAT-iq bases \rightarrow user guide of the base.

Opening the directory

Briefly press , in idle status



Changing the assignment of the control key 🔲 to a directory: 🛶 p. 27

Directory entries

Number of entries:	up to 200
Information:	First name and surname, up to three telephone numbers, anniversary with alert, VIP ringtone with VIP icon
Length of the entries:	Numbers: max. 32 digits First name, surname: max. 16 characters

Creating an entry

► C < New entry> ► OK ► Switch between the entry fields

Name:

enter the first and/or last name

Numbers:

► Tel.1 - Type ► Select a number type (Home, Office or Mobile) ► T ► The enter a number

Tel.1 - Type/Tel.2 - Type/Tel.3 - Type 🕨 📑 enter a number

Anniversary:

activate/deactivate Anniversary > I enter date
 and time > select type of alert (Visual only or a ringtone)

Example



Caller Melody (VIP):

 Select the ringtone that will indicate a call from the participant ... if a Caller Melody (VIP) has been assigned, the entry will appear in the directory with the VIP icon.

Save entry: Save



The entry is only valid if it contains at least one number.

Searching for/selecting a directory entry

Image: Second s
or
► □ ► □ ► □ ► □ ← □ ← □ ← □ ← □ ← □ ← □
Scroll through directory:
Displaying/changing an entry
Image: Select entry > View > Image: Select the field to be changed > Edit
or
▶ ■ select an entry ▶ Options ▶ Edit entry ▶ OK
Deleting entries
Delete the selected entry:

Setting the order of the directory entries

Directory entries can be sorted by first name or surname.

Options) Sort by Surname / Sort by First Name

If no name was entered, the default telephone number is shown in the surname field. These entries appear at the beginning of the list, regardless of how the entries are sorted.

The sort order is as follows:

Space | Digits (0-9) | Letters (alphabetically) | Other characters.

Displaying the number of entries available in the directory

▶ ↓ Options ▶ ↑ Available Memory ▶ OK

Copying number to the directory

Copy numbers to the directory:

- From a list e.g. the call list or the redial list
- When dialling a number

The number is displayed or highlighted.

Press the display key or Options (Copy to Directory) OK ... possible options: Create a new entry:

<New entry> > OK > select number type > OK > complete entry > Save

Add number to an existing entry:

Select an entry > OK > Save
 OK ... the number is entered or a prompt to overwrite an existing number is displayed > if required, answer the prompt with Yes/No > Save

Copying an entry/directory



The sending and receiving handset must both be registered to the same base station. The other handset and the base station are able to send and receive directory entries.



An external call interrupts the transfer.

Sounds are not transferred. Only the date is transferred for an anniversary.

Both handsets support vCards

- No entry with the name is available: a new entry is created.
- An entry with the name is already available: The entry is expanded to include the new numbers. If the entry contains more numbers than allowed by the recipient handset, a second entry is created with the same name.

The recipient handset does not support vCards

A separate entry is created and sent for each number.

The sending handset does not support vCards

A new entry is created on the receiving handset and the transferred number is added to the **Phone (Home)** field. If an entry with this number already exists, the copied number is discarded.

Copying individual entries

▶ ■ select the desired entry ▶ Options ▶ ■ Copy entry ▶ OK ▶ ■ to Internal ▶
 OK ▶ ■ select the receiving handset ▶ OK ... the entry is copied

Copy the next entry after successful transfer: > Press Yes or No

Copying the entire directory

▶ Options ▶ Copy all ▶ OK ▶ To Internal ▶ OK ▶ Select the receiving handset ▶ OK ... the entries are copied one after the other

Base directory

(depending on the base)

If the DECT base (on a CAT-iq router for example) provides a separate directory, it can also be displayed and edited on the handset.

► Image: Contacts ► OK ► Image: Base Directory ► OK ... The first entry in the phone directory is displayed

or

Press and hold the Control button

For information on the base directory: -> Documentation relating to your base/router

Assignment of the control key to a directory

Changing the assignment of the control key to a directory

Briefly press the control key **[__** to open the preferred directory. The default directory is the local one.

The preferred directory is the one

- opened with a brief press of the control key
- into which a number is transferred using when it is dialled
- in which a search is performed for the right name for a phone number (such as for an incoming call for showing in the display or when transferring a call to a list)

The local directory is the default preferred directory.

Changing the preferred directory:

► Contacts ► OK ► Preferred Directory ► OK ► Select Handset Directory or Base Directory ► OK

Additional functions

The functions actually available on your telephone and how they are operated depends on the base/router to which the handset is registered.

The procedure required for your telephone may differ from the procedures described here. Depending on the number and type of available functions, these may be provided in different menus, e.g. at top level or in a submenu.



Additional information

Regarding the telephone system, if the handset is connected to a Gigaset base:

→ User guide for your Gigaset telephone

Regarding the telephone system, if the handset is connected to another base/router:

- → Documentation regarding your base/your router
- All Gigaset user guides in PDF format:
- → <u>www.gigaset.com/manuals</u>

Calendar

You can remind yourself of up to 30 appointments.

In the calendar, the current day is outlined in white; on days with appointments, the numbers are displayed in colour. When a day is selected, it will be outlined in colour.



Saving appointments to the calendar



Date and time have been set.

► ■ ► The Addit OK then	ional Features 🕨 OK 🕨 🏹 Calendar 🕨 OK 🕨 💽 select desired day 🕨	
Switch on/off:	Activation: select On or Off	
Enter date:	Date the selected day has been pre-set	
Enter time:	Time Image And A the appointment of the appointment	
Set name:	 Text > Text a description of the appointment (e.g. evening meal, meeting) 	
Set alarm tone:	► Signal ► Select the melody of the reminder alarm or deactivate the acoustic signal	
Enter information for the appointment:		
	select successively Date, Time, Text and Signal b use The or	
	to set the relevant value > Save	
Save appointment:	► Save	
	nt has already been entered: () () (New entry>) OK) then enter the appointment.	

Notification of appointments/anniversaries

Anniversaries are transferred from the directory and displayed as an appointment. An appointment/anniversary is displayed in idle status and the selected ringtone plays for 60 seconds as a notification.

Acknowledge and stop the reminder: Press the display key OFF



During a call, a reminder is indicated on the handset **once** with an advisory tone on the handset.

Displaying missed appointments/anniversaries

The following appointments and anniversaries are saved in the Missed Alarms list:

- The appointment/anniversary call was not acknowledged. ٠
- The appointment/anniversary was notified during a phone call. •
- The handset was switched off at the time of the appointment/anniversary.

The last 10 entries are stored. The 😤 icon and the number of new entries are shown in the display. The most recent entry appears at the top of the list.

Opening the list

Press the Message key Missed Alarms: OK Source through the list of any appointments

or

🕨 🥅 🕨 🚰 🛃 Additional Features 🕨 OK 🕨 😭 Missed Alarms 🕨 OK

Each entry is displayed with the number or name, date and time. The most recent entry appears at the top of the list.

Delete an appointment/anniversary: > Delete

Displaying/changing/deleting stored appointments Additional Features ▶ OK ▶ Calendar ▶ OK ▶ Select day ▶ OK... the appointment list is displayed ▶ Select date ... possible options: Display appointment details: View ... the appointment settings are displayed Change appointment: View ▶ Edit or ▶ Options ▶ Edit entry ▶ OK Activate/deactivate appointment: Options ▶ Activate/Deactivate ▶ OK Delete appointment: Options ▶ Delete entry ▶ OK Delete all appointments for a day: Poptions ▶ Delete all Appoints. ▶ OK ▶ Yes

Timer

Setting the timer (countdown)

Additional Features > OK > Timer > OK ... then

Enable/disable:

- Activation: select On or Off
- Set the duration:
- Duration b use to enter the hours and minutes for the timer

Min.: 00:01 (one minute); Max.: 23:59 (23 hours, 59 minutes)

Save the timer: Save

The timer starts the countdown. In the idle display, icon 🕥 and the remaining hours and minutes are displayed until one minute is left. From this point, the remaining seconds are counted down. At the end of the countdown, the alarm is triggered.

Disabling/repeating the alarm

Switch off the alarm: > OFF

Repeat the alarm:

 Restart ... the timer display is displayed again > set another duration as required > Save ... the countdown is restarted

Alarm clock



Date and time have been set.

Activating/deactivating the alarm clock and setting the wake-up time

► Im ► Im Additional Features ► OK ► Im Alarm Clock ► OK ... then

Switch on/off: Activation: Select On or Off

Setting the wake-up time:

🕨 🏹 Time 🕨 🖡	enter hours and minutes
--------------	-------------------------

- Set days:

 Occurrence

 switch between Monday-Friday and Daily

 Volume

 volume in 5 levels s or select crescendo (increasing volume)

 Set alarm:

 Melody

 select a ringtone for the alarm

 select successively Time, Occurrence, Volume and Melody
 - use 🌆 or 🏹 to set the relevant value 🕨 Save

Save settings: Save

When the alarm clock is activated, the icon 🙆 and the wake-up time are displayed in idle display.

Alarm

An alarm is shown on the display and indicated by the selected ringtone melody. The alarm sounds for 60 seconds. If no key is pressed, the alarm is repeated after 5 minutes. After the second repetition, the alarm call is deactivated for 24 hours.



During a call, the alarm is only indicated by a short tone.

Switching off/repeating the alarm after an interval (snooze mode)

Deactivate the alarm: > OFF

Repeat the alarm (snooze mode): Press **Snooze** or any key ... the alarm is switched off and repeated after 5 minutes.

Baby monitor

When the baby monitor is switched on, the stored (internal or external) destination number is called as soon as a defined noise level is exceeded in the vicinity of the handset. The alarm to an external number is cancelled after approximately 90 seconds.

You can answer the alarm using the **Two Way Talk** function. This function is used to switch the loudspeaker of the handset located in the baby's room on or off.

In baby monitor mode, incoming calls are only indicated on the display (**without ringtone**). The display backlight is reduced to 50%. Advisory tones are deactivated. All keys are locked, with the exception of the display keys and the centre of the control key.

If you accept an incoming call, the baby monitor mode is suspended for the duration of the call, but the function **remains** activated. The baby monitor mode is not deactivated by switching the handset off and on again.



The handset should be positioned 1 to 2 metres away from the baby. The microphone must point towards the baby.

Activating the function reduces the operating time of your handset. For that reason, place the handset in the charging cradle if necessary.

The baby monitor is activated 20 seconds after switching on.


The microphone of the handsfree device is always used, even if a headset is connected.

The answer machine for the destination number must be switched off.

After switching on:

- Test sensitivity.
- > Test the connection, if the alarm is being forwarded to an external number.

Activating and setting the baby monitor



Baby Monitor activated



The destination number is displayed in idle display when the baby monitor is activated.

Deactivate baby monitor / Cancel alarm

Deactivate the baby monitor:

> In idle status press the display key OFF

Cancel the alarm:

Press the End call key during an alarm

Deactivate the baby monitor remotely



The alarm is forwarded to an external destination number.

The receiving phone supports tone dialling.

Accept alarm call > Press keys 9 #

The baby monitor is deactivated and the handset is in idle status. The baby monitor settings on the handset (e.g. no ringtone) will remain activated until you press the display key **OFF**.



The baby monitor cannot be reactivated remotely.

Reactivate: 🛶 p. 32

ECO DECT

(depending on the base)

The device range is set to maximum as default. This guarantees the best connection between the handset and the base station. In idle status, the handset will not function (as it is not transmitting). Only the base station will maintain contact with the handset via a low wireless signal. During a call, the transmission power automatically adapts to the distance between the base station and handset. The smaller the distance to the base, the lower the radiation.

To reduce the radiation further:

Reducing radiation by up to 80%

► ECO DECT ► OK ► Change = deactivated)
► Change (■ = deactivated)



The range is also reduced with this setting.

It is not possible to use a repeater to increase the range.

Deactivating radiation in idle status



To benefit from the advantages of the setting **No Radiation**, all registered handsets must support this feature.

If the setting **No Radiation** is activated and a handset is registered to the base that does not support this feature, **No Radiation** is automatically deactivated. As soon as this handset is de-registered, **No Radiation** will automatically be re-activated.

The wireless connection will only be established for an incoming or outgoing call and the connection will be delayed by about 2 seconds.

In order that a handset can establish a wireless connection with the base station more quickly for an incoming call, it must "listen" to the base station more often, i.e. scan the environment. This increases power consumption and reduces the standby and talk-time of the handset.

When **No Radiation** is activated, there will be no range display/range alarm on the handset. Contactability can be tested by attempting to establish a connection.

Press and hold the Talk key ... the dialling tone sounds.

Protection against unwanted calls

Time control for external calls



Date and time have been set.

Enter a time period during which the handset should suspend ringing to indicate external calls e.g. during the night.

Control Change ... then
 Change ... then

Select On or Off

format Save

switch between Suspend ring.
 from and Suspend ring. until
 enter start and end in 4-digit

Example



Save:

i

Switch on/off:

Enter time:

The time control only applies to the handset for which the setting is configured.

The telephone will continue to ring for numbers that have been assigned to a VIP group in the directory.

Protection from anonymous callers

The handset will not ring if callers' numbers are not revealed. This setting can be applied to only one or to all registered handsets.

For one handset

► Construction > Construction >

For all handsets

(only on some Gigaset bases)

►	🔲 🕨 💽 🚺 Settings 🕨 OK 🕨 💭 Telephony 🕨 OK 🕨 Anonymous Calls 🕨 Edit				
	(🗹 = activated) 🕨 💽 select Protection Mode:				
	No Protection	Anonymous calls are indicated in the same way as identified numbers.			
	Silent Call	The telephone will not ring and the incoming call will only appear in the display.			
	Block Call	The telephone will not ring and the incoming call will not appear in the display. The caller will hear the busy tone.			
	Save settings:	Save			

Only put through known callers

(not on all bases)



The system PIN is not 0000 (default).

Only callers entered in the directory are put through:

Find the setting the temperature of the set of the s

 $(\mathbf{M} = enabled)$

When the function is enabled, the 🛄 icon is shown on the display.



As soon as one of your contacts changes his or her number, this number must also be changed in the directory. **Otherwise you will no longer receive calls from this contact.**

Black list

When the black list function is activated, calls from black list numbers are not indicated or are only indicated in the display.

The black list is enabled (denoted by vin the menu) when **Silent Call** or **Block Call** is selected as the protection mode. It is enabled automatically with the first entry.

Setting the protection mode

Image: Settings > OK > Telephony > Telephony > OK > Telephony > OK > Telephony > Telephony > OK > Telephony > Tele

Protection Mode > OK > Select desired protection

No Protection	All calls are indicated, including from callers whose numbers are on the black list.
Silent Call	The telephone will not ring and the incoming call will only appear in the display.
Block Call	The telephone will not ring and the incoming call will not appear in the display.
Save settings:	Save

Displaying/editing the black list

🔲 🕨 🔃 🚺 Settin	ngs	▶ OK ▶ Telephony ▶ OK ▶ T Blocklist ▶ OK ▶ Blocked
Numbers > OK th	e li	st of blocked numbers is displayed possible options:
First entry:	►	New 🕨 🌆 enter the number 🕨 Save
Another entry:	►	Options 🕨 New entry 🕨 OK 🕨 🚰 enter the number 🕨 Save
	Blo	ocking a number range:
		Only enter the starting digits of the number > Confirm the Add this number as a pattern? prompt with Yes
	Fo	r dynamic black list, protect number before deletion:
	►	Confirm the Lock this number? prompt with Yes
Change entry:	►	select an entry > Options > 😭 Edit entry > OK
Protect a number:		💽 select an entry 🕨 Options 🕨 💽 Lock number 🕨
		Edit (\mathbf{M} = enabled) The number in the list is given the $\mathbf{\hat{m}}$
		symbol, it is also not deleted if the dynamic black list is enabled
Searching for a number	er:	
Delete entry: Delete list:		Options ▶ Search ▶ OK ▶ Image: enter the number ▶ Search Select an entry ▶ Options ▶ OK ▶ Delete entry Options ▶ Image: Delete all ▶ OK ▶ Yes
	Numbers > OK th First entry: Another entry: Change entry: Protect a number: Searching for a number Delete entry:	Numbers > OK the li First entry: > Another entry: > Blo Blo Change entry: > Protect a number: > Searching for a number: Delete entry: >

Transferring a caller number to the black list



Phone numbers transferred to the black list are only blocked when the black list is enabled.

On incoming call (only possible when black list enabled)

Press the Display key **Block** Yes . . . The phone number is saved to the black list

During a call

▶ Options ▶ Block Number ▶ Yes... The call is cancelled and the phone number saved to the black list

Transferring a number from a call list to the black list

Call Lists > OK > Select Accepted calls/Missed calls > OK > Select entry > Options > Copy to Blocklist > OK

Calls from blocked numbers are displayed in the call list with symbol 🛐.

Dynamic black list

A spam number is not usually active for a long time. New call numbers are generated continually for the same cold calls. However, the number of black list entries is limited by the storage space.

The black list is managed as a dynamic list. The oldest number is removed from the list when the list is full, and a new number is entered.

Enabling/disabling dynamic function:



Activating/deactivating first ring muting

When the black list is enabled, the first ringtone is always suppressed (to first analyse the black list). Enabling/disabling suppression of the first ringtone (when the phone is idle):

(e.g. 1) . . . then

Do not mute the first ringtone:

Mute the first ringtone (default setting):

0 _	۲	ОК
1 -	۲	ОК

Setting the handset

Setting the date and time manually

(depending on the base)

To ensure you have the correct time for incoming calls and to use the alarm clock and calendar, for example, the date and time must be set.




The address of a time server in the Internet is stored in the phone/router. The date and time are taken from this time server provided the phone/router is connected to the Internet and synchronisation with the time server is activated. Manual settings are overwritten in this case.

If the date and time have not yet been set on the handset, the display key Time appears.

> Press the display key Time

or



Changing the language

► Select (O = selected)
► Select (O = selected)

If the handset has been set to an incomprehensible language:

Press the keys 6 5 slowly one after the other F select the correct language press the right display key

Select country

Select the country where you are using the phone. Your selection is used for country-specific defaults.

► Country ► OK ► Telephony ► OK ► Country ► OK ► Select the country ► Select (= selected)

Display

Screensaver

(depending on the base)

A digital or analogue clock and info services can be selected to be displayed as a screensaver when in idle status.

►	🔲 🕨 💽 Settings 🕨 OK 🕨 💭 Display 🕨 OK 🕨 🏹 Screensaver 🕨 Edit (🗹 = on)
	then

Switch on/off: Select screensaver:	 Activation: select On or Off Selection Select a screensaver (Digital Clock / Analog Clock / Info Services)
View screensaver:	View
Save selection:	Save

The screensaver is activated approx. 10 seconds after the display has changed to idle status.

End screensaver

> Press the End call key **briefly** ... the display changes to idle status

Display of info services as screensaver

(only on a Gigaset-IP base)



Info Services are activated via the web configurator.

The telephone is connected to the Internet.

Example: Enable weather service as screensaver

Enable info services as screensaver:

► Construction: On ► Constru

Select locations:

► Content Additional Features ► Info Centre ► Weather ► OK ► Add locations ► OK ► specify location names with ► OK ... a list of locations with this name is displayed ► select location with ► OK ► Save

Multiple locations can be entered. Once you have entered all locations required: > Use <- to go back

Enable screensaver:

Additional Features > Info Centre > Screensaver > OK >
Weather > OK > select location with > Save



The type of info service available to your phone is set on the Internet on the Gigaset.net server.

If no information is currently available, the digital time (**Digital Clock**) is displayed instead until information is available again.

Switching Info Services on/off

(only on a Gigaset-IP base)

The text information from the Internet that is set for the screensaver **Info Services** can be displayed as a scrolling message in idle status.

Settings > OK > Display > Display > OK > Display > Display > OK > Display > Display > OK > Display > Display > OK > Display > Display

The text appears as soon as the telephone changes to idle status. If a message is shown in idle status, the info text is not displayed.

Large font

Show text and icons in call lists and in the directory in a larger size in order to improve legibility. Only one entry is shown in the display and names are abbreviated if necessary. The number is displayed in large font when it is dialled.

► Image Settings ► OK ► Image Display ► OK ► Image Large Font ► Change (Image = activated)

Colour scheme

You can choose from a range of colour combinations for the display.

■ ► 💽 Settings ► OK ► 💭 Display ► OK ► 💭 Colour Schemes ► OK ►
select the desired colour scheme > Select (🔘 = selected)

Display backlight

The display backlight always illuminates when the handset is taken out of the base station/ charging cradle or when a key is pressed. Any **digit keys** that are pressed appear on the display for pre-dialling.

Switch the display backlight on/off when in idle status:



The handset's standby time may be significantly reduced if the display backlight is switched on.

Changing the earpiece and handsfree volume

You can set the volume of the earpiece and speaker at 5 levels independently of each other.

During a conversation

Handset Volume France Select volume Save ... the setting is saved



Without saving, the setting is automatically saved after around 3 seconds.

In idle status

🔳 🕨 🚰 🚺 Settings 🕨 OK 🕨 🏹 Audio Settings 🕨 OK 🕨 Handset Volume 🕨 OK ... ſ

For the earpiece:

Earpiece: set the volume

For the speaker: Save settings:

Speaker > set the volume

Save

Earpiece and handsfree profile

Select a profile for the earpiece and handsfree mode in order to adapt the telephone as much as possible to the surroundings. Check which is the most comfortable profile for you and your caller.

Im I Acoustic Profiles Earpiece Profiles / Handsfree Profiles > OK > 😭 select profile > Select (= selected)

Earpiece Profiles: High or Low (default setting)

Handsfree Profiles: Profile 1 (default setting) or Profile 2

Ringtones

Ringtone volume

Volume can be set at 5 levels or crescendo (increasing volume).

Image: Settings Content of the settings of the setting of the s OK > Volume > OK > T select For internal calls and alarms or External Calls > T set volume > Save

Ringtone melody

Set different ringtones for internal and external calls for every available receive connection of the telephone (**Fixed Line**, **IP1**) or set the same ringtone for **All calls**.

► Construction ►

Switching the ringtone on/off

Switching the ringtone off permanently

Press and hold * • ... the following icon appears in the status bar X

Switching the ringtone on permanently

Press and hold * •

Switching the ringtone off for the current call

Press Silent or the End call key 5

Switching the alert tone (beep) on/off

Switch on an alert tone (beep) instead of the ringtone:

Press and hold the star key * > Press Beep within 3 seconds ... the following icon appears in the status bar 4

Switching off the alert tone: > Press and hold the star key * a

Switching advisory tones on/off

The handset notifies acoustically about different activities and statuses. These advisory tones can be switched on/off independently of each other.

► Image: Settings ► OK ► Image: Audio Settings ► OK ► Image: Advisory Tones ► OK ... then

Tone when keys are pressed:

Key Tones: select On or Off

Confirmation/error tone after making entries, advisory tone when a new message has been received:

Confirmation Select On or Off

Warning tone when there are fewer than 10 minutes of talktime remaining (every 60 seconds):

Battery F Select On or Off

Warning tone when the handset is moved out of range of the base station:

Save

Out of Range: select On or Off

Save settings:

Availability and operation of the functions may differ on your telephone.



There is no battery warning when the baby monitor is switched on.

Auto answer

When Auto answer is enabled, the handset accepts an incoming call as soon as it is removed from the charging cradle.

► Change Settings ► OK ► Telephony ► OK ► Auto Answer ► Change (M = activated)

Regardless of the **Auto Answer** setting, the connection ends as soon as you place the handset back in the charging cradle.

Fast access to numbers and functions

Assigning a number to digit keys (quick dial)

It is possible to assign a number from the directory to the keys 2 to 9.



A number has not been assigned to the digit key.

Press and hold the digit key

or

Briefly press the digit key > Press the display key QuickDial

The directory opens.

▶ use to select an entry ▶ OK ▶ use to select a number if necessary ▶ OK ... the entry is saved to the digit key



If the entry in the directory is deleted later, this will not affect the assignment of the digit key.

Dialling a number

Press and hold the digit key ... the number is dialled immediately

or

 Briefly press the digit key . . . the number/name (possibly in abbreviated form) is shown on the left display key > press the display key . . . the number is dialled

Changing the digit key assignment

▶ Briefly press the digit key ▶ Change ... the directory is opened ... possible options:

Change the assignment:

Select an entry Solution of the select a number if required Solution of the select and the se

Delete the assignment:

Clear Key

Availability and operation of the functions may differ on your telephone.

Assigning display keys / Changing assignments

The left and right display keys have a **function** preset by default when in idle mode. The key can be re-assigned.

Press and hold the left or right display key in idle status... the list of possible key assignments is opened

 Select the function
 OK ... The assignment of the display key is changed

Possible functions: Alarm Clock, Redial, Handset Directory . . . More functions are available in More Functions...



The availability of functions depends on the base.

Starting a function

With the telephone in idle status: > Briefly press ... the assigned function is executed

Changing the name of a connection (line)

(only on a CAT-iq router)

Assigning handsets to a connection (line)

(only on a CAT-iq router)

Multiple handsets can be assigned to a connection. Incoming calls to the number designated to a connection will be forwarded to all handsets assigned to the connection.

► Telephony ► OK ► Telephony ► OK ► Connections ► OK ►
 Select connection ► OK ► Assigned Handsets ... all registered handsets are displayed ► Select handset ► Change (= handset is assigned)

Permit/prevent multiple calls

(only on a CAT-iq router)

If the function is activated, multiple calls can be made in parallel.

► Connections ► OK ► Telephony ► OK ► Connections ► OK ► Select connection ► OK ► Multiple Calls ► Change (= activated)

Permit/prevent internal listening in

(only on a CAT-iq router)

If the function is enabled, an internal party can listen in to an external call and take part in the conversation (conference).

► Connections ► OK ► Telephony ► OK ► Connections ► OK ► Select connection ► OK ► Listening In ► OK ► Change (= activated)

Show system and line statuses

(only on a CAT-iq base, V2.1 and later)

Showing the system status

Settings > OK > Telephony > OK > Diagnostic > OK > System > OK ... The System Status is shown (OK or Error)

When there is a system error, show information on the fault cause: > Details

Show line status

Show more information (dependent on status): > Details

Example: Line Status = Error, Details shows additional information on the type of fault



Status details are only updated when the relevant menu is accessed. If the status changes during the display, the data is not updated.

Show status messages in idle display

If a status display is enabled, relevant messages are shown in the idle display. If there is more than one active message, the one with the highest priority is shown, e.g. **System error** or **Line error** before **Call Divert active**.

111	
	10:45
INT 1	3rd Aug
Call	Divert
ac	tive
Calls	Calendar

Example

Handset update

The handset supports firmware updating via the DECT radio link to the base/router (SUOTA = Software Update Over The Air).



The base/router to which the handset is registered must also support this function (
www.gigaset.com/compatibility)

The phone checks whether new firmware is available for the handset. If it is, a message is displayed.

Start the firmware update with Yes.

Enable/disable automatic check for new firmware:

► Construction Settings ► OK ► Change (= enabled)
► Construction Settings ► OK ► Change (= enabled)

Start the firmware update manually

► Construction Settings ► OK ► Construction System ► OK ► Construction Handset Update ► OK ► Construction OK ► Const



The update process may take up to 30 minutes. During this time, only restricted handset use is available.

Checking the firmware version

► Current Version ► OK ► System ► OK ► Handset Update ► OK ►
Current Version ► OK ... the firmware version of the handset is displayed

Testing DECT encryption

(depending on the base)

When this function is enabled, the handset tests whether the DECT connection to the base is secure, i.e. is encrypted. If not, a message is shown on the display.

► Change (= enabled) ► Change (= enabled)



If a repeater without encryption is used, the secure connection test must be disabled.

If, on the base, encryption is disabled at a later time whilst the secure connection test is enabled (because a repeater needs to be connected for example), **Press 'info' to read security info** is shown on the handset.

▶ Info ... the situation is explained ▶ Sec. off ... the secure connection test is disabled

During a call

A sound and a message on the display indicate when encryption is disabled on the base during a call.

Continue call:

Yes
Stop call:

No

If neither is pressed, the call is stopped automatically after a certain time.

Testing the secure connection status during a call:

Press the Hash key #-- for a longer time ... the secure connection status is shown on the display

Resetting a handset

Reset any individual settings and changes that you have made.

► Image: Settings ► OK ► Image: System ► OK ► Image: Handset Reset ► OK ► Yes ... the handset's settings are reset



- The following settings are not affected by a reset
- Registration of the handset to the base station
- Date and time
- Directory entries and call lists

Appendix

Customer Service & Assistance

Do you have any questions? As a Gigaset customer, you can find help quickly in this User Manual and in the service section of our Gigaset online portal <u>www.gigaset.com/service</u>.

In our constantly updated online service you can find:

- Extensive information about our products
- FAQ compilations
- Keyword search to help find topics quickly
- Compatibility database: Find out which base stations and handsets can be combined.
- Product comparison: Compare the features of several products with each other.
- Downloads for user manuals and current software updates
- E-mail contact form for customer service

In order to contact our customer service via email, please use the email contact form from our Gigaset online portal after selecting your home country.

Our representatives are also available on the telephone hotlines for consultation.

Australia +61 1300 780 878	J
Austria0043 1 311 3046	K
Bahrain31 73 11 173	L
Belgium 07815 6679	-
Bosnia Herzegovina 033 276 649	L
Brazil	Ν
Grandes Capitais e Regiões Metropolitanas:	Ν
Grandes Capitais e Regiões Metropolitanas: 4003 3020 (Preço de uma ligação local)	Ν
	-
Demais localidades:	Ν
	Ν
Bulgaria+359 2 9710666	Ν
Canada 1-866 247-8758	C
China 0 21 400 670 6007 (RMB 0.11)	Ρ
Croatia 01 / 2456 555	Ρ
Czech Republic 233 032 727	-
Denmark +45 43682003	R
Finland+358 (0)9725 19734	R
France (0)1 57 32 45 22	S
Germany 02871 / 912 912	S
Greece +30 2111 98 1778	S
Hong Kong 2763 0203	S
2389 7285	S
Hungary 06(1)267-2109	S S
India Please refer to your	-
local warranty card	S
Indonesia(62-21) 5673813	Т
(62-21) 888856000	T B
Ireland 0818 200 033	U
Italy 02.600.630.45	l
(Il numero è di tipo "urbano nazionale" e può essere chiamato da qualungue operatore di rete fissa o	l
mobile. Il costo della chiamata è inerente al proprio	L L
piano tariffario definito con l'operatore telefonico,	-
ad esempio in caso di un contratto con tariffa FLAT, non ci sono costi aggiuntivi per la chiamata a questo	
numero, in quanto si tratta di un numero urbano	
nazionale.)	

Jordan 00962 6 5625460/1/2
Kuwait +965 -22458737/22458738
Lebanon+9611240259/
+9611236110
Luxembourg (+352) 8002 3811
Malaysia + 603-8076 9696
Malta +39 02360 46111 (0,10 €)
Mexico
01800 999 4442738 (01800 999 GIGASET)
Netherlands 0900-3333102
New Zealand0800 780 878
Norway+47 2231 0845
Oman+968 70928 Ext. 49/21/75
Poland801 140 160
Portugal (+351) 308 804 760
(custo de uma chamada local)
Romania +40 021 204 9190
Russia 8-800 333 4956
Serbia0800 222 111
Singapore 6735 9100
Slovak Republic0905 035 305
Slovenija+386 (1) 5466 511
South Africa 0800 98 08 42
Spain (+34) 910 920 931
Sweden +46 (0)8502 52347
Switzerland0848 212 000
Taiwan02 266 24343
Turkey Son kullanıcı için +90 212 888 6346
Bayi için +90 212 888 6347
Ukraine+ 380-44-451-71-72
United Arab Emirates + 971 44504288
United Kingdom 020 36953111
USA1-866 247-8758
tollfree

Please have your record of purchase ready when calling. After sales service is not offered in countries where our product is not sold by authorised dealers.

For questions about VoIP access, please contact the respective service provider.

Manufacturer's advice

Authorisation

This device is intended for use worldwide. Use outside the European Economic Area (with the exception of Switzerland) is subject to national approval.

Country-specific requirements have been taken into consideration.

Gigaset Communications GmbH hereby declares that the following radio equipment types are in compliance with Directive 2014/53/EU and the Radio Equipment Regulations 2017: \$30852-\$3051-xxxx. \$30852-\$3061-xxxx

The full text of the EU and UK declaration of conformity is available at the following internet address: <u>www.gigaset.com/docs</u>.

This declaration could also be available in the "International Declarations of Conformity" or "European Declarations of Conformity" files.

Therefore please check all of these files.

Data protection

We at Gigaset take the protection of our customers' data very seriously. It is precisely for this reason that we are ensuring all our products feature "Privacy by Design" as standard. All information we collect is used to make our products as good as possible. In the process, we ensure your details are protected and only used for the purposes of making available to you a product or service. We know which path your data takes through the company and ensure this happens in line with data protection specifications in a secure and protected manner.

The full text of the privacy policy is available from: www.gigaset.com/privacy-policy

Environment

Environmental management system



Gigaset Communications GmbH is certified pursuant to the international standards ISO 14001 and ISO 9001.

ISO 14001 (Environment): Certified since September 2007 by TÜV SÜD Management Service GmbH.

ISO 9001 (Quality): Certified since 17/02/1994 by TÜV SÜD Management Service GmbH.

Disposal

Batteries should not be disposed of in general household waste. Observe the local waste disposal regulations, details of which can be obtained from your local authority.

All electrical and electronic equipment must be disposed of separately from general household waste using the sites designated by local authorities.



If a product displays this symbol of a crossed-out rubbish bin, the product is subject to European Directive 2012/19/EU.

UK: The Waste Electrical and Electronic Equipment Regulations 2013.

The appropriate disposal and separate collection of used equipment serve to prevent potential harm to the environment and to health. They are a precondition for the re-use and recycling of used electrical and electronic equipment.

For further information on disposing of your used equipment, please contact your local authority or your refuse collection service.

Care

Wipe the device with a **damp** cloth or an antistatic cloth. Do not use solvents or microfibre cloths.

Never use a dry cloth; this can cause static.

In rare cases, contact with chemical substances can cause changes to the device's exterior. Due to the wide variety of chemical products available on the market, it was not possible to test all substances.

Impairments in high-gloss finishes can be carefully removed using display polishes for mobile phones.

Contact with liquid

If the device comes into contact with liquid:

- 1 Unplug all cables from the device.
- 2 Remove the batteries and leave the battery compartment open.
- 3 Allow the liquid to drain from the device.
- 4 Pat all parts dry.
- 5 Place the device in a dry, warm place for at least 72 hours (not in a microwave, oven etc.) with the battery compartment open and the keypad facing down (if applicable).
- 6 Do not switch on the device again until it is completely dry.

When it has fully dried out, you will normally be able to use it again.

Technical data

Batteries

Technology:	2 x AAA NiMH
Voltage:	1.2 V
Capacity:	750 mAh

Handset operating times/charging times

The operating time of your Gigaset depends on the capacity of the battery, its age and the way it is used. (All times are maximum possible times.)

Standby time (hours)	320 / 190 *
Talktime (hours)	17
Operating time with 1.5 hours of calls per day (hours)	160 / 115*
Charging time in charging cradle (hours)	8

* With No Radiation function disabled / with No Radiation function enabled, with no display lighting when the phone is idle and during a call

Power consumption of the handset in the charging cradle

When charging:	approx. 1.50 W
To maintain the charge status:	approx. 0.50 W

General specifications

DECT standard	Supported
GAP standard	Supported
No. of channels	60 duplex channels
Radio frequency range	1880-1900 MHz
Duplex mode	Time division multiplexing, 10 ms frame length
Repetition frequency of the transmission pulse	100 Hz
Duration of the transmission pulse	370 µs
Channel grid	1728 kHz
Bit rate	1152 kbit/s
Modulation	GFSK
Language code	32 kbit/s
Transmission power	10 mW average power per channel, 250 mW pulse power
Range	Up to 50 m indoors, up to 300 m outdoors
Environmental conditions for operation	+5 °C to +45 °C; 20% to 75% relative humidity
Dialling mode	DTMF (tone dialling)

Power adapter

Manufacturer	Salom Electric (Xiamen) Co. Ltd.
	Commercial registration number: 91350200612003878C
	31 Building, Huli Industrial District,
	Xiamen, Fujian 361006, P.R. China
	Salcomp (Shenzen) Co. Ltd.
	Commercial registration number: 91440300618932635P
	Salcomp Road, Furond Industrial Area,
	Xinqiao, Shajing, Baoan District, Shenzen 518125 China
Model identifier	C705
Input voltage	230 V
Input AC frequency	50 Hz
Output voltage	4 V
Output current	0.15 A
Output power	0.6 W
Average active efficiency	> 46%
Efficiency at low load (10%)	not relevant – only at output power > 10 W
No-load power consumption	< 0.10 W

Character charts

The character set used on the handset is dependent on the language set.

Standard characters

Press the relevant key several times.

	1x	2x	3x	4x	5x	6x	7x	8x	9x	10x
1 🚥	1									
2	а	b	с	2	ä	á	à	â	ã	Ç
3	d	е	f	3	ë	é	è	ê		
4	g	h	i	4	ï	í	ì	î		
5	j	k	Ι	5						
6	m	n	0	6	ö	ñ	ó	ò	Ô	Õ
7	р	q	r	S	7	ß				
8	t	u	v	8	ü	ú	ù	û		
9	w	х	У	z	9	ÿ	ý	æ	ø	å
0 _			,	?	!	← ²⁾	0			

1) Space

2) Line break

Display icons

The following icons are displayed depending on the settings and the operating status of your telephone.

Icons in the status bar

lcon	Meaning
† †*1]	Signal strength (No Radiation off) 1% -100% white, if Maximum Range on; green, if Maximum Range off
$\langle \hat{\mathbf{p}} \rangle$	Red: no connection to the base station
۲	No Radiation activated: white, if Maximum Range on; green, if Maximum Range off
٥٥	Answer machine activated indicator Flashes: Answer machine is recording a message or is being operated by another internal participant (only for a system with a local answer machine)
<i>ب</i> ت	Ringtone switched off

lcon	Meaning
લેન	"Beep" ringtone activated
ŀ	Keypad lock activated
00	Battery charge status: White: between 11% and 100% charged Red: less than 11% charged
(Flashes red: battery almost empty (approx. 5 minutes of talktime left)
/	Battery is charging (current charge status):
*	0% - 100%

Display key icons

lcon	Meaning
$\rightarrow \rightarrow$	Last number redial
< C	Delete text
	Open the directory

lcon	Meaning
+	Copy number to the directory
مە∢	Divert a call to answer machine (only for a system with a local answer machine)

Display icons to indicate ...

lcon	Meaning
$\left((\bigtriangleup) \right)$	External call
((1))	Internal call
((🔹))	Call of a blocked number (protection mode Silent Call)
$\ell \rightarrow$	Establishing a call (outgoing call)
(↔)	Connection established
(×)	No connection established/ connection terminated

lcon	Meaning
((6])	Reminder for appointment
((🕹))	Reminder for anniversary
$\left((\textcircled{)}) \right)$	Alarm call
$((\mathfrak{O}))$	Countdown timer
((DD))	Answer machine is recording (only for a system with a local answer machine)

Other display icons

lcon	Meaning
Ô	Alarm clock is activated, display with alarm time
Ó	Timer switched on, display with countdown
\checkmark	Action complete (green)
\times	Action failed (red)

lcon	Meaning
i	Information
?	(Security) prompt
Q	Please wait
	Just Friends function enabled

Index

Α
Activating/deactivating message LED 22
Advisory tones
Alarm
Alarm clock 31
switch on/off
Alert tone (beep)
Anniversary, see Appointment
Answer machine
calling back a caller 20
Answer, auto 43
Appointment
display missed 29
missed
notification
setting
Assigning number key
Authorisation
Auto answer

В

Baby monitor 32
activation 32
deactivation
Base directory 27
Battery
charging9
charging status
inserting
Beep (alert tone) 42
Belt clip
Best base station
Black list
block caller
copying a number from a call list
dynamic
Searching for a number
Broken display

с

L C	
Calendar	8
Call	
external	б
Call block	б
Call list	
copying a number to the directory	1
delete	1
delete an entry 2	1
dialling	
entry	
opening	

Call lists
Call, anonymous
protection from
Caller
blocking
Calling
external
Cancel the alarm (baby monitor)
Care
Care of the device
Changing
display language
earpiece volume
handsfree volume
Character charts53
Charge status of the batteries54
Charging cradle (handset)
connecting7
Charging time of handset 52
Colour scheme
Configuring system messages45
Connecting the headset11
Connection
assigning handset44
changing name44
Contact with liquid51
Contents of the package7
Control key4, 12
Correcting incorrect entries15
Countdown (timer)
Country
Customer Care
Customer Service & Assistance

D

Data protection
from the call list
from the directory16
from the redial list16
using quick dial 43
Directory
copying numbers 25
dialling numbers16
entry
memory
opening
order of entries 24
preferred
saving an entry
searching
Scarching

selecting an entry 2	24
sending entry/list to handset 2	26
sending to handset 2	26
Directory key	
change assignment 2	27
Display	
activating/deactivating new message 2	22
backlight 4	0
broken	.6
changing display language	8
colour scheme 4	0
directory memory 2	24
large font 4	0
missed appointment/anniversary 2	9
network mailbox message 2	21
Screensaver	9
Display icons 5	54
Display keys	
assigning 4	ł3
icons	54
Disposal 5	51
Dynamic black list 3	37

Ε

Earpiece profile 41 Earpiece volume 18 ECO DECT 33
Emergency numbers
not possible6
Encryption, DECT connection
End call key
Entering numbers
Entering special characters
Entering text
Entering umlauts
Environment

F

Firmware update		• •	• •		• • •	• •	•••			46
-----------------	--	-----	-----	--	-------	-----	-----	--	--	----

G

-															
Getting started	••	•••	• •	•••	• •	• •	• •	• •	• •	 • • •	• •	•	•••	7	

н

H	la	n	d	S	e	t
---	----	---	---	---	---	---

assigning connection	44
changing the settings	
colour scheme	
connecting the charging cradle	
display backlight	
display language	
earpiece volume	
handset volume	
handsfree volume	
idle status.	
muting	
overview	
registering	
resetting	
set up	
switch on/off	
switching on/off	
update	
use as a baby monitor	
Handsfree key	
Handsfree mode	
Handsfree profile	
Handsfree volume	
Hash key	
Headset connector	
Headset socket	11
Hearing aids	6
НХ	2

I

Icons	
alarm clock	I
displaying new messages2	l
indications	5
on display keys54	4
status bar	
timer)
Idle display	
status messages	5
Idle status	
returning to	4
Indications, icons	
Internal listening in	
Internet connection	
outage	5

к

K
Key 14
Key, assigning
Keys
control key 4, 12
display keys
end call key
handsfree
hash key4
menu
message key4
on/off key
recall key
star key
talk key4

L

LAN connection
outage6
Language
display
Language, display9
Large font
Line
Liquid 51
Lock/unlock the keypad 12
Lower/upper case 15

М

Making calls
external
Manufacturer's advice 50
Maximum Range
Medical equipment
Melody
ringtone for internal/external calls 42
Memory in the directory 24
Menu key 12
Message key4
Message lists 21
Microphone
switch on/off
Missed anniversaries/appointments
Multiple calls 44
Mute the first ringtone
Muting the handset 18

N
Number
copying to the directory
saving in the directory
···· ,

0

On/Off button	ł
Open Source Software 60)
Operating time of handset	2

Outage

Internet connection	 6
LAN connection	 6
Overview	
handset	 4

Ρ

•	
Power adapter	53
Preferred directory 2	27
Protection from calls	
anonymous	35
black list 3	35
time control	34

Q

-	
Quick dial	

R

Radiation
reducing
Radiation-free
Recall key 4
Redial list16, 20
Registering (handset) 9
Ringtone
changing
melody for internal/external calls
muting
muting first
suppress first
time control34
volume

s

Safety precautions	9
entire directory to handset	6
Setting the date	
Setting the time	
Setting up handset	
Show line status	
Show new messages	
Showing the system status	
Signal strength	
Snooze mode (alarm)	
Speaker	
Star key	
Status bar	
icons	
SUOTA	
Switch on/off alarm (timer)3	
Switching the ringtone on/off4	
Symbols, see Icons	4

т
Talk key4
Technical data
Telephone
operating 12
Time control for external calls
Timer
U

Upper/lower case																										1!	5
oppen/ioner case	•	•	•	•	•	•	•	٠	٠	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	٠	•		-

v

1 4 4
1
1
8
1

All rights reserved. Rights of modification reserved.

Open Source Software

General

Your Gigaset device includes Open Source software that is subject to various license conditions. With regard to Open Source software, the granting of usage rights that go beyond the operation of the device in the form supplied by Gigaset Communications GmbH is governed by the relevant license conditions of the Open Source software. The corresponding licence conditions can be found below in their original version.

The respective license texts regularly contain limitations of liability with regard to the relevant licensor of Open Source Software. The exclusion of liability for the LGPL Version 2.1, for example, reads as follows:

"This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details."

The liability of Gigaset Communications GmbH remains unaffected by this.

Licence and copyright information

Your Gigaset unit includes Open Source software. The corresponding licence conditions can be found below in their original version.

Licence texts

Copyright (c) 2001, Dr Brian Gladman < >, Worcester, UK. All rights reserved.

LICENSE TERMS

The free distribution and use of this software in both source and binary form is allowed (with or without changes) provided that:

1. distributions of this source code include the above copyright notice, this list of conditions and the following disclaimer;

2. distributions in binary form include the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other associated materials;

3. the copyright holder's name is not used to endorse products built using this software without specific written permission.

DISCLAIMER

This software is provided 'as is' with no explicit or implied warranties in respect of its properties, including, but not limited to, correctness and fitness for purpose.

Issue Date: 29/07/2002

Issued by Gigaset Communications GmbH Frankenstr. 2a, D-46395 Bocholt

© Gigaset Communications GmbH 2022

Subject to availability. All rights reserved. Rights of modification reserved. www.gigaset.com